

	PRESALE DATA							STAPLE	DATA	COLOUR	DATA
	LOTS	BALES	B/L	BALE WT	WT	PROJ WT	RAPID	LOTS	AR%	LOTS	AR%
2007/2008:											
Queensland	1425	9515	6.68	183.7			8.0	1029	78.6	5	1.0
NSW	8892	38717	4.35	176.4			4.3	5115	64.0	24	0.8
Victoria	5264	32602	6.19	177.4			33.4	3434	65.5	41	1.1
Tasmania	668	3501	5.24	176.0			36.2	484	68.0	0	0.0
SA	1384	10386	7.50	178.0			28.5	1010	73.7	2	0.3
WA	3183	21293	6.69	177.9			68.2	2256	75.1	2	0.1
Australia	20816	116014	5.57	177.7			24.3	13328	68.7	74	0.7
TYPE:											
Fleece	12289	75588	6.15	180.3			25.1	10211	84.8	26	0.3
Skirting	5293	25500	4.82	173.7			23.8	2721	52.6	48	2.4
Carding	3234	14926	4.62	171.5			22.4	396	14.5	0	0.0
2008/2009:											
Queensland	1416	10115	7.14	183.7			12.8	1012	77.2	0	0.0
NSW	9420	44838	4.76	178.3			8.5	6040	72.5	35	1.0
Victoria	5663	33793	5.97	178.4			25.3	3559	64.0	24	0.7
Tasmania	752	4585	6.10	180.8			43.6	520	70.9	0	0.0
SA	1422	10999	7.73	180.4			38.5	1091	79.8	4	0.3
WA	3381	22934	6.78	177.1			65.7	2306	71.8	4	0.0
Australia	22054	127264	5.77	178.8			25.0	14528	71.1	67	0.6
TYPE:											
Fleece	13125	84278	6.42	181.1			24.3	11080	85.8	5	0.0
Skirting	5851	29208	4.99	174.6			26.5	3106	55.6	62	2.5
Carding	3078	13778	4.48	173.6			25.3	342	13.5	0	0.0
DIFFERENCES:											
Queensland	0.6-	6.3	0.46	0.0	6.3	13.9	4.8	1.7-	1.4-	100.0-	1.0-
NSW	5.9	15.8	0.41	1.1	17.0	29.8	4.2	18.1	8.5	45.8	0.2
Victoria	7.6	3.7	0.22-	0.6	4.2	0.3-	8.1-	3.6	1.5-	41.5-	0.4-
Tasmania	12.6	31.0	0.86	2.7	34.5	32.8	7.4	7.4	2.9	0.0	0.0
SA	2.7	5.9	0.23	1.3	7.3	15.9	10.0	8.0	6.1	100.0	0.0
WA	6.2	7.7	0.09	0.4-	7.2	9.6	2.5-	2.2	3.3-	100.0	0.1-
Australia	5.9	9.7	0.20	0.6	10.4	14.7	0.7	9.0	2.4	9.5-	0.1-
Fleece	6.8	11.5	0.27	0.4	12.0		0.8-	8.5	1.0	80.8-	0.3-
Skirting	10.5	14.5	0.17	0.5	15.1		2.7	14.1	3.0	29.2	0.1
Carding	4.8-	7.7-	0.14-	1.2	6.6-		2.9	13.6-	1.0-	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of JULY as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -2.8%.

It has moved from 40.2% of the clip at the end of JULY last year to 35.4% this year.

	TEST RESULTS														
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z		
2007/2008:															
Queensland	62.1	2.3	20.6	21.4	86.2	16.4	34.4	37.2	65.0	25.5	70.7	71.9	9.6		
NSW	61.1	2.8	20.3	21.9	82.5	16.2	36.0	33.7	51.0	23.0	69.7	71.5	9.6		
Victoria	61.7	1.7	21.7	23.2	84.5	16.5	34.7	35.3	44.0	19.6	72.1	70.2	8.6		
Tasmania	68.6	0.7	20.9	22.8	81.6	16.5	33.3	34.1	47.5	28.0	68.9	0.0	0.0		
SA	60.3	2.1	22.3	22.7	87.8	16.0	34.7	37.5	54.5	21.3	73.9	69.5	8.9		
WA	59.4	2.1	20.0	23.2	78.4	16.9	32.1	35.3	47.3	13.6	65.8	70.3	10.3		
Australia	61.2	2.2	20.8	22.5	83.1	16.4	34.5	35.1	50.0	20.4	70.0	70.9	9.2		
TYPE:															
Fleece	64.4	1.3	20.9	21.8	85.4	15.5	35.5	34.6	49.8	19.6	72.6	73.0	8.8		
Skirting	53.7	4.4	20.2	23.3	74.8	20.9	30.0	39.4	53.4	22.1	60.4	70.1	9.3		
Carding	57.2	3.0	21.5	25.4	61.9	18.9	30.4	26.8	35.0	34.2	51.5	0.0	0.0		
2008/2009:															
Queensland	62.1	2.4	20.5	20.9	87.9	15.8	35.2	37.4	58.9	32.4	73.4	0.0	0.0		
NSW	62.2	2.9	20.9	21.0	86.4	16.0	39.1	33.4	56.2	21.9	73.2	70.7	9.3		
Victoria	62.3	1.8	21.9	22.7	85.2	15.9	35.0	34.1	44.5	17.5	72.6	68.3	10.0		
Tasmania	65.9	1.2	20.7	22.2	84.6	16.0	33.4	33.8	46.2	25.2	71.0	0.0	0.0		
SA	58.5	1.8	22.0	22.4	87.2	15.9	35.2	37.2	45.9	17.2	74.9	67.4	8.9		
WA	59.0	2.5	20.1	23.2	79.4	17.2	32.4	35.2	46.0	14.9	66.4	72.0	9.6		
Australia	61.5	2.3	21.1	22.0	85.0	16.2	36.0	34.6	50.4	20.2	72.0	69.9	9.5		
TYPE:															
Fleece	64.6	1.4	21.2	21.2	87.3	15.1	37.2	33.7	49.6	19.4	74.6	71.8	10.1		
Skirting	53.9	4.7	20.5	22.9	77.0	20.8	30.3	39.7	55.0	21.5	61.5	69.8	9.5		
Carding	57.3	3.1	21.5	24.8	63.9	18.3	35.7	29.6	41.7	37.2	57.8	0.0	0.0		
DIFFERENCES:															
Queensland	0.0	0.1	0.1-	0.5-	1.7	0.6-	0.8	0.2	6.1-	6.9	2.7	71.9-	9.6-		
NSW	1.1	0.1	0.6	0.9-	3.9	0.2-	3.1	0.3-	5.2	1.1-	3.5	0.8-	0.3-		
Victoria	0.6	0.1	0.2	0.5-	0.7	0.6-	0.3	1.2-	0.5	2.1-	0.5	1.9-	1.4		
Tasmania	2.7-	0.5	0.2-	0.6-	3.0	0.5-	0.1	0.3-	1.3-	2.8-	2.1	0.0	0.0		
SA	1.8-	0.3-	0.3-	0.3-	0.6-	0.1-	0.5	0.3-	8.6-	4.1-	1.0	2.1-	0.0		
WA	0.4-	0.4	0.1	0.0	1.0	0.3	0.3	0.1-	1.3-	1.3	0.6	1.7	0.7-		
Australia	0.3	0.1	0.3	0.5-	1.9	0.2-	1.5	0.5-	0.4	0.2-	2.0	1.0-	0.3		
Fleece	0.2	0.1	0.3	0.6-	1.9	0.4-	1.7	0.9-	0.2-	0.2-	2.0	1.2-	1.3		
Skirting	0.2	0.3	0.3	0.4-	2.2	0.1-	0.3	0.3	1.6	0.6-	1.1	0.3-	0.2		
Carding	0.1	0.1	0.0	0.6-	2.0	0.6-	5.3	2.8	6.7	3.0	6.3	0.0	0.0		

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE	DATA	COLOUR	DATA	TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2007/2008:																
Queensland	1425	9515		1029	78.6	5	1.0	62.1	2.3	20.6	21.4	86.2	34.4	65.0	70.7	9.6
NSW	8892	38717		5115	64.0	24	0.8	61.1	2.8	20.3	21.9	82.5	36.0	51.0	69.7	9.6
Victoria	5264	32602		3434	65.5	41	1.1	61.7	1.7	21.7	23.2	84.5	34.7	44.0	72.1	8.6
Tasmania	668	3501		484	68.0	0	0.0	68.6	0.7	20.9	22.8	81.6	33.3	47.5	68.9	0.0
SA	1384	10386		1010	73.7	2	0.3	60.3	2.1	22.3	22.7	87.8	34.7	54.5	73.9	8.9
WA	3183	21293		2256	75.1	2	0.1	59.4	2.1	20.0	23.2	78.4	32.1	47.3	65.8	10.3
Australia	20816	116014		13328	68.7	74	0.7	61.2	2.2	20.8	22.5	83.1	34.5	50.0	70.0	9.2
TYPE:																
Fleece	12289	75588		10211	84.8	26	0.3	64.4	1.3	20.9	21.8	85.4	35.5	49.8	72.6	8.8
Skirting	5293	25500		2721	52.6	48	2.4	53.7	4.4	20.2	23.3	74.8	30.0	53.4	60.4	9.3
Carding	3234	14926		396	14.5	0	0.0	57.2	3.0	21.5	25.4	61.9	30.4	35.0	51.5	0.0
2008/2009:																
Queensland	1416	10115		1012	77.2	0	0.0	62.1	2.4	20.5	20.9	87.9	35.2	58.9	73.4	0.0
NSW	9420	44838		6040	72.5	35	1.0	62.2	2.9	20.9	21.0	86.4	39.1	56.2	73.2	9.3
Victoria	5663	33793		3559	64.0	24	0.7	62.3	1.8	21.9	22.7	85.2	35.0	44.5	72.6	10.0
Tasmania	752	4585		520	70.9	0	0.0	65.9	1.2	20.7	22.2	84.6	33.4	46.2	71.0	0.0
SA	1422	10999		1091	79.8	4	0.3	58.5	1.8	22.0	22.4	87.2	35.2	45.9	74.9	8.9
WA	3381	22934		2306	71.8	4	0.0	59.0	2.5	20.1	23.2	79.4	32.4	46.0	66.4	9.6
Australia	22054	127264		14528	71.1	67	0.6	61.5	2.3	21.1	22.0	85.0	36.0	50.4	72.0	9.5
TYPE:																
Fleece	13125	84278		11080	85.8	5	0.0	64.6	1.4	21.2	21.2	87.3	37.2	49.6	74.6	10.1
Skirting	5851	29208		3106	55.6	62	2.5	53.9	4.7	20.5	22.9	77.0	30.3	55.0	61.5	9.5
Carding	3078	13778		342	13.5	0	0.0	57.3	3.1	21.5	24.8	63.9	35.7	41.7	57.8	0.0
DIFFERENCES:																
Queensland	0.6-	6.3	6.3	1.7-	1.4-	100.0-	1.0-	0.0	0.1	0.1-	0.5-	1.7	0.8	6.1-	2.7	9.6-
NSW	5.9	15.8	17.0	18.1	8.5	45.8	0.2	1.1	0.1	0.6	0.9-	3.9	3.1	5.2	3.5	0.3-
Victoria	7.6	3.7	4.2	3.6	1.5-	41.5-	0.4-	0.6	0.1	0.2	0.5-	0.7	0.3	0.5	0.5	1.4
Tasmania	12.6	31.0	34.5	7.4	2.9	0.0	0.0	2.7-	0.5	0.2-	0.6-	3.0	0.1	1.3-	2.1	0.0
SA	2.7	5.9	7.3	8.0	6.1	100.0	0.0	1.8-	0.3-	0.3-	0.3-	0.6-	0.5	8.6-	1.0	0.0
WA	6.2	7.7	7.2	2.2	3.3-	100.0	0.1-	0.4-	0.4	0.1	0.0	1.0	0.3	1.3-	0.6	0.7-
Australia	5.9	9.7	10.4	9.0	2.4	9.5-	0.1-	0.3	0.1	0.3	0.5-	1.9	1.5	0.4	2.0	0.3
Fleece	6.8	11.5	12.0	8.5	1.0	80.8-	0.3-	0.2	0.1	0.3	0.6-	1.9	1.7	0.2-	2.0	1.3
Skirting	10.5	14.5	15.1	14.1	3.0	29.2	0.1	0.2	0.3	0.3	0.4-	2.2	0.3	1.6	1.1	0.2
Carding	4.8-	7.7-	6.6-	13.6-	1.0-	0.0	0.0	0.1	0.1	0.0	0.6-	2.0	5.3	6.7	6.3	0.0

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -2.8%.

It has moved from 40.2% of the clip at the end of JULY last year to 35.4% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2007/2008:											
Queensland	5.2	26.4	110.8	270.7	413.1		0.3	1.5	6.3	15.5	23.6
NSW	282.1	837.9	1120.9	1312.9	3553.8		4.1	12.3	16.4	19.2	52.0
Victoria	168.5	409.0	706.0	812.6	2096.2		2.9	7.1	12.2	14.0	36.2
Tasmania	36.1	88.2	135.1	108.4	367.8		5.9	14.3	21.9	17.6	59.7
SA	5.2	17.4	50.5	113.9	186.9		0.3	0.9	2.7	6.2	10.1
WA	98.9	232.2	581.8	766.6	1679.5		2.6	6.1	15.4	20.2	44.3
Australia	596.1	1611.1	2705.1	3385.1	8297.4		2.9	7.8	13.1	16.4	40.2
TYPE:											
Fleece	405.8	1004.9	1677.6	2063.9	5152.2		3.0	7.4	12.3	15.1	37.8
Skirting	134.5	431.6	687.3	938.5	2191.9		3.0	9.7	15.5	21.2	49.5
Carding	55.8	174.6	340.1	382.7	953.2		2.2	6.8	13.3	14.9	37.2
2008/2009:											
Queensland	0.9	11.5	114.1	289.6	416.1		0.0	0.6	6.1	15.6	22.4
NSW	151.5	521.6	1011.3	1349.0	3033.4		1.9	6.5	12.7	16.9	38.0
Victoria	142.4	403.0	714.5	857.2	2117.1		2.4	6.7	11.9	14.2	35.1
Tasmania	30.0	110.0	177.2	166.9	484.1		3.6	13.3	21.4	20.1	58.4
SA	2.9	29.9	80.5	134.1	247.4		0.1	1.5	4.1	6.8	12.5
WA	58.2	144.9	533.4	1028.0	1764.5		1.4	3.6	13.1	25.3	43.4
Australia	385.9	1221.0	2630.9	3824.7	8062.5		1.7	5.4	11.6	16.8	35.4
TYPE:											
Fleece	224.4	733.6	1646.4	2157.8	4762.2		1.5	4.8	10.8	14.1	31.2
Skirting	105.9	337.3	698.6	1271.5	2413.3		2.1	6.6	13.7	24.9	47.3
Carding	55.5	150.0	286.0	395.5	887.0		2.3	6.3	12.0	16.5	37.1
DIFFERENCES:											
Queensland	82.7-	56.4-	3.0	7.0	0.7	6.3	0.3-	0.9-	0.2-	0.1	1.2-
NSW	46.3-	37.7-	9.8-	2.7	14.6-	17.0	2.2-	5.8-	3.7-	2.3-	14.0-
Victoria	15.5-	1.5-	1.2	5.5	1.0	4.2	0.5-	0.4-	0.3-	0.2	1.1-
Tasmania	16.9-	24.7	31.2	54.0	31.6	34.5	2.3-	1.0-	0.5-	2.5	1.3-
SA	44.2-	71.8	59.4	17.7	32.4	7.3	0.2-	0.6	1.4	0.6	2.4
WA	41.2-	37.6-	8.3-	34.1	5.1	7.2	1.2-	2.5-	2.3-	5.1	0.9-
Australia	35.3-	24.2-	2.7-	13.0	2.8-	10.4	1.2-	2.4-	1.5-	0.4	4.8-
Fleece	44.7-	27.0-	1.9-	4.5	7.6-	496.2	1.5-	2.6-	1.5-	1.8-	6.6-
Skirting	21.3-	21.8-	1.6	35.5	10.1	99.2	0.9-	3.1-	1.8-	9.4	2.2-
Carding	0.5-	14.1-	15.9-	3.3	6.9-	6.6-	0.1	0.5-	1.3-	3.2	0.1-

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2007/2008:											
Queensland	0.0	0.0	0.0	0.0	5.2		0.0	0.0	0.0	0.0	0.3
NSW	0.0	0.0	1.1	31.9	249.2		0.0	0.0	0.0	0.5	3.6
Victoria	0.0	0.2	0.8	33.1	134.4		0.0	0.0	0.0	0.6	2.3
Tasmania	0.0	0.0	0.0	0.2	35.9		0.0	0.0	0.0	0.0	5.8
SA	0.0	0.0	0.0	0.0	5.2		0.0	0.0	0.0	0.0	0.3
WA	0.0	0.0	0.8	15.5	82.7		0.0	0.0	0.0	0.4	2.2
Australia	0.0	0.2	2.7	80.7	512.5		0.0	0.0	0.0	0.4	2.5
TYPE:											
Fleece	0.0	0.2	2.6	50.3	352.8		0.0	0.0	0.0	0.4	2.6
Skirting	0.0	0.0	0.0	17.2	117.3		0.0	0.0	0.0	0.4	2.6
Carding	0.0	0.0	0.1	13.2	42.4		0.0	0.0	0.0	0.5	1.7
2008/2009:											
Queensland	0.0	0.0	0.0	0.0	0.9		0.0	0.0	0.0	0.0	0.0
NSW	0.2	0.0	1.7	16.5	133.2		0.0	0.0	0.0	0.2	1.7
Victoria	0.0	0.0	0.3	15.2	127.0		0.0	0.0	0.0	0.3	2.1
Tasmania	0.0	0.0	0.0	4.4	25.6		0.0	0.0	0.0	0.5	3.1
SA	0.0	0.0	0.0	0.1	2.8		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	0.0	5.0	53.1		0.0	0.0	0.0	0.1	1.3
Australia	0.2	0.0	2.0	41.1	342.6		0.0	0.0	0.0	0.2	1.5
TYPE:											
Fleece	0.2	0.0	1.5	25.6	197.1		0.0	0.0	0.0	0.2	1.3
Skirting	0.0	0.0	0.0	10.6	95.3		0.0	0.0	0.0	0.2	1.9
Carding	0.0	0.0	0.5	4.9	50.2		0.0	0.0	0.0	0.2	2.1
DIFFERENCES:											
Queensland	0.0	0.0	0.0	0.0	82.7-	6.3	0.0	0.0	0.0	0.0	0.3-
NSW	0.0	0.0	54.5	48.3-	46.5-	17.0	0.0	0.0	0.0	0.3-	1.9-
Victoria	0.0	100.0-	62.5-	54.1-	5.5-	4.2	0.0	0.0	0.0	0.3-	0.2-
Tasmania	0.0	0.0	0.0	2100.0	28.7-	34.5	0.0	0.0	0.0	0.5	2.7-
SA	0.0	0.0	0.0	0.0	46.2-	7.3	0.0	0.0	0.0	0.0	0.2-
WA	0.0	0.0	100.0-	67.7-	35.8-	7.2	0.0	0.0	0.0	0.3-	0.9-
Australia	0.0	100.0-	25.9-	49.1-	33.2-	10.4	0.0	0.0	0.0	0.2-	1.0-
Fleece	0.0	100.0-	42.3-	49.1-	44.1-	496.2	0.0	0.0	0.0	0.2-	1.3-
Skirting	0.0	0.0	0.0	38.4-	18.8-	99.2	0.0	0.0	0.0	0.2-	0.7-
Carding	0.0	0.0	400.0	62.9-	18.4	6.6-	0.0	0.0	0.0	0.2-	0.4

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2007/2008:										
Queensland	1886	12182	6.46	181.9		17.3	1378	80.0	0	0.0
NSW	14493	62034	4.28	175.2		9.9	10045	75.4	23	0.5
Victoria	10451	64486	6.17	179.2		34.0	7648	74.0	49	0.5
Tasmania	1123	6285	5.60	176.4		46.4	874	78.3	7	1.3
SA	3272	24186	7.39	179.3		25.1	2683	84.3	11	0.7
WA	5721	38091	6.66	177.5		71.5	4296	80.1	6	0.1
Australia	36946	207264	5.61	177.8		29.1	26924	77.2	96	0.4
TYPE:										
Fleece	22952	141213	6.15	180.1		28.2	20754	91.8	32	0.2
Skirting	9722	47009	4.84	173.1		31.1	5773	60.1	63	1.5
Carding	4272	19042	4.46	171.9		29.2	397	11.2	1	0.0
2008/2009:										
Queensland	1548	9849	6.36	181.4		14.6	1175	81.1	0	0.0
NSW	12641	56714	4.49	175.6		8.5	8380	72.5	11	0.4
Victoria	7838	48647	6.21	179.9		30.6	5578	72.8	11	0.3
Tasmania	889	5064	5.70	178.0		44.1	672	76.7	0	0.0
SA	2520	19102	7.58	180.2		23.5	1973	81.3	5	0.4
WA	5167	35907	6.95	178.3		73.5	3874	78.9	16	0.2
Australia	30603	175283	5.73	178.2		27.7	21652	75.4	43	0.3
TYPE:										
Fleece	19217	121145	6.30	180.5		27.3	16728	88.3	16	0.1
Skirting	7961	39068	4.91	173.6		28.8	4641	60.6	27	1.0
Carding	3425	15070	4.40	171.9		27.4	283	10.8	0	0.0
DIFFERENCES:										
Queensland	17.9-	19.2-	0.10-	0.3-	19.4-	2.7-	14.7-	1.1	0.0	0.0
NSW	12.8-	8.6-	0.21	0.2	8.4-	1.4-	16.6-	2.9-	52.2-	0.1-
Victoria	25.0-	24.6-	0.04	0.4	24.2-	3.4-	27.1-	1.2-	77.6-	0.2-
Tasmania	20.8-	19.4-	0.10	0.9	18.7-	2.3-	23.1-	1.6-	100.0-	1.3-
SA	23.0-	21.0-	0.19	0.5	20.6-	1.6-	26.5-	3.0-	54.5-	0.3-
WA	9.7-	5.7-	0.29	0.5	5.3-	2.0	9.8-	1.2-	166.7	0.1
Australia	17.2-	15.4-	0.12	0.2	15.2-	1.4-	19.6-	1.8-	55.2-	0.1-
Fleece	16.3-	14.2-	0.15	0.2	14.0-	0.9-	19.4-	3.5-	50.0-	0.1-
Skirting	18.1-	16.9-	0.07	0.3	16.7-	2.3-	19.6-	0.5	57.1-	0.5-
Carding	19.8-	20.9-	0.06-	0.0	20.9-	1.8-	28.7-	0.4-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.
Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA					PROJ WT	RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT			LOTS	AR%	LOTS	AR%
2007/2008:											
Queensland	3311	21697	6.55	182.7			13.3	2407	79.4	5	0.5
NSW	23385	100751	4.31	175.7			7.8	15160	71.0	47	0.6
Victoria	15715	97088	6.18	178.6			33.8	11082	71.2	90	0.7
Tasmania	1791	9786	5.46	176.3			42.6	1358	74.6	7	0.8
SA	4656	34572	7.43	178.9			26.1	3693	81.1	13	0.6
WA	8904	59384	6.67	177.6			70.3	6552	78.3	8	0.1
Australia	57762	323278	5.60	177.7			27.4	40252	74.1	170	0.5
TYPE:											
Fleece	35241	216801	6.15	180.2			27.1	30965	89.4	58	0.2
Skirting	15015	72509	4.83	173.3			28.5	8494	57.4	111	1.8
Carding	7506	33968	4.53	171.7			26.3	793	12.6	1	0.0
2008/2009:											
Queensland	2964	19964	6.74	182.6			13.7	2187	79.1	0	0.0
NSW	22061	101552	4.60	176.8			8.5	14420	72.5	46	0.7
Victoria	13501	82440	6.11	179.3			28.4	9137	69.2	35	0.4
Tasmania	1641	9649	5.88	179.3			43.9	1192	73.9	0	0.0
SA	3942	30101	7.64	180.2			28.9	3064	80.7	9	0.3
WA	8548	58841	6.88	177.8			70.4	6180	76.1	20	0.1
Australia	52657	302547	5.75	178.5			26.6	36180	73.6	110	0.4
TYPE:											
Fleece	32342	205423	6.35	180.8			26.1	27808	87.3	21	0.0
Skirting	13812	68276	4.94	174.0			27.8	7747	58.4	89	1.7
Carding	6503	28848	4.44	172.7			26.4	625	12.1	0	0.0
DIFFERENCES:											
Queensland	10.5-	8.0-	0.19	0.1-	8.1-	3.2-	0.4	9.1-	0.3-	100.0-	0.5-
NSW	5.7-	0.8	0.29	0.6	1.4	2.8	0.7	4.9-	1.5	2.1-	0.1
Victoria	14.1-	15.1-	0.07-	0.4	14.8-	13.3-	5.4-	17.6-	2.0-	61.1-	0.3-
Tasmania	8.4-	1.4-	0.42	1.7	0.3	2.0-	1.3	12.2-	0.7-	100.0-	0.8-
SA	15.3-	12.9-	0.21	0.7	12.3-	8.5-	2.8	17.0-	0.4-	30.8-	0.3-
WA	4.0-	0.9-	0.21	0.1	0.8-	10.1-	0.1	5.7-	2.2-	150.0	0.0
Australia	8.8-	6.4-	0.15	0.5	6.0-	6.0-	0.8-	10.1-	0.5-	35.3-	0.1-
Fleece	8.2-	5.2-	0.20	0.3	4.9-		1.0-	10.2-	2.1-	63.8-	0.2-
Skirting	8.0-	5.8-	0.11	0.4	5.5-		0.7-	8.8-	1.0	19.8-	0.1-
Carding	13.4-	15.1-	0.09-	0.6	14.6-		0.1	21.2-	0.5-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of AUGUST as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -17.8%.

It has moved from 39.2% of the clip at the end of AUGUST last year to 34.3% this year.

	TEST RESULTS													
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT		Y	Y-Z
2007/2008:														
Queensland	62.9	2.3	20.2	21.1	86.4	16.0	34.4	36.9	59.7	30.5	71.4		0.0	0.0
NSW	63.4	2.4	20.3	21.7	84.9	16.0	35.6	34.7	54.6	22.2	70.7		72.0	9.2
Victoria	62.3	1.6	21.3	22.7	88.5	15.9	33.2	37.6	45.8	12.8	74.0		70.4	8.9
Tasmania	68.5	0.8	19.7	22.0	83.2	15.9	34.5	32.8	49.3	21.1	69.6		73.4	8.5
SA	60.7	1.8	22.1	22.2	93.0	15.4	32.5	40.1	53.0	15.4	76.6		71.5	9.0
WA	60.0	1.9	19.9	23.1	82.6	16.4	30.2	38.1	43.2	9.4	68.7		67.5	9.6
Australia	62.2	2.0	20.7	22.3	86.6	16.0	33.4	37.0	49.7	16.6	72.1		71.3	9.0
TYPE:														
Fleece	65.4	1.1	20.9	21.7	89.1	15.0	34.2	36.3	49.1	15.8	74.6		72.8	8.9
Skirting	54.4	4.2	20.2	23.1	76.7	20.6	29.4	40.8	53.5	19.2	61.6		70.8	9.1
Carding	56.7	2.8	21.2	25.4	64.3	18.5	29.4	29.9	39.9	32.1	52.8		65.9	8.5
2008/2009:														
Queensland	62.5	2.5	20.4	20.9	85.8	15.9	34.5	37.6	54.0	35.8	72.2		0.0	0.0
NSW	63.6	2.7	20.9	21.2	86.7	15.9	38.9	33.5	50.8	19.4	74.0		70.5	8.8
Victoria	62.3	1.8	21.5	22.4	88.2	15.7	33.5	36.9	41.9	15.8	74.6		69.3	8.8
Tasmania	67.1	1.2	19.9	22.1	85.0	15.7	34.1	33.0	40.7	21.6	71.8		0.0	0.0
SA	58.8	1.8	21.6	22.3	88.3	16.1	33.7	39.3	41.6	12.4	75.7		70.2	8.7
WA	60.7	2.0	20.2	22.7	84.8	16.7	30.9	36.6	48.0	10.1	69.2		71.4	10.1
Australia	62.1	2.1	21.0	22.0	86.8	16.1	34.7	36.0	46.6	16.7	73.2		70.3	8.9
TYPE:														
Fleece	65.2	1.3	21.1	21.4	89.2	15.0	35.8	35.1	45.5	16.0	75.9		71.4	10.1
Skirting	54.2	4.6	20.2	22.7	77.0	20.8	29.8	40.8	52.9	18.5	61.9		70.1	8.8
Carding	56.8	3.1	21.4	25.0	63.0	19.9	28.8	26.7	31.7	35.3	51.0		0.0	0.0
DIFFERENCES:														
Queensland	0.4-	0.2	0.2	0.2-	0.6-	0.1-	0.1	0.7	5.7-	5.3	0.8		0.0	0.0
NSW	0.2	0.3	0.6	0.5-	1.8	0.1-	3.3	1.2-	3.8-	2.8-	3.3		1.5-	0.4-
Victoria	0.0	0.2	0.2	0.3-	0.3-	0.2-	0.3	0.7-	3.9-	3.0	0.6		1.1-	0.1-
Tasmania	1.4-	0.4	0.2	0.1	1.8	0.2-	0.4-	0.2	8.6-	0.5	2.2		73.4-	8.5-
SA	1.9-	0.0	0.5-	0.1	4.7-	0.7	1.2	0.8-	11.4-	3.0-	0.9-		1.3-	0.3-
WA	0.7	0.1	0.3	0.4-	2.2	0.3	0.7	1.5-	4.8	0.7	0.5		3.9	0.5
Australia	0.1-	0.1	0.3	0.3-	0.2	0.1	1.3	1.0-	3.1-	0.1	1.1		1.0-	0.1-
Fleece	0.2-	0.2	0.2	0.3-	0.1	0.0	1.6	1.2-	3.6-	0.2	1.3		1.4-	1.2
Skirting	0.2-	0.4	0.0	0.4-	0.3	0.2	0.4	0.0	0.6-	0.7-	0.3		0.7-	0.3-
Carding	0.1	0.3	0.2	0.4-	1.3-	1.4	0.6-	3.2-	8.2-	3.2	1.8-		65.9-	8.5-

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS													
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z	
2007/2008:														
Queensland	62.5	2.3	20.4	21.3	86.3	16.2	34.4	37.0	62.0	28.3	71.1	71.9	9.6	
NSW	62.5	2.6	20.3	21.8	84.0	16.1	35.8	34.4	53.3	22.5	70.4	71.7	9.4	
Victoria	62.1	1.6	21.5	22.9	87.3	16.1	33.7	36.9	45.3	14.9	73.4	70.3	8.8	
Tasmania	68.5	0.8	20.1	22.3	82.7	16.1	34.1	33.2	48.7	23.4	69.4	73.4	8.5	
SA	60.6	1.9	22.2	22.4	91.6	15.6	33.1	39.4	53.4	17.0	75.8	71.2	9.0	
WA	59.8	2.0	19.9	23.1	81.2	16.6	30.9	37.1	44.6	10.9	67.7	68.3	9.8	
Australia	61.9	2.0	20.8	22.4	85.5	16.1	33.7	36.4	49.8	17.9	71.4	71.1	9.1	
TYPE:														
Fleece	65.1	1.2	20.9	21.7	87.9	15.1	34.7	35.7	49.3	17.1	73.9	72.9	8.9	
Skirting	54.2	4.3	20.2	23.2	76.1	20.7	29.6	40.4	53.5	20.2	61.2	70.5	9.2	
Carding	56.9	2.9	21.3	25.4	63.1	18.7	29.9	28.3	37.4	33.2	52.1	65.9	8.5	
2008/2009:														
Queensland	62.3	2.5	20.5	20.9	86.8	15.9	34.9	37.5	56.4	34.1	72.8	0.0	0.0	
NSW	63.0	2.8	20.9	21.1	86.5	16.0	39.0	33.4	53.2	20.5	73.7	70.7	9.2	
Victoria	62.3	1.8	21.7	22.5	87.1	15.8	34.1	35.9	42.9	16.4	73.9	68.7	9.5	
Tasmania	66.5	1.2	20.3	22.1	84.8	15.9	33.8	33.4	43.3	23.3	71.4	0.0	0.0	
SA	58.7	1.8	21.7	22.3	87.9	16.0	34.2	38.5	43.2	14.1	75.4	69.3	8.8	
WA	60.1	2.2	20.2	22.9	82.8	16.9	31.4	36.1	47.3	11.9	68.2	71.5	10.0	
Australia	61.9	2.2	21.0	22.0	86.0	16.1	35.2	35.4	48.2	18.1	72.7	70.0	9.3	
TYPE:														
Fleece	65.0	1.3	21.2	21.3	88.4	15.0	36.4	34.5	47.2	17.4	75.4	71.5	10.1	
Skirting	54.1	4.7	20.3	22.8	77.0	20.8	30.0	40.3	53.8	19.7	61.7	69.9	9.2	
Carding	57.0	3.1	21.5	24.9	63.5	19.1	32.5	28.3	37.0	36.3	54.6	0.0	0.0	
DIFFERENCES:														
Queensland	0.2-	0.2	0.1	0.4-	0.5	0.3-	0.5	0.5	5.6-	5.8	1.7	71.9-	9.6-	
NSW	0.5	0.2	0.6	0.7-	2.5	0.1-	3.2	1.0-	0.1-	2.0-	3.3	1.0-	0.2-	
Victoria	0.2	0.2	0.2	0.4-	0.2-	0.3-	0.4	1.0-	2.4-	1.5	0.5	1.6-	0.7	
Tasmania	2.0-	0.4	0.2	0.2-	2.1	0.2-	0.3-	0.2	5.4-	0.1-	2.0	73.4-	8.5-	
SA	1.9-	0.1-	0.5-	0.1-	3.7-	0.4	1.1	0.9-	10.2-	2.9-	0.4-	1.9-	0.2-	
WA	0.3	0.2	0.3	0.2-	1.6	0.3	0.5	1.0-	2.7	1.0	0.5	3.2	0.2	
Australia	0.0	0.2	0.2	0.4-	0.5	0.0	1.5	1.0-	1.6-	0.2	1.3	1.1-	0.2	
Fleece	0.1-	0.1	0.3	0.4-	0.5	0.1-	1.7	1.2-	2.1-	0.3	1.5	1.4-	1.2	
Skirting	0.1-	0.4	0.1	0.4-	0.9	0.1	0.4	0.1-	0.3	0.5-	0.5	0.6-	0.0	
Carding	0.1	0.2	0.2	0.5-	0.4	0.4	2.6	0.0	0.4-	3.1	2.5	65.9-	8.5-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA		COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2007/2008:																
Queensland	3311	21697		2407	79.4	5	0.5	62.5	2.3	20.4	21.3	86.3	34.4	62.0	71.1	9.6
NSW	23385	100751		15160	71.0	47	0.6	62.5	2.6	20.3	21.8	84.0	35.8	53.3	70.4	9.4
Victoria	15715	97088		11082	71.2	90	0.7	62.1	1.6	21.5	22.9	87.3	33.7	45.3	73.4	8.8
Tasmania	1791	9786		1358	74.6	7	0.8	68.5	0.8	20.1	22.3	82.7	34.1	48.7	69.4	8.5
SA	4656	34572		3693	81.1	13	0.6	60.6	1.9	22.2	22.4	91.6	33.1	53.4	75.8	9.0
WA	8904	59384		6552	78.3	8	0.1	59.8	2.0	19.9	23.1	81.2	30.9	44.6	67.7	9.8
Australia	57762	323278		40252	74.1	170	0.5	61.9	2.0	20.8	22.4	85.5	33.7	49.8	71.4	9.1
TYPE:																
Fleece	35241	216801		30965	89.4	58	0.2	65.1	1.2	20.9	21.7	87.9	34.7	49.3	73.9	8.9
Skirting	15015	72509		8494	57.4	111	1.8	54.2	4.3	20.2	23.2	76.1	29.6	53.5	61.2	9.2
Carding	7506	33968		793	12.6	1	0.0	56.9	2.9	21.3	25.4	63.1	29.9	37.4	52.1	8.5
2008/2009:																
Queensland	2964	19964		2187	79.1	0	0.0	62.3	2.5	20.5	20.9	86.8	34.9	56.4	72.8	0.0
NSW	22061	101552		14420	72.5	46	0.7	63.0	2.8	20.9	21.1	86.5	39.0	53.2	73.7	9.2
Victoria	13501	82440		9137	69.2	35	0.4	62.3	1.8	21.7	22.5	87.1	34.1	42.9	73.9	9.5
Tasmania	1641	9649		1192	73.9	0	0.0	66.5	1.2	20.3	22.1	84.8	33.8	43.3	71.4	0.0
SA	3942	30101		3064	80.7	9	0.3	58.7	1.8	21.7	22.3	87.9	34.2	43.2	75.4	8.8
WA	8548	58841		6180	76.1	20	0.1	60.1	2.2	20.2	22.9	82.8	31.4	47.3	68.2	10.0
Australia	52657	302547		36180	73.6	110	0.4	61.9	2.2	21.0	22.0	86.0	35.2	48.2	72.7	9.3
TYPE:																
Fleece	32342	205423		27808	87.3	21	0.0	65.0	1.3	21.2	21.3	88.4	36.4	47.2	75.4	10.1
Skirting	13812	68276		7747	58.4	89	1.7	54.1	4.7	20.3	22.8	77.0	30.0	53.8	61.7	9.2
Carding	6503	28848		625	12.1	0	0.0	57.0	3.1	21.5	24.9	63.5	32.5	37.0	54.6	0.0
DIFFERENCES:																
Queensland	10.5-	8.0-	8.1-	9.1-	0.3-	100.0-	0.5-	0.2-	0.2	0.1	0.4-	0.5	0.5	5.6-	1.7	9.6-
NSW	5.7-	0.8	1.4	4.9-	1.5	2.1-	0.1	0.5	0.2	0.6	0.7-	2.5	3.2	0.1-	3.3	0.2-
Victoria	14.1-	15.1-	14.8-	17.6-	2.0-	61.1-	0.3-	0.2	0.2	0.2	0.4-	0.2-	0.4	2.4-	0.5	0.7
Tasmania	8.4-	1.4-	0.3	12.2-	0.7-	100.0-	0.8-	2.0-	0.4	0.2	0.2-	2.1	0.3-	5.4-	2.0	8.5-
SA	15.3-	12.9-	12.3-	17.0-	0.4-	30.8-	0.3-	1.9-	0.1-	0.5-	0.1-	3.7-	1.1	10.2-	0.4-	0.2-
WA	4.0-	0.9-	0.8-	5.7-	2.2-	150.0	0.0	0.3	0.2	0.3	0.2-	1.6	0.5	2.7	0.5	0.2
Australia	8.8-	6.4-	6.0-	10.1-	0.5-	35.3-	0.1-	0.0	0.2	0.2	0.4-	0.5	1.5	1.6-	1.3	0.2
Fleece	8.2-	5.2-	4.9-	10.2-	2.1-	63.8-	0.2-	0.1-	0.1	0.3	0.4-	0.5	1.7	2.1-	1.5	1.2
Skirting	8.0-	5.8-	5.5-	8.8-	1.0	19.8-	0.1-	0.1-	0.4	0.1	0.4-	0.9	0.4	0.3	0.5	0.0
Carding	13.4-	15.1-	14.6-	21.2-	0.5-	100.0-	0.0	0.1	0.2	0.2	0.5-	0.4	2.6	0.4-	2.5	8.5-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -17.8%.

It has moved from 39.2% of the clip at the end of AUGUST last year to 34.3% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2007/2008:											
Queensland	28.4	130.5	277.7	669.8	1106.4		0.7	3.3	7.0	16.9	27.9
NSW	830.2	2130.8	2832.8	3197.7	8991.5		4.7	12.0	16.0	18.1	50.8
Victoria	568.5	1057.4	1916.9	2411.2	5954.0		3.3	6.1	11.1	13.9	34.3
Tasmania	95.3	293.3	479.8	313.7	1182.1		5.5	17.0	27.8	18.2	68.5
SA	10.0	41.8	160.9	323.0	535.7		0.2	0.7	2.6	5.2	8.7
WA	184.8	632.0	1648.1	2275.1	4739.9		1.8	6.0	15.6	21.6	44.9
Australia	1717.1	4285.8	7316.1	9190.6	22509.6		3.0	7.5	12.7	16.0	39.2
TYPE:											
Fleece	1209.8	2775.7	4634.8	5652.2	14272.5		3.1	7.1	11.9	14.5	36.5
Skirting	370.2	1121.6	1917.8	2651.9	6061.5		2.9	8.9	15.3	21.1	48.2
Carding	137.1	388.5	763.6	886.4	2175.7		2.4	6.7	13.1	15.2	37.3
2008/2009:											
Queensland	10.4	77.4	201.3	521.5	810.6		0.3	2.1	5.5	14.3	22.2
NSW	431.2	1408.5	2304.8	2891.5	7036.0		2.4	7.8	12.8	16.1	39.2
Victoria	341.1	839.3	1524.7	2027.1	4732.2		2.3	5.7	10.3	13.7	32.0
Tasmania	79.4	251.0	431.1	350.7	1112.1		4.6	14.5	24.9	20.3	64.3
SA	10.7	56.7	186.1	433.4	686.9		0.2	1.0	3.4	8.0	12.7
WA	116.2	353.4	1156.9	2498.6	4125.2		1.1	3.4	11.1	23.9	39.4
Australia	989.0	2986.3	5804.8	8722.9	18502.9		1.8	5.5	10.8	16.2	34.3
TYPE:											
Fleece	624.1	1864.5	3681.7	5062.3	11232.7		1.7	5.0	9.9	13.6	30.3
Skirting	261.0	824.1	1543.5	2822.4	5450.9		2.2	6.9	13.0	23.8	45.9
Carding	103.9	297.7	579.6	838.2	1819.3		2.1	6.0	11.6	16.8	36.5
DIFFERENCES:											
Queensland	63.4-	40.7-	27.5-	22.1-	26.7-	8.1-	0.4-	1.2-	1.5-	2.6-	5.7-
NSW	48.1-	33.9-	18.6-	9.6-	21.7-	1.4	2.3-	4.2-	3.2-	2.0-	11.6-
Victoria	40.0-	20.6-	20.5-	15.9-	20.5-	14.8-	1.0-	0.4-	0.8-	0.2-	2.3-
Tasmania	16.7-	14.4-	10.2-	11.8	5.9-	0.3	0.9-	2.5-	2.9-	2.1	4.2-
SA	7.0	35.6	15.7	34.2	28.2	12.3-	0.0	0.3	0.8	2.8	4.0
WA	37.1-	44.1-	29.8-	9.8	13.0-	0.8-	0.7-	2.6-	4.5-	2.3	5.5-
Australia	42.4-	30.3-	20.7-	5.1-	17.8-	6.0-	1.2-	2.0-	1.9-	0.2	4.9-
Fleece	48.4-	32.8-	20.6-	10.4-	21.3-	536.5	1.4-	2.1-	2.0-	1.7-	6.2-
Skirting	29.5-	26.5-	19.5-	6.4	10.1-	103.7	0.7-	2.0-	2.3-	8.5	2.3-
Carding	24.2-	23.4-	24.1-	5.4-	16.4-	14.6-	0.3-	0.7-	1.5-	3.7	0.8-

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2007/2008:											
Queensland	0.0	0.0	0.0	1.1	27.2		0.0	0.0	0.0	0.0	0.7
NSW	0.0	0.3	6.2	113.6	710.0		0.0	0.0	0.0	0.6	4.0
Victoria	0.1	1.3	7.9	112.5	446.7		0.0	0.0	0.0	0.6	2.6
Tasmania	0.0	0.0	2.7	8.7	83.9		0.0	0.0	0.2	0.5	4.9
SA	0.0	0.0	0.0	0.0	10.0		0.0	0.0	0.0	0.0	0.2
WA	0.0	0.0	0.8	26.0	158.0		0.0	0.0	0.0	0.2	1.5
Australia	0.1	1.6	17.5	261.9	1435.9		0.0	0.0	0.0	0.5	2.5
TYPE:											
Fleece	0.1	1.6	15.5	182.8	1009.6		0.0	0.0	0.0	0.5	2.6
Skirting	0.0	0.0	1.5	54.5	314.2		0.0	0.0	0.0	0.4	2.5
Carding	0.0	0.0	0.4	24.6	112.1		0.0	0.0	0.0	0.4	1.9
2008/2009:											
Queensland	0.0	0.0	0.0	0.0	10.4		0.0	0.0	0.0	0.0	0.3
NSW	0.2	0.3	3.7	48.8	378.1		0.0	0.0	0.0	0.3	2.1
Victoria	0.0	0.0	1.8	51.8	287.5		0.0	0.0	0.0	0.4	1.9
Tasmania	0.0	0.0	0.0	10.2	69.3		0.0	0.0	0.0	0.6	4.0
SA	0.0	0.0	0.0	0.1	10.6		0.0	0.0	0.0	0.0	0.2
WA	0.0	0.0	0.0	8.9	107.3		0.0	0.0	0.0	0.1	1.0
Australia	0.2	0.3	5.6	119.8	863.1		0.0	0.0	0.0	0.2	1.6
TYPE:											
Fleece	0.2	0.3	4.9	78.4	540.4		0.0	0.0	0.0	0.2	1.5
Skirting	0.0	0.0	0.0	29.8	231.2		0.0	0.0	0.0	0.3	1.9
Carding	0.0	0.0	0.7	11.7	91.5		0.0	0.0	0.0	0.2	1.8
DIFFERENCES:											
Queensland	0.0	0.0	0.0	100.0-	61.8-	8.1-	0.0	0.0	0.0	0.0	0.4-
NSW	0.0	0.0	40.3-	57.0-	46.7-	1.4	0.0	0.0	0.0	0.3-	1.9-
Victoria	100.0-	100.0-	77.2-	54.0-	35.6-	14.8-	0.0	0.0	0.0	0.2-	0.7-
Tasmania	0.0	0.0	100.0-	17.2	17.4-	0.3	0.0	0.0	0.2-	0.1	0.9-
SA	0.0	0.0	0.0	0.0	6.0	12.3-	0.0	0.0	0.0	0.0	0.0
WA	0.0	0.0	100.0-	65.8-	32.1-	0.8-	0.0	0.0	0.0	0.1-	0.5-
Australia	100.0	81.3-	68.0-	54.3-	39.9-	6.0-	0.0	0.0	0.0	0.3-	0.9-
Fleece	100.0	81.3-	68.4-	57.1-	46.5-	536.5	0.0	0.0	0.0	0.2-	1.1-
Skirting	0.0	0.0	100.0-	45.3-	26.4-	103.7	0.0	0.0	0.0	0.3-	0.6-
Carding	0.0	0.0	75.0	52.4-	18.4-	14.6-	0.0	0.0	0.0	0.2-	0.1-

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2007/2008:										
Queensland	1446	9242	6.39	181.3		18.0	1021	73.4	0	0.0
NSW	15664	64378	4.11	174.4		9.1	10399	71.1	34	0.8
Victoria	12591	76403	6.07	178.0		29.8	9103	73.1	57	0.7
Tasmania	1079	5525	5.12	176.6		35.8	889	82.7	2	0.6
SA	3646	29172	8.00	180.4		26.5	2950	83.5	6	0.3
WA	7850	50844	6.48	178.1		66.8	6017	82.6	14	0.1
Australia	42276	235564	5.57	177.4		28.5	30379	76.1	113	0.5
TYPE:										
Fleece	26838	164074	6.11	179.3		28.1	23540	88.9	40	0.1
Skirting	10759	51365	4.77	173.5		29.4	6472	61.4	73	1.9
Carding	4679	20125	4.30	172.5		28.1	367	9.5	0	0.0
2008/2009:										
Queensland	1596	10125	6.34	180.9		18.2	1196	77.4	0	0.0
NSW	16876	72308	4.28	174.3		8.1	11612	73.5	43	0.8
Victoria	11883	72036	6.06	178.4		32.7	8317	70.9	61	1.3
Tasmania	989	5123	5.18	177.9		29.2	815	83.0	0	0.0
SA	3728	28410	7.62	179.9		26.7	3118	86.8	12	0.5
WA	7666	51144	6.67	177.9		71.4	5691	80.2	25	0.2
Australia	42738	239146	5.60	177.4		28.8	30749	76.1	141	0.7
TYPE:										
Fleece	27017	164915	6.10	179.4		28.1	23758	88.4	35	0.1
Skirting	11011	54153	4.92	173.0		30.2	6633	62.9	106	2.9
Carding	4710	20078	4.26	172.4		29.5	358	10.1	0	0.0
DIFFERENCES:										
Queensland	10.4	9.6	0.05-	0.2-	9.3	0.2	17.1	4.0	0.0	0.0
NSW	7.7	12.3	0.17	0.1-	12.3	1.0-	11.7	2.4	26.5	0.0
Victoria	5.6-	5.7-	0.01-	0.2	5.5-	2.9	8.6-	2.2-	7.0	0.6
Tasmania	8.3-	7.3-	0.06	0.7	6.6-	6.6-	8.3-	0.3	100.0-	0.6-
SA	2.2	2.6-	0.38-	0.3-	2.9-	0.2	5.7	3.3	100.0	0.2
WA	2.3-	0.6	0.19	0.1-	0.5	4.6	5.4-	2.4-	78.6	0.1
Australia	1.1	1.5	0.03	0.0	1.5	0.3	1.2	0.0	24.8	0.2
Fleece	0.7	0.5	0.01-	0.1	0.6	0.0	0.9	0.5-	12.5-	0.0
Skirting	2.3	5.4	0.15	0.3-	5.1	0.8	2.5	1.5	45.2	1.0
Carding	0.7	0.2-	0.04-	0.1-	0.3-	1.4	2.5-	0.6	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.
Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA							STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT	PROJ WT	RAPID	LOTS	AR%	LOTS	AR%
2007/2008:											
Queensland	4757	30939	6.50	182.3			14.8	3428	77.6	5	0.3
NSW	39049	165129	4.23	175.2			8.3	25559	71.1	81	0.7
Victoria	28306	173491	6.13	178.3			32.0	20185	72.0	147	0.7
Tasmania	2870	15311	5.33	176.4			40.0	2247	77.5	9	0.8
SA	8302	63744	7.68	179.6			26.3	6643	82.2	19	0.4
WA	16754	110228	6.58	177.8			68.7	12569	80.3	22	0.1
Australia	100038	558842	5.59	177.6			27.8	70631	75.0	283	0.5
TYPE:											
Fleece	62079	380875	6.14	179.8			27.6	54505	89.2	98	0.2
Skirting	25774	123874	4.81	173.4			28.9	14966	59.1	184	1.8
Carding	12185	54093	4.44	172.0			27.0	1160	11.5	1	0.0
2008/2009:											
Queensland	4560	30089	6.60	182.0			15.3	3383	78.5	0	0.0
NSW	38937	173860	4.47	175.7			8.3	26032	72.9	89	0.7
Victoria	25384	154476	6.09	178.9			30.4	17454	70.0	96	0.8
Tasmania	2630	14772	5.62	178.8			38.4	2007	77.1	0	0.0
SA	7670	58511	7.63	180.1			27.9	6182	83.7	21	0.4
WA	16214	109985	6.78	177.9			70.9	11871	78.0	45	0.2
Australia	95395	541693	5.68	178.0			27.6	66929	74.7	251	0.5
TYPE:											
Fleece	59359	370338	6.24	180.1			27.0	51566	87.8	56	0.1
Skirting	24823	122429	4.93	173.6			28.9	14380	60.4	195	2.2
Carding	11213	48926	4.36	172.6			27.7	983	11.3	0	0.0
DIFFERENCES:											
Queensland	4.1-	2.7-	0.10	0.2-	2.9-	3.6-	0.5	1.3-	0.9	100.0-	0.3-
NSW	0.3-	5.3	0.24	0.3	5.6	3.8	0.0	1.9	1.8	9.9	0.0
Victoria	10.3-	11.0-	0.04-	0.3	10.7-	10.1-	1.6-	13.5-	2.0-	34.7-	0.1
Tasmania	8.4-	3.5-	0.29	1.4	2.2-	4.0-	1.6-	10.7-	0.4-	100.0-	0.8-
SA	7.6-	8.2-	0.05-	0.3	8.0-	8.6-	1.6	6.9-	1.5	10.5	0.0
WA	3.2-	0.2-	0.20	0.1	0.2-	4.6-	2.2	5.6-	2.3-	104.5	0.1
Australia	4.6-	3.1-	0.09	0.2	2.9-	3.9-	0.2-	5.2-	0.3-	11.3-	0.0
Fleece	4.4-	2.8-	0.10	0.2	2.6-		0.6-	5.4-	1.4-	42.9-	0.1-
Skirting	3.7-	1.2-	0.12	0.1	1.1-		0.0	3.9-	1.3	6.0	0.4
Carding	8.0-	9.6-	0.08-	0.3	9.3-		0.7	15.3-	0.2-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of SEPTEMBER as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -12.9%.

It has moved from 38.5% of the clip at the end of SEPTEMBERlast year to 34.5% this year.

	TEST RESULTS												
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z
2007/2008:													
Queensland	62.6	2.2	20.2	21.3	84.7	16.2	35.5	34.9	50.3	35.9	72.3	0.0	0.0
NSW	65.1	1.9	20.5	21.8	86.2	15.9	34.7	35.5	56.3	22.0	71.1	72.2	9.6
Victoria	63.9	1.4	21.7	22.6	90.3	15.8	30.8	40.0	49.4	11.5	73.6	71.5	8.8
Tasmania	69.9	0.7	18.9	22.0	82.0	16.3	34.7	32.1	45.8	18.7	69.0	71.5	8.3
SA	62.6	1.5	22.2	21.9	95.6	15.4	32.1	40.4	56.2	16.1	77.7	70.5	8.4
WA	61.1	1.6	19.7	23.0	84.0	16.5	29.0	38.6	46.1	9.1	68.2	68.0	9.5
Australia	63.5	1.6	20.9	22.3	88.1	16.0	31.8	38.2	51.2	15.3	72.1	71.6	9.1
TYPE:													
Fleece	66.8	0.9	21.0	21.7	90.5	15.0	32.6	37.5	50.9	14.7	74.5	72.5	8.8
Skirting	55.2	3.7	20.2	23.1	78.1	20.5	28.2	42.5	54.1	17.5	62.4	71.3	9.2
Carding	57.0	2.4	20.9	25.3	61.6	19.0	25.6	25.1	30.2	32.1	45.6	0.0	0.0
2008/2009:													
Queensland	63.0	2.7	20.4	21.1	87.8	16.1	36.1	35.2	45.9	31.6	75.1	0.0	0.0
NSW	65.0	2.5	20.6	21.2	86.3	16.2	37.5	34.0	45.3	15.0	73.6	72.2	10.0
Victoria	63.1	1.6	21.7	22.5	89.5	15.7	32.1	38.6	42.4	11.7	74.5	70.9	9.1
Tasmania	67.7	1.2	19.3	22.0	84.4	15.9	34.4	33.2	42.6	16.0	70.7	0.0	0.0
SA	60.7	1.6	21.6	22.3	92.2	15.9	30.7	42.4	42.0	8.1	76.2	71.0	8.5
WA	62.1	1.7	20.2	22.4	86.5	16.3	30.4	36.6	52.9	8.8	69.5	71.2	9.5
Australia	63.2	1.9	20.9	22.0	88.1	16.0	33.3	37.1	45.7	12.5	73.3	71.3	9.4
TYPE:													
Fleece	66.3	1.1	21.1	21.5	90.6	15.0	34.3	36.3	44.5	11.6	76.0	71.2	9.2
Skirting	55.7	4.3	20.3	22.6	78.5	20.5	29.2	41.7	52.3	15.1	63.0	71.3	9.4
Carding	57.6	2.8	20.9	24.8	60.0	19.3	27.4	22.0	26.1	33.7	45.0	0.0	0.0
DIFFERENCES:													
Queensland	0.4	0.5	0.2	0.2-	3.1	0.1-	0.6	0.3	4.4-	4.3-	2.8	0.0	0.0
NSW	0.1-	0.6	0.1	0.6-	0.1	0.3	2.8	1.5-	11.0-	7.0-	2.5	0.0	0.4
Victoria	0.8-	0.2	0.0	0.1-	0.8-	0.1-	1.3	1.4-	7.0-	0.2	0.9	0.6-	0.3
Tasmania	2.2-	0.5	0.4	0.0	2.4	0.4-	0.3-	1.1	3.2-	2.7-	1.7	71.5-	8.3-
SA	1.9-	0.1	0.6-	0.4	3.4-	0.5	1.4-	2.0	14.2-	8.0-	1.5-	0.5	0.1
WA	1.0	0.1	0.5	0.6-	2.5	0.2-	1.4	2.0-	6.8	0.3-	1.3	3.2	0.0
Australia	0.3-	0.3	0.0	0.3-	0.0	0.0	1.5	1.1-	5.5-	2.8-	1.2	0.3-	0.3
Fleece	0.5-	0.2	0.1	0.2-	0.1	0.0	1.7	1.2-	6.4-	3.1-	1.5	1.3-	0.4
Skirting	0.5	0.6	0.1	0.5-	0.4	0.0	1.0	0.8-	1.8-	2.4-	0.6	0.0	0.2
Carding	0.6	0.4	0.0	0.5-	1.6-	0.3	1.8	3.1-	4.1-	1.6	0.6-	0.0	0.0

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z
2007/2008:													
Queensland	62.6	2.3	20.3	21.3	85.9	16.2	34.7	36.5	58.7	30.4	71.4	71.9	9.6
NSW	63.5	2.3	20.4	21.8	84.9	16.0	35.3	34.8	54.5	22.3	70.6	71.9	9.5
Victoria	62.9	1.5	21.5	22.8	88.6	15.9	32.4	38.3	47.1	13.4	73.5	70.8	8.8
Tasmania	69.0	0.8	19.7	22.2	82.4	16.2	34.3	32.8	47.6	21.6	69.2	72.9	8.5
SA	61.5	1.7	22.2	22.2	93.5	15.5	32.6	39.9	54.7	16.6	76.7	71.0	8.8
WA	60.4	1.8	19.8	23.1	82.5	16.6	30.0	37.8	45.3	10.1	67.9	68.1	9.6
Australia	62.6	1.9	20.8	22.4	86.6	16.1	32.9	37.2	50.4	16.8	71.7	71.3	9.1
TYPE:													
Fleece	65.8	1.1	20.9	21.7	89.0	15.1	33.8	36.5	50.0	16.0	74.1	72.8	8.9
Skirting	54.6	4.0	20.2	23.2	76.9	20.6	29.0	41.3	53.7	19.0	61.7	70.9	9.2
Carding	57.0	2.7	21.2	25.4	62.6	18.8	28.6	27.3	35.2	32.9	50.1	65.9	8.5
2008/2009:													
Queensland	62.5	2.6	20.4	21.0	87.2	15.9	35.3	36.8	53.0	33.3	73.6	0.0	0.0
NSW	63.8	2.7	20.8	21.2	86.4	16.0	38.4	33.7	49.9	18.2	73.7	71.3	9.5
Victoria	62.7	1.7	21.7	22.5	88.2	15.8	33.1	37.2	42.7	14.2	74.2	70.3	9.2
Tasmania	66.9	1.2	19.9	22.1	84.7	15.9	34.0	33.3	43.0	20.5	71.1	0.0	0.0
SA	59.7	1.7	21.7	22.3	90.0	16.0	32.5	40.5	42.6	11.1	75.8	70.4	8.6
WA	61.0	2.0	20.2	22.7	84.6	16.6	30.9	36.3	50.0	10.4	68.8	71.3	9.7
Australia	62.5	2.1	21.0	22.0	86.9	16.1	34.4	36.2	47.1	15.6	73.0	70.8	9.3
TYPE:													
Fleece	65.6	1.2	21.1	21.4	89.4	15.0	35.5	35.3	46.0	14.8	75.6	71.3	9.6
Skirting	54.8	4.5	20.3	22.7	77.7	20.7	29.6	41.0	53.1	17.6	62.3	70.7	9.3
Carding	57.3	3.0	21.2	24.9	62.2	19.2	30.6	26.0	33.0	35.3	51.0	0.0	0.0
DIFFERENCES:													
Queensland	0.1-	0.3	0.1	0.3-	1.3	0.3-	0.6	0.3	5.7-	2.9	2.2	71.9-	9.6-
NSW	0.3	0.4	0.4	0.6-	1.5	0.0	3.1	1.1-	4.6-	4.1-	3.1	0.6-	0.0
Victoria	0.2-	0.2	0.2	0.3-	0.4-	0.1-	0.7	1.1-	4.4-	0.8	0.7	0.5-	0.4
Tasmania	2.1-	0.4	0.2	0.1-	2.3	0.3-	0.3-	0.5	4.6-	1.1-	1.9	72.9-	8.5-
SA	1.8-	0.0	0.5-	0.1	3.5-	0.5	0.1-	0.6	12.1-	5.5-	0.9-	0.6-	0.2-
WA	0.6	0.2	0.4	0.4-	2.1	0.0	0.9	1.5-	4.7	0.3	0.9	3.2	0.1
Australia	0.1-	0.2	0.2	0.4-	0.3	0.0	1.5	1.0-	3.3-	1.2-	1.3	0.5-	0.2
Fleece	0.2-	0.1	0.2	0.3-	0.4	0.1-	1.7	1.2-	4.0-	1.2-	1.5	1.5-	0.7
Skirting	0.2	0.5	0.1	0.5-	0.8	0.1	0.6	0.3-	0.6-	1.4-	0.6	0.2-	0.1
Carding	0.3	0.3	0.0	0.5-	0.4-	0.4	2.0	1.3-	2.2-	2.4	0.9	65.9-	8.5-

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA	COLOUR DATA	TEST RESULTS										
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2007/2008:																
Queensland	4757	30939		3428	77.6	5	0.3	62.6	2.3	20.3	21.3	85.9	34.7	58.7	71.4	9.6
NSW	39049	165129		25559	71.1	81	0.7	63.5	2.3	20.4	21.8	84.9	35.3	54.5	70.6	9.5
Victoria	28306	173491		20185	72.0	147	0.7	62.9	1.5	21.5	22.8	88.6	32.4	47.1	73.5	8.8
Tasmania	2870	15311		2247	77.5	9	0.8	69.0	0.8	19.7	22.2	82.4	34.3	47.6	69.2	8.5
SA	8302	63744		6643	82.2	19	0.4	61.5	1.7	22.2	22.2	93.5	32.6	54.7	76.7	8.8
WA	16754	110228		12569	80.3	22	0.1	60.4	1.8	19.8	23.1	82.5	30.0	45.3	67.9	9.6
Australia	100038	558842		70631	75.0	283	0.5	62.6	1.9	20.8	22.4	86.6	32.9	50.4	71.7	9.1
TYPE:																
Fleece	62079	380875		54505	89.2	98	0.2	65.8	1.1	20.9	21.7	89.0	33.8	50.0	74.1	8.9
Skirting	25774	123874		14966	59.1	184	1.8	54.6	4.0	20.2	23.2	76.9	29.0	53.7	61.7	9.2
Carding	12185	54093		1160	11.5	1	0.0	57.0	2.7	21.2	25.4	62.6	28.6	35.2	50.1	8.5
2008/2009:																
Queensland	4560	30089		3383	78.5	0	0.0	62.5	2.6	20.4	21.0	87.2	35.3	53.0	73.6	0.0
NSW	38937	173860		26032	72.9	89	0.7	63.8	2.7	20.8	21.2	86.4	38.4	49.9	73.7	9.5
Victoria	25384	154476		17454	70.0	96	0.8	62.7	1.7	21.7	22.5	88.2	33.1	42.7	74.2	9.2
Tasmania	2630	14772		2007	77.1	0	0.0	66.9	1.2	19.9	22.1	84.7	34.0	43.0	71.1	0.0
SA	7670	58511		6182	83.7	21	0.4	59.7	1.7	21.7	22.3	90.0	32.5	42.6	75.8	8.6
WA	16214	109985		11871	78.0	45	0.2	61.0	2.0	20.2	22.7	84.6	30.9	50.0	68.8	9.7
Australia	95395	541693		66929	74.7	251	0.5	62.5	2.1	21.0	22.0	86.9	34.4	47.1	73.0	9.3
TYPE:																
Fleece	59359	370338		51566	87.8	56	0.1	65.6	1.2	21.1	21.4	89.4	35.5	46.0	75.6	9.6
Skirting	24823	122429		14380	60.4	195	2.2	54.8	4.5	20.3	22.7	77.7	29.6	53.1	62.3	9.3
Carding	11213	48926		983	11.3	0	0.0	57.3	3.0	21.2	24.9	62.2	30.6	33.0	51.0	0.0
DIFFERENCES:																
Queensland	4.1-	2.7-	2.9-	1.3-	0.9	100.0-	0.3-	0.1-	0.3	0.1	0.3-	1.3	0.6	5.7-	2.2	9.6-
NSW	0.3-	5.3	5.6	1.9	1.8	9.9	0.0	0.3	0.4	0.4	0.6-	1.5	3.1	4.6-	3.1	0.0
Victoria	10.3-	11.0-	10.7-	13.5-	2.0-	34.7-	0.1	0.2-	0.2	0.2	0.3-	0.4-	0.7	4.4-	0.7	0.4
Tasmania	8.4-	3.5-	2.2-	10.7-	0.4-	100.0-	0.8-	2.1-	0.4	0.2	0.1-	2.3	0.3-	4.6-	1.9	8.5-
SA	7.6-	8.2-	8.0-	6.9-	1.5	10.5	0.0	1.8-	0.0	0.5-	0.1	3.5-	0.1-	12.1-	0.9-	0.2-
WA	3.2-	0.2-	0.2-	5.6-	2.3-	104.5	0.1	0.6	0.2	0.4	0.4-	2.1	0.9	4.7	0.9	0.1
Australia	4.6-	3.1-	2.9-	5.2-	0.3-	11.3-	0.0	0.1-	0.2	0.2	0.4-	0.3	1.5	3.3-	1.3	0.2
Fleece	4.4-	2.8-	2.6-	5.4-	1.4-	42.9-	0.1-	0.2-	0.1	0.2	0.3-	0.4	1.7	4.0-	1.5	0.7
Skirting	3.7-	1.2-	1.1-	3.9-	1.3	6.0	0.4	0.2	0.5	0.1	0.5-	0.8	0.6	0.6-	0.6	0.1
Carding	8.0-	9.6-	9.3-	15.3-	0.2-	100.0-	0.0	0.3	0.3	0.0	0.5-	0.4-	2.0	2.2-	0.9	8.5-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -12.9%.

It has moved from 38.5% of the clip at the end of SEPTEMBER last year to 34.5% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2007/2008:											
Queensland	43.1	214.1	431.4	953.0	1641.7		0.8	3.8	7.6	16.9	29.1
NSW	1462.7	3482.1	4560.6	5077.8	14583.1		5.1	12.0	15.8	17.6	50.4
Victoria	914.1	1779.1	3181.4	4070.8	9945.4		3.0	5.8	10.3	13.2	32.1
Tasmania	227.8	525.0	735.4	451.7	1939.9		8.4	19.4	27.2	16.7	71.8
SA	12.9	53.1	223.9	563.7	853.5		0.1	0.5	2.0	4.9	7.5
WA	321.1	1189.8	3061.8	4636.2	9208.9		1.6	6.1	15.6	23.7	47.0
Australia	2981.9	7243.2	12194.4	15753.2	38172.6		3.0	7.3	12.3	15.9	38.5
TYPE:											
Fleece	2100.1	4741.4	7817.9	9727.6	24387.0		3.1	6.9	11.4	14.2	35.6
Skirting	660.6	1889.7	3202.1	4527.9	10280.3		3.1	8.8	14.9	21.1	47.9
Carding	221.1	612.1	1174.4	1497.7	3505.3		2.4	6.6	12.6	16.1	37.7
2008/2009:											
Queensland	50.2	168.6	293.9	753.4	1266.1		0.9	3.1	5.4	13.8	23.1
NSW	1116.4	2806.2	4029.6	4813.2	12765.4		3.7	9.2	13.2	15.8	41.8
Victoria	667.8	1528.0	2708.2	3746.3	8650.3		2.4	5.5	9.8	13.6	31.3
Tasmania	160.5	424.1	692.6	510.1	1787.2		6.1	16.1	26.2	19.3	67.7
SA	17.2	82.9	323.7	885.1	1308.8		0.2	0.8	3.1	8.4	12.4
WA	161.0	582.2	2134.8	4575.5	7453.6		0.8	3.0	10.9	23.4	38.1
Australia	2173.1	5592.0	10182.8	15283.6	33231.4		2.3	5.8	10.6	15.9	34.5
TYPE:											
Fleece	1393.2	3502.1	6447.4	8975.2	20317.9		2.1	5.2	9.7	13.5	30.5
Skirting	563.0	1565.3	2705.3	4798.0	9631.6		2.6	7.4	12.7	22.6	45.3
Carding	216.9	524.6	1030.1	1510.4	3282.0		2.6	6.2	12.2	17.9	38.9
DIFFERENCES:											
Queensland	16.5	21.3-	31.9-	20.9-	22.9-	2.9-	0.1	0.7-	2.2-	3.1-	6.0-
NSW	23.7-	19.4-	11.6-	5.2-	12.5-	5.6	1.4-	2.8-	2.6-	1.8-	8.6-
Victoria	26.9-	14.1-	14.9-	8.0-	13.0-	10.7-	0.6-	0.3-	0.5-	0.4	0.8-
Tasmania	29.5-	19.2-	5.8-	12.9	7.9-	2.2-	2.3-	3.3-	1.0-	2.6	4.1-
SA	33.3	56.1	44.6	57.0	53.3	8.0-	0.1	0.3	1.1	3.5	4.9
WA	49.9-	51.1-	30.3-	1.3-	19.1-	0.2-	0.8-	3.1-	4.7-	0.3-	8.9-
Australia	27.1-	22.8-	16.5-	3.0-	12.9-	2.9-	0.7-	1.5-	1.7-	0.0	4.0-
Fleece	33.7-	26.1-	17.5-	7.7-	16.7-	616.9	1.0-	1.7-	1.7-	2.1-	5.1-
Skirting	14.8-	17.2-	15.5-	6.0	6.3-	128.4	0.5-	1.4-	2.2-	7.7	2.6-
Carding	1.9-	14.3-	12.3-	0.8	6.4-	9.3-	0.2	0.4-	0.4-	5.3	1.2

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2007/2008:											
Queensland	0.0	0.0	0.0	1.3	41.8		0.0	0.0	0.0	0.0	0.7
NSW	0.0	0.6	12.0	199.4	1250.7		0.0	0.0	0.0	0.7	4.3
Victoria	0.2	1.7	13.6	169.4	729.3		0.0	0.0	0.0	0.5	2.4
Tasmania	0.0	0.0	3.1	38.9	185.8		0.0	0.0	0.1	1.4	6.9
SA	0.0	0.0	0.0	0.0	12.9		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	0.8	38.9	281.5		0.0	0.0	0.0	0.2	1.4
Australia	0.2	2.3	29.5	447.9	2502.0		0.0	0.0	0.0	0.5	2.5
TYPE:											
Fleece	0.2	2.1	26.3	322.2	1749.3		0.0	0.0	0.0	0.5	2.6
Skirting	0.0	0.1	2.3	93.6	564.6		0.0	0.0	0.0	0.4	2.6
Carding	0.0	0.0	0.8	32.2	188.1		0.0	0.0	0.0	0.3	2.0
2008/2009:											
Queensland	0.2	0.1	0.0	2.8	47.1		0.0	0.0	0.0	0.1	0.9
NSW	0.2	0.5	20.6	183.6	911.5		0.0	0.0	0.1	0.6	3.0
Victoria	0.0	0.9	8.6	107.6	550.6		0.0	0.0	0.0	0.4	2.0
Tasmania	0.0	0.0	0.0	25.0	135.5		0.0	0.0	0.0	0.9	5.1
SA	0.0	0.0	0.0	0.1	17.1		0.0	0.0	0.0	0.0	0.2
WA	0.0	0.0	0.0	12.8	148.2		0.0	0.0	0.0	0.1	0.8
Australia	0.4	1.5	29.3	331.9	1810.0		0.0	0.0	0.0	0.3	1.9
TYPE:											
Fleece	0.4	1.3	23.9	219.1	1148.5		0.0	0.0	0.0	0.3	1.7
Skirting	0.0	0.2	4.0	89.7	469.1		0.0	0.0	0.0	0.4	2.2
Carding	0.0	0.0	1.4	23.1	192.3		0.0	0.0	0.0	0.3	2.3
DIFFERENCES:											
Queensland	0.0	0.0	0.0	115.4	12.7	2.9-	0.0	0.0	0.0	0.1	0.2
NSW	0.0	16.7-	71.7	7.9-	27.1-	5.6	0.0	0.0	0.1	0.1-	1.3-
Victoria	100.0-	47.1-	36.8-	36.5-	24.5-	10.7-	0.0	0.0	0.0	0.1-	0.4-
Tasmania	0.0	0.0	100.0-	35.7-	27.1-	2.2-	0.0	0.0	0.1-	0.5-	1.8-
SA	0.0	0.0	0.0	0.0	32.6	8.0-	0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	100.0-	67.1-	47.4-	0.2-	0.0	0.0	0.0	0.1-	0.6-
Australia	100.0	34.8-	0.7-	25.9-	27.7-	2.9-	0.0	0.0	0.0	0.2-	0.6-
Fleece	100.0	38.1-	9.1-	32.0-	34.3-	616.9	0.0	0.0	0.0	0.3-	0.9-
Skirting	0.0	100.0	73.9	4.2-	16.9-	128.4	0.0	0.0	0.0	0.4	0.4-
Carding	0.0	0.0	75.0	28.3-	2.2	9.3-	0.0	0.0	0.0	0.3	0.3

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2007/2008:										
Queensland	1577	8786	5.57	177.8		16.7	1185	76.8	0	0.0
NSW	21164	80682	3.81	171.1		10.7	14142	70.4	38	0.5
Victoria	15162	90662	5.98	177.2		31.7	10272	69.2	138	2.0
Tasmania	1061	4892	4.61	174.5		42.9	873	79.6	0	0.0
SA	4680	36085	7.71	179.2		30.0	3559	78.6	6	0.2
WA	9933	61414	6.18	177.6		69.8	6825	77.4	26	0.2
Australia	53577	282521	5.27	175.8		30.1	36856	72.9	208	0.8
TYPE:										
Fleece	32487	186473	5.74	177.4		28.8	28194	87.7	49	0.1
Skirting	13621	63939	4.69	172.7		31.7	7998	61.1	159	3.3
Carding	7469	32109	4.30	172.5		32.9	664	10.8	0	0.0
2008/2009:										
Queensland	1603	9473	5.91	179.3		26.0	1159	69.1	0	0.0
NSW	19934	73926	3.71	170.9		13.4	13617	70.9	41	0.7
Victoria	14292	86924	6.08	176.3		37.1	9591	68.1	106	1.8
Tasmania	1089	5077	4.66	174.7		31.4	900	80.9	0	0.0
SA	4196	29506	7.03	178.4		25.5	3232	80.2	5	0.2
WA	9004	58383	6.48	177.6		73.2	6294	76.1	35	0.3
Australia	50118	263289	5.25	175.4		32.7	34793	72.3	187	0.9
TYPE:										
Fleece	30816	174561	5.66	177.0		31.5	26816	86.6	59	0.2
Skirting	12484	59210	4.74	172.3		33.9	7450	61.7	128	3.3
Carding	6818	29518	4.33	172.0		35.7	527	9.0	0	0.0
DIFFERENCES:										
Queensland	1.6	7.8	0.34	0.8	8.8	9.3	2.2-	7.7-	0.0	0.0
NSW	5.8-	8.4-	0.10-	0.1-	8.5-	2.7	3.7-	0.5	7.9	0.2
Victoria	5.7-	4.1-	0.10	0.5-	4.6-	5.4	6.6-	1.1-	23.2-	0.2-
Tasmania	2.6	3.8	0.05	0.1	3.9	11.5-	3.1	1.3	0.0	0.0
SA	10.3-	18.2-	0.68-	0.4-	18.6-	4.5-	9.2-	1.6	16.7-	0.0
WA	9.4-	4.9-	0.30	0.0	5.0-	3.4	7.8-	1.3-	34.6	0.1
Australia	6.5-	6.8-	0.02-	0.2-	7.0-	2.6	5.6-	0.6-	10.1-	0.1
Fleece	5.1-	6.4-	0.08-	0.2-	6.6-	2.7	4.9-	1.1-	20.4	0.1
Skirting	8.3-	7.4-	0.05	0.2-	7.6-	2.2	6.9-	0.6	19.5-	0.0
Carding	8.7-	8.1-	0.03	0.3-	8.3-	2.8	20.6-	1.8-	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.
Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA					PROJ WT	RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT			LOTS	AR%	LOTS	AR%
2007/2008:											
Queensland	6334	39725	6.27	181.3			15.3	4613	77.4	5	0.2
NSW	60213	245811	4.08	173.8			9.1	39701	70.8	119	0.6
Victoria	43468	264153	6.08	177.9			31.9	30457	71.0	285	1.1
Tasmania	3931	20203	5.14	175.9			40.8	3120	78.0	9	0.6
SA	12982	99829	7.69	179.5			27.6	10202	80.9	25	0.3
WA	26687	171642	6.43	177.8			69.1	19394	79.3	48	0.1
Australia	153615	841363	5.48	177.0			28.6	107487	74.3	491	0.6
TYPE:											
Fleece	94566	567348	6.00	179.0			28.0	82699	88.7	147	0.2
Skirting	39395	187813	4.77	173.2			29.9	22964	59.8	343	2.3
Carding	19654	86202	4.39	172.2			29.2	1824	11.2	1	0.0
2008/2009:											
Queensland	6163	39562	6.42	181.4			18.1	4542	76.3	0	0.0
NSW	58871	247786	4.21	174.3			10.0	39649	72.3	130	0.7
Victoria	39676	241400	6.08	178.0			32.8	27045	69.3	202	1.2
Tasmania	3719	19849	5.34	177.8			36.3	2907	78.1	0	0.0
SA	11866	88017	7.42	179.5			27.0	9414	82.5	26	0.4
WA	25218	168368	6.68	177.8			71.7	18165	77.3	80	0.2
Australia	145513	804982	5.53	177.1			29.3	101722	73.9	438	0.7
TYPE:											
Fleece	90175	544899	6.04	179.1			28.5	78382	87.4	115	0.1
Skirting	37307	181639	4.87	173.2			30.5	21830	60.8	323	2.6
Carding	18031	78444	4.35	172.4			30.7	1510	10.4	0	0.0
DIFFERENCES:											
Queensland	2.7-	0.4-	0.15	0.1	0.4-	0.8-	2.8	1.5-	1.1-	100.0-	0.2-
NSW	2.2-	0.8	0.13	0.3	1.1	1.7	0.9	0.1-	1.5	9.2	0.1
Victoria	8.7-	8.6-	0.00	0.1	8.6-	5.5-	0.9	11.2-	1.7-	29.1-	0.1
Tasmania	5.4-	1.8-	0.20	1.1	0.7-	1.8-	4.5-	6.8-	0.1	100.0-	0.6-
SA	8.6-	11.8-	0.27-	0.0	11.8-	10.2-	0.6-	7.7-	1.6	4.0	0.1
WA	5.5-	1.9-	0.25	0.0	1.9-	3.2-	2.6	6.3-	2.0-	66.7	0.1
Australia	5.3-	4.3-	0.05	0.1	4.2-	3.0-	0.7	5.4-	0.4-	10.8-	0.1
Fleece	4.6-	4.0-	0.04	0.1	3.9-		0.5	5.2-	1.3-	21.8-	0.1-
Skirting	5.3-	3.3-	0.10	0.0	3.3-		0.6	4.9-	1.0	5.8-	0.3
Carding	8.3-	9.0-	0.04-	0.1	8.9-		1.5	17.2-	0.8-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of OCTOBER as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -12.2%.

It has moved from 38.6% of the clip at the end of OCTOBER last year to 35.4% this year.

	TEST RESULTS													
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT		Y	Y-Z
2007/2008:														
Queensland	64.0	2.3	20.2	21.5	85.1	16.0	35.2	34.4	46.2	27.7	72.8		0.0	0.0
NSW	65.9	1.8	20.4	21.7	85.6	15.9	34.2	34.9	56.5	23.4	70.4		72.7	9.2
Victoria	64.9	1.1	21.9	22.8	90.5	15.9	29.6	39.9	58.0	13.8	71.7		71.6	9.1
Tasmania	69.6	0.6	19.0	22.4	80.9	17.2	34.3	33.9	44.2	20.1	67.7		0.0	0.0
SA	62.8	1.5	22.2	22.2	95.1	15.7	30.7	39.9	58.4	20.3	76.1		69.6	8.1
WA	62.3	1.4	19.7	22.9	84.4	16.7	28.3	38.1	53.0	10.9	66.8		70.1	9.1
Australia	64.4	1.4	20.9	22.4	88.0	16.1	30.9	37.9	55.8	17.2	70.8		71.7	9.1
TYPE:														
Fleece	67.9	0.8	21.1	21.7	90.8	15.0	31.8	37.2	56.3	16.4	73.3		73.0	8.7
Skirting	56.5	3.1	20.3	23.1	78.9	20.4	27.9	42.0	57.2	18.6	62.5		71.5	9.1
Carding	59.1	1.9	21.0	24.9	58.4	18.2	22.4	22.1	20.5	36.0	42.0		0.0	0.0
2008/2009:														
Queensland	63.8	2.8	20.2	21.3	85.7	16.5	37.2	34.3	43.3	20.2	74.3		0.0	0.0
NSW	65.7	2.4	20.5	21.7	84.3	16.2	36.3	34.1	39.5	11.5	72.5		72.0	9.0
Victoria	64.5	1.4	22.0	22.8	89.6	16.0	30.5	39.4	47.1	11.9	72.9		70.7	9.3
Tasmania	67.5	1.1	18.6	22.3	82.8	16.8	32.6	34.0	46.9	14.2	67.3		0.0	0.0
SA	62.2	1.4	21.7	22.5	91.9	16.4	29.7	43.1	51.4	9.6	74.2		72.0	9.2
WA	62.8	1.4	20.3	22.4	86.6	16.6	29.5	37.1	59.8	12.5	68.3		71.5	9.5
Australia	64.2	1.7	21.0	22.3	87.5	16.3	32.0	37.6	48.5	12.0	71.8		71.1	9.3
TYPE:														
Fleece	67.5	1.0	21.3	21.7	90.1	15.2	33.0	36.9	47.8	11.0	74.5		71.9	9.2
Skirting	56.7	3.7	20.3	22.9	78.4	20.7	28.4	41.8	53.5	14.4	62.3		70.9	9.3
Carding	59.6	2.2	20.9	24.7	58.7	18.5	24.0	21.7	21.0	35.3	42.6		0.0	0.0
DIFFERENCES:														
Queensland	0.2-	0.5	0.0	0.2-	0.6	0.5	2.0	0.1-	2.9-	7.5-	1.5		0.0	0.0
NSW	0.2-	0.6	0.1	0.0	1.3-	0.3	2.1	0.8-	17.0-	11.9-	2.1		0.7-	0.2-
Victoria	0.4-	0.3	0.1	0.0	0.9-	0.1	0.9	0.5-	10.9-	1.9-	1.2		0.9-	0.2
Tasmania	2.1-	0.5	0.4-	0.1-	1.9	0.4-	1.7-	0.1	2.7	5.9-	0.4-		0.0	0.0
SA	0.6-	0.1-	0.5-	0.3	3.2-	0.7	1.0-	3.2	7.0-	10.7-	1.9-		2.4	1.1
WA	0.5	0.0	0.6	0.5-	2.2	0.1-	1.2	1.0-	6.8	1.6	1.5		1.4	0.4
Australia	0.2-	0.3	0.1	0.1-	0.5-	0.2	1.1	0.3-	7.3-	5.2-	1.0		0.6-	0.2
TYPE:														
Fleece	0.4-	0.2	0.2	0.0	0.7-	0.2	1.2	0.3-	8.5-	5.4-	1.2		1.1-	0.5
Skirting	0.2	0.6	0.0	0.2-	0.5-	0.3	0.5	0.2-	3.7-	4.2-	0.2-		0.6-	0.2
Carding	0.5	0.3	0.1-	0.2-	0.3	0.3	1.6	0.4-	0.5	0.7-	0.6		0.0	0.0

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z
2007/2008:													
Queensland	62.9	2.3	20.3	21.3	85.7	16.2	34.8	36.0	56.0	29.8	71.7	71.9	9.6
NSW	64.3	2.1	20.4	21.8	85.1	16.0	35.0	34.8	55.1	22.7	70.6	72.1	9.4
Victoria	63.6	1.4	21.7	22.8	89.3	15.9	31.5	38.8	50.7	13.5	72.9	71.3	9.0
Tasmania	69.2	0.7	19.5	22.2	82.0	16.4	34.3	33.1	46.8	21.2	68.9	72.9	8.5
SA	62.0	1.6	22.2	22.2	94.0	15.6	31.9	39.9	56.0	17.9	76.5	70.7	8.7
WA	61.0	1.7	19.8	23.0	83.2	16.6	29.4	37.9	48.0	10.3	67.5	69.1	9.3
Australia	63.2	1.7	20.9	22.4	87.1	16.1	32.3	37.4	52.2	16.9	71.4	71.5	9.1
TYPE:													
Fleece	66.5	1.0	21.0	21.7	89.6	15.1	33.2	36.7	52.0	16.2	73.9	72.8	8.8
Skirting	55.3	3.7	20.3	23.1	77.6	20.5	28.6	41.5	54.9	18.9	62.0	71.2	9.1
Carding	57.8	2.4	21.1	25.2	61.1	18.6	26.4	25.4	29.9	34.0	47.2	65.9	8.5
2008/2009:													
Queensland	62.8	2.6	20.4	21.0	86.8	16.1	35.7	36.2	50.9	30.5	73.7	0.0	0.0
NSW	64.4	2.6	20.7	21.3	85.8	16.1	37.8	33.8	47.0	16.3	73.3	71.5	9.4
Victoria	63.3	1.6	21.8	22.6	88.7	15.9	32.2	38.0	44.2	13.4	73.7	70.5	9.3
Tasmania	67.0	1.2	19.6	22.2	84.2	16.1	33.6	33.5	44.0	18.9	70.1	0.0	0.0
SA	60.5	1.6	21.7	22.4	90.7	16.1	31.6	41.3	45.4	10.6	75.3	70.7	8.7
WA	61.6	1.8	20.2	22.6	85.3	16.6	30.5	36.6	53.3	11.1	68.7	71.4	9.6
Australia	63.0	2.0	21.0	22.1	87.1	16.1	33.6	36.6	47.5	14.4	72.6	70.9	9.3
TYPE:													
Fleece	66.2	1.2	21.2	21.5	89.6	15.1	34.7	35.8	46.5	13.6	75.3	71.7	9.3
Skirting	55.4	4.2	20.3	22.8	77.9	20.7	29.2	41.3	53.2	16.5	62.3	70.8	9.3
Carding	58.2	2.7	21.1	24.8	61.1	19.0	28.5	24.6	29.1	35.3	48.3	0.0	0.0
DIFFERENCES:													
Queensland	0.1-	0.3	0.1	0.3-	1.1	0.1-	0.9	0.2	5.1-	0.7	2.0	71.9-	9.6-
NSW	0.1	0.5	0.3	0.5-	0.7	0.1	2.8	1.0-	8.1-	6.4-	2.7	0.6-	0.0
Victoria	0.3-	0.2	0.1	0.2-	0.6-	0.0	0.7	0.8-	6.5-	0.1-	0.8	0.8-	0.3
Tasmania	2.2-	0.5	0.1	0.0	2.2	0.3-	0.7-	0.4	2.8-	2.3-	1.2	72.9-	8.5-
SA	1.5-	0.0	0.5-	0.2	3.3-	0.5	0.3-	1.4	10.6-	7.3-	1.2-	0.0	0.0
WA	0.6	0.1	0.4	0.4-	2.1	0.0	1.1	1.3-	5.3	0.8	1.2	2.3	0.3
Australia	0.2-	0.3	0.1	0.3-	0.0	0.0	1.3	0.8-	4.7-	2.5-	1.2	0.6-	0.2
Fleece	0.3-	0.2	0.2	0.2-	0.0	0.0	1.5	0.9-	5.5-	2.6-	1.4	1.1-	0.5
Skirting	0.1	0.5	0.0	0.3-	0.3	0.2	0.6	0.2-	1.7-	2.4-	0.3	0.4-	0.2
Carding	0.4	0.3	0.0	0.4-	0.0	0.4	2.1	0.8-	0.8-	1.3	1.1	65.9-	8.5-

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA	COLOUR DATA	TEST RESULTS										
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2007/2008:																
Queensland	6334	39725		4613	77.4	5	0.2	62.9	2.3	20.3	21.3	85.7	34.8	56.0	71.7	9.6
NSW	60213	245811		39701	70.8	119	0.6	64.3	2.1	20.4	21.8	85.1	35.0	55.1	70.6	9.4
Victoria	43468	264153		30457	71.0	285	1.1	63.6	1.4	21.7	22.8	89.3	31.5	50.7	72.9	9.0
Tasmania	3931	20203		3120	78.0	9	0.6	69.2	0.7	19.5	22.2	82.0	34.3	46.8	68.9	8.5
SA	12982	99829		10202	80.9	25	0.3	62.0	1.6	22.2	22.2	94.0	31.9	56.0	76.5	8.7
WA	26687	171642		19394	79.3	48	0.1	61.0	1.7	19.8	23.0	83.2	29.4	48.0	67.5	9.3
Australia	153615	841363		107487	74.3	491	0.6	63.2	1.7	20.9	22.4	87.1	32.3	52.2	71.4	9.1
TYPE:																
Fleece	94566	567348		82699	88.7	147	0.2	66.5	1.0	21.0	21.7	89.6	33.2	52.0	73.9	8.8
Skirting	39395	187813		22964	59.8	343	2.3	55.3	3.7	20.3	23.1	77.6	28.6	54.9	62.0	9.1
Carding	19654	86202		1824	11.2	1	0.0	57.8	2.4	21.1	25.2	61.1	26.4	29.9	47.2	8.5
2008/2009:																
Queensland	6163	39562		4542	76.3	0	0.0	62.8	2.6	20.4	21.0	86.8	35.7	50.9	73.7	0.0
NSW	58871	247786		39649	72.3	130	0.7	64.4	2.6	20.7	21.3	85.8	37.8	47.0	73.3	9.4
Victoria	39676	241400		27045	69.3	202	1.2	63.3	1.6	21.8	22.6	88.7	32.2	44.2	73.7	9.3
Tasmania	3719	19849		2907	78.1	0	0.0	67.0	1.2	19.6	22.2	84.2	33.6	44.0	70.1	0.0
SA	11866	88017		9414	82.5	26	0.4	60.5	1.6	21.7	22.4	90.7	31.6	45.4	75.3	8.7
WA	25218	168368		18165	77.3	80	0.2	61.6	1.8	20.2	22.6	85.3	30.5	53.3	68.7	9.6
Australia	145513	804982		101722	73.9	438	0.7	63.0	2.0	21.0	22.1	87.1	33.6	47.5	72.6	9.3
TYPE:																
Fleece	90175	544899		78382	87.4	115	0.1	66.2	1.2	21.2	21.5	89.6	34.7	46.5	75.3	9.3
Skirting	37307	181639		21830	60.8	323	2.6	55.4	4.2	20.3	22.8	77.9	29.2	53.2	62.3	9.3
Carding	18031	78444		1510	10.4	0	0.0	58.2	2.7	21.1	24.8	61.1	28.5	29.1	48.3	0.0
DIFFERENCES:																
Queensland	2.7-	0.4-	0.4-	1.5-	1.1-	100.0-	0.2-	0.1-	0.3	0.1	0.3-	1.1	0.9	5.1-	2.0	9.6-
NSW	2.2-	0.8	1.1	0.1-	1.5	9.2	0.1	0.1	0.5	0.3	0.5-	0.7	2.8	8.1-	2.7	0.0
Victoria	8.7-	8.6-	8.6-	11.2-	1.7-	29.1-	0.1	0.3-	0.2	0.1	0.2-	0.6-	0.7	6.5-	0.8	0.3
Tasmania	5.4-	1.8-	0.7-	6.8-	0.1	100.0-	0.6-	2.2-	0.5	0.1	0.0	2.2	0.7-	2.8-	1.2	8.5-
SA	8.6-	11.8-	11.8-	7.7-	1.6	4.0	0.1	1.5-	0.0	0.5-	0.2	3.3-	0.3-	10.6-	1.2-	0.0
WA	5.5-	1.9-	1.9-	6.3-	2.0-	66.7	0.1	0.6	0.1	0.4	0.4-	2.1	1.1	5.3	1.2	0.3
Australia	5.3-	4.3-	4.2-	5.4-	0.4-	10.8-	0.1	0.2-	0.3	0.1	0.3-	0.0	1.3	4.7-	1.2	0.2
Fleece	4.6-	4.0-	3.9-	5.2-	1.3-	21.8-	0.1-	0.3-	0.2	0.2	0.2-	0.0	1.5	5.5-	1.4	0.5
Skirting	5.3-	3.3-	3.3-	4.9-	1.0	5.8-	0.3	0.1	0.5	0.0	0.3-	0.3	0.6	1.7-	0.3	0.2
Carding	8.3-	9.0-	8.9-	17.2-	0.8-	100.0-	0.0	0.4	0.3	0.0	0.4-	0.0	2.1	0.8-	1.1	8.5-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -12.2%.

It has moved from 38.6% of the clip at the end of OCTOBER last year to 35.4% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2007/2008:											
Queensland	96.8	334.6	562.0	1165.6	2159.1		1.3	4.6	7.8	16.2	30.0
NSW	2598.2	5292.0	6817.2	7229.4	21936.8		6.1	12.4	16.0	16.9	51.3
Victoria	1201.5	2541.2	4722.5	6286.0	14751.2		2.6	5.4	10.0	13.4	31.4
Tasmania	398.3	752.7	902.9	550.9	2604.8		11.2	21.2	25.4	15.5	73.3
SA	27.6	73.4	303.8	852.0	1256.8		0.2	0.4	1.7	4.8	7.0
WA	429.0	1733.1	4831.8	7810.4	14804.3		1.4	5.7	15.8	25.6	48.5
Australia	4751.5	10726.9	18140.1	23894.4	57512.9		3.2	7.2	12.2	16.0	38.6
TYPE:											
Fleece	3337.3	7043.8	11415.8	14484.0	36280.9		3.3	6.9	11.2	14.3	35.7
Skirting	1101.1	2826.9	4831.6	6767.0	15526.6		3.4	8.7	14.9	20.8	47.7
Carding	313.0	856.3	1892.7	2643.3	5705.3		2.1	5.8	12.7	17.8	38.4
2008/2009:											
Queensland	103.0	279.4	485.9	953.2	1821.5		1.4	3.9	6.8	13.3	25.4
NSW	2181.0	4565.1	6000.6	6664.6	19411.3		5.0	10.6	13.9	15.4	44.9
Victoria	956.3	2347.1	4342.7	5967.9	13613.9		2.2	5.5	10.1	13.9	31.7
Tasmania	342.8	653.9	897.3	612.2	2506.2		9.7	18.5	25.4	17.3	71.0
SA	20.9	104.9	454.9	1371.4	1952.1		0.1	0.7	2.9	8.7	12.4
WA	201.4	806.3	3142.1	7048.8	11198.5		0.7	2.7	10.5	23.5	37.4
Australia	3805.5	8756.8	15323.3	22617.9	50503.5		2.7	6.1	10.7	15.9	35.4
TYPE:											
Fleece	2452.4	5446.3	9452.9	13173.1	30524.6		2.5	5.6	9.7	13.5	31.3
Skirting	988.7	2479.4	4115.2	6868.1	14451.3		3.1	7.9	13.1	21.8	45.9
Carding	364.5	831.1	1755.3	2576.7	5527.6		2.7	6.1	13.0	19.1	40.9
DIFFERENCES:											
Queensland	6.4	16.5-	13.5-	18.2-	15.6-	0.4-	0.1	0.7-	1.0-	2.9-	4.6-
NSW	16.1-	13.7-	12.0-	7.8-	11.5-	1.1	1.1-	1.8-	2.1-	1.5-	6.4-
Victoria	20.4-	7.6-	8.0-	5.1-	7.7-	8.6-	0.4-	0.1	0.1	0.5	0.3
Tasmania	13.9-	13.1-	0.6-	11.1	3.8-	0.7-	1.5-	2.7-	0.0	1.8	2.3-
SA	24.3-	42.9	49.7	61.0	55.3	11.8-	0.1-	0.3	1.2	3.9	5.4
WA	53.1-	53.5-	35.0-	9.8-	24.4-	1.9-	0.7-	3.0-	5.3-	2.1-	11.1-
Australia	19.9-	18.4-	15.5-	5.3-	12.2-	4.2-	0.5-	1.1-	1.5-	0.1-	3.2-
Fleece	26.5-	22.7-	17.2-	9.1-	15.9-	557.5	0.8-	1.3-	1.5-	2.3-	4.4-
Skirting	10.2-	12.3-	14.8-	1.5	6.9-	111.9	0.3-	0.8-	1.8-	6.9	1.8-
Carding	16.5	2.9-	7.3-	2.5-	3.1-	8.9-	0.6	0.3	0.3	6.4	2.5

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2007/2008:											
Queensland	0.0	0.0	0.0	5.5	91.3		0.0	0.0	0.0	0.1	1.3
NSW	0.0	1.0	27.0	395.2	2175.0		0.0	0.0	0.1	0.9	5.1
Victoria	0.2	2.7	17.7	226.1	954.7		0.0	0.0	0.0	0.5	2.0
Tasmania	0.0	0.0	4.6	70.8	323.0		0.0	0.0	0.1	2.0	9.1
SA	0.0	0.0	0.0	0.0	27.6		0.0	0.0	0.0	0.0	0.2
WA	0.0	0.0	0.8	44.2	384.1		0.0	0.0	0.0	0.1	1.3
Australia	0.2	3.6	50.1	741.8	3955.7		0.0	0.0	0.0	0.5	2.7
TYPE:											
Fleece	0.2	3.5	44.7	547.3	2741.6		0.0	0.0	0.0	0.5	2.7
Skirting	0.0	0.1	3.9	151.7	945.3		0.0	0.0	0.0	0.5	2.9
Carding	0.0	0.0	1.4	42.8	268.8		0.0	0.0	0.0	0.3	1.8
2008/2009:											
Queensland	0.2	0.1	0.4	9.0	93.2		0.0	0.0	0.0	0.1	1.3
NSW	0.3	3.0	72.4	450.4	1654.9		0.0	0.0	0.2	1.0	3.8
Victoria	0.2	1.8	10.3	152.9	791.2		0.0	0.0	0.0	0.4	1.8
Tasmania	0.8	0.0	3.7	61.3	277.1		0.0	0.0	0.1	1.7	7.9
SA	0.0	0.0	0.0	0.3	20.6		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	0.3	15.2	185.9		0.0	0.0	0.0	0.1	0.6
Australia	1.5	4.9	87.1	689.0	3023.0		0.0	0.0	0.1	0.5	2.1
TYPE:											
Fleece	0.7	4.7	67.0	464.0	1915.9		0.0	0.0	0.1	0.5	2.0
Skirting	0.8	0.2	15.9	181.1	790.6		0.0	0.0	0.1	0.6	2.5
Carding	0.0	0.0	4.2	43.9	316.4		0.0	0.0	0.0	0.3	2.3
DIFFERENCES:											
Queensland	0.0	0.0	0.0	63.6	2.1	0.4-	0.0	0.0	0.0	0.0	0.0
NSW	0.0	200.0	168.1	14.0	23.9-	1.1	0.0	0.0	0.1	0.1	1.3-
Victoria	0.0	33.3-	41.8-	32.4-	17.1-	8.6-	0.0	0.0	0.0	0.1-	0.2-
Tasmania	0.0	0.0	19.6-	13.4-	14.2-	0.7-	0.0	0.0	0.0	0.3-	1.2-
SA	0.0	0.0	0.0	0.0	25.4-	11.8-	0.0	0.0	0.0	0.0	0.1-
WA	0.0	0.0	62.5-	65.6-	51.6-	1.9-	0.0	0.0	0.0	0.0	0.7-
Australia	650.0	36.1	73.9	7.1-	23.6-	4.2-	0.0	0.0	0.1	0.0	0.6-
Fleece	250.0	34.3	49.9	15.2-	30.1-	557.5	0.0	0.0	0.1	0.5	0.7-
Skirting	0.0	100.0	307.7	19.4	16.4-	111.9	0.0	0.0	0.1	0.6	0.4-
Carding	0.0	0.0	200.0	2.6	17.7	8.9-	0.0	0.0	0.0	0.3	0.5

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2007/2008:										
Queensland	1709	11265	6.59	182.1		22.4	1186	72.2	0	0.0
NSW	17615	67168	3.81	172.0		11.9	11821	70.1	42	0.7
Victoria	13833	82272	5.95	176.8		32.7	8519	61.9	102	1.5
Tasmania	1725	7662	4.44	172.4		38.3	1363	77.3	1	0.2
SA	4328	32441	7.50	177.8		22.9	3017	72.1	11	0.2
WA	9716	58590	6.03	174.7		68.5	6420	73.2	23	0.2
Australia	48926	259398	5.30	175.3		31.3	32326	68.8	179	0.7
TYPE:										
Fleece	28387	164253	5.79	177.1		29.6	24546	85.3	46	0.2
Skirting	12198	58255	4.78	172.4		33.4	6954	58.3	130	2.7
Carding	8341	36890	4.42	172.2		34.1	826	11.5	3	0.0
2008/2009:										
Queensland	1031	6727	6.52	182.0		28.3	809	81.6	0	0.0
NSW	13506	53883	3.99	172.2		10.0	8355	64.8	27	0.4
Victoria	11070	67945	6.14	175.5		32.3	6552	58.6	63	1.2
Tasmania	1086	4715	4.34	172.5		35.0	850	71.6	0	0.0
SA	3047	21010	6.90	179.4		24.4	2157	75.8	4	0.2
WA	6509	43207	6.64	177.3		71.1	4230	71.1	24	0.3
Australia	36249	197487	5.45	175.6		30.3	22953	65.9	118	0.6
TYPE:										
Fleece	21091	125341	5.94	177.5		28.2	17317	80.7	32	0.1
Skirting	9085	44435	4.89	172.2		32.8	5011	57.8	86	2.4
Carding	6073	27711	4.56	172.5		33.6	625	12.0	0	0.0
DIFFERENCES:										
Queensland	39.7-	40.3-	0.07-	0.1-	40.3-	5.9	31.8-	9.4	0.0	0.0
NSW	23.3-	19.8-	0.18	0.1	19.7-	1.9-	29.3-	5.3-	35.7-	0.3-
Victoria	20.0-	17.4-	0.19	0.7-	18.0-	0.4-	23.1-	3.3-	38.2-	0.3-
Tasmania	37.0-	38.5-	0.10-	0.1	38.4-	3.3-	37.6-	5.7-	100.0-	0.2-
SA	29.6-	35.2-	0.60-	0.9	34.6-	1.5	28.5-	3.7	63.6-	0.0
WA	33.0-	26.3-	0.61	1.5	25.1-	2.6	34.1-	2.1-	4.3	0.1
Australia	25.9-	23.9-	0.15	0.2	23.8-	1.0-	29.0-	2.9-	34.1-	0.1-
Fleece	25.7-	23.7-	0.15	0.2	23.5-	1.4-	29.5-	4.6-	30.4-	0.1-
Skirting	25.5-	23.7-	0.11	0.1-	23.8-	0.6-	27.9-	0.5-	33.8-	0.3-
Carding	27.2-	24.9-	0.14	0.2	24.8-	0.5-	24.3-	0.5	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.
Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA					PROJ WT	RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT			LOTS	AR%	LOTS	AR%
2007/2008:											
Queensland	8043	50990	6.34	181.5			16.8	5799	76.3	5	0.2
NSW	77828	312979	4.02	173.4			9.8	51522	70.7	161	0.6
Victoria	57301	346425	6.05	177.7			32.1	38976	68.9	387	1.2
Tasmania	5656	27865	4.93	175.0			40.0	4483	77.8	10	0.5
SA	17310	132270	7.64	179.1			26.4	13219	78.7	36	0.3
WA	36403	230232	6.32	177.0			68.9	25814	77.7	71	0.2
Australia	202541	1100761	5.43	176.6			29.3	139813	73.0	670	0.7
TYPE:											
Fleece	122953	731601	5.95	178.6			28.3	107245	87.9	193	0.2
Skirting	51593	246068	4.77	173.0			30.7	29918	59.4	473	2.4
Carding	27995	123092	4.40	172.2			30.7	2650	11.3	4	0.0
2008/2009:											
Queensland	7194	46289	6.43	181.5			19.5	5351	77.1	0	0.0
NSW	72377	301669	4.17	173.9			10.0	48004	70.9	157	0.7
Victoria	50746	309345	6.10	177.4			32.7	33597	66.9	265	1.2
Tasmania	4805	24564	5.11	176.8			36.0	3757	76.8	0	0.0
SA	14913	109027	7.31	179.5			26.5	11571	81.2	30	0.3
WA	31727	211575	6.67	177.7			71.6	22395	76.1	104	0.2
Australia	181762	1002469	5.52	176.8			29.5	124675	72.3	556	0.6
TYPE:											
Fleece	111266	670240	6.02	178.8			28.5	95699	86.2	147	0.1
Skirting	46392	226074	4.87	173.0			31.0	26841	60.2	409	2.5
Carding	24104	106155	4.40	172.4			31.5	2135	10.8	0	0.0
DIFFERENCES:											
Queensland	10.6-	9.2-	0.09	0.0	9.2-	5.8-	2.7	7.7-	0.8	100.0-	0.2-
NSW	7.0-	3.6-	0.15	0.3	3.3-	4.0-	0.2	6.8-	0.2	2.5-	0.1
Victoria	11.4-	10.7-	0.05	0.2-	10.8-	9.1-	0.6	13.8-	2.0-	31.5-	0.0
Tasmania	15.0-	11.8-	0.18	1.0	10.9-	10.1-	4.0-	16.2-	1.0-	100.0-	0.5-
SA	13.8-	17.6-	0.33-	0.2	17.4-	17.1-	0.1	12.5-	2.5	16.7-	0.0
WA	12.8-	8.1-	0.35	0.4	7.7-	9.1-	2.7	13.2-	1.6-	46.5	0.0
Australia	10.3-	8.9-	0.09	0.1	8.8-	8.3-	0.2	10.8-	0.7-	17.0-	0.1-
Fleece	9.5-	8.4-	0.07	0.1	8.3-		0.2	10.8-	1.7-	23.8-	0.1-
Skirting	10.1-	8.1-	0.10	0.0	8.1-		0.3	10.3-	0.8	13.5-	0.1
Carding	13.9-	13.8-	0.00	0.1	13.7-		0.8	19.4-	0.5-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of NOVEMBER as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -15.4%.

It has moved from 38.4% of the clip at the end of NOVEMBER last year to 35.7% this year.

	TEST RESULTS												
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z
2007/2008:													
Queensland	60.8	2.8	20.8	21.4	87.5	16.0	35.5	34.5	49.2	31.1	74.2	0.0	0.0
NSW	64.6	1.7	20.7	22.0	85.2	15.9	33.7	34.6	51.8	29.5	70.8	71.8	9.8
Victoria	65.6	1.0	22.3	23.0	89.7	15.9	28.7	39.4	60.0	20.4	70.7	71.1	9.4
Tasmania	69.1	0.6	19.0	22.6	81.6	17.0	32.6	34.0	45.0	16.5	67.1	72.7	8.2
SA	62.6	1.5	22.4	22.5	93.2	15.8	30.2	39.6	56.9	25.4	75.2	71.8	9.1
WA	63.3	1.4	20.0	23.1	83.5	16.6	27.4	37.1	57.0	18.1	65.2	72.0	9.6
Australia	64.3	1.4	21.2	22.6	87.1	16.1	30.3	37.2	55.8	23.2	70.0	71.4	9.5
TYPE:													
Fleece	67.9	0.8	21.4	21.9	90.1	15.0	31.3	36.7	56.7	22.9	72.8	72.0	9.6
Skirting	56.6	2.8	20.6	23.3	78.2	20.5	27.1	41.7	57.1	22.2	61.6	71.3	9.5
Carding	59.9	1.8	21.5	24.9	58.0	17.9	23.1	20.8	12.7	44.5	43.7	66.7	10.3
2008/2009:													
Queensland	63.6	2.4	20.5	21.1	87.8	16.1	36.7	35.4	47.9	18.9	74.9	0.0	0.0
NSW	65.3	2.4	20.9	22.1	84.5	16.5	34.9	34.7	41.8	12.3	71.4	71.5	10.2
Victoria	65.0	1.3	22.4	23.2	88.7	16.1	29.5	40.0	50.6	14.1	71.4	71.8	9.5
Tasmania	67.8	0.9	19.6	22.6	80.8	16.9	32.8	34.9	43.1	10.7	67.3	0.0	0.0
SA	63.2	1.5	21.9	22.7	91.0	16.1	29.4	42.3	58.1	13.6	72.2	71.5	9.4
WA	63.5	1.4	20.2	22.5	85.7	16.5	29.2	36.6	57.9	23.0	67.5	70.9	9.7
Australia	64.5	1.7	21.3	22.6	86.9	16.3	31.2	37.8	50.7	15.8	70.6	71.6	9.7
TYPE:													
Fleece	68.0	1.0	21.6	21.9	90.0	15.2	32.4	37.1	50.9	14.6	73.6	70.6	10.1
Skirting	56.8	3.4	20.6	23.2	77.9	20.7	27.5	42.3	54.4	16.4	61.5	71.8	9.6
Carding	60.8	2.0	21.4	24.8	59.1	17.5	25.6	22.3	13.4	50.0	47.8	0.0	0.0
DIFFERENCES:													
Queensland	2.8	0.4-	0.3-	0.3-	0.3	0.1	1.2	0.9	1.3-	12.2-	0.7	0.0	0.0
NSW	0.7	0.7	0.2	0.1	0.7-	0.6	1.2	0.1	10.0-	17.2-	0.6	0.3-	0.4
Victoria	0.6-	0.3	0.1	0.2	1.0-	0.2	0.8	0.6	9.4-	6.3-	0.7	0.7	0.1
Tasmania	1.3-	0.3	0.6	0.0	0.8-	0.1-	0.2	0.9	1.9-	5.8-	0.2	72.7-	8.2-
SA	0.6	0.0	0.5-	0.2	2.2-	0.3	0.8-	2.7	1.2	11.8-	3.0-	0.3-	0.3
WA	0.2	0.0	0.2	0.6-	2.2	0.1-	1.8	0.5-	0.9	4.9	2.3	1.1-	0.1
Australia	0.2	0.3	0.1	0.0	0.2-	0.2	0.9	0.6	5.1-	7.4-	0.6	0.2	0.2
Fleece	0.1	0.2	0.2	0.0	0.1-	0.2	1.1	0.4	5.8-	8.3-	0.8	1.4-	0.5
Skirting	0.2	0.6	0.0	0.1-	0.3-	0.2	0.4	0.6	2.7-	5.8-	0.1-	0.5	0.1
Carding	0.9	0.2	0.1-	0.1-	1.1	0.4-	2.5	1.5	0.7	5.5	4.1	66.7-	10.3-

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS														
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT		Y	Y-Z	
2007/2008:															
Queensland	62.4	2.4	20.4	21.3	86.1	16.1	35.0	35.7	54.6	30.1	72.2		71.9	9.6	
NSW	64.4	2.1	20.4	21.8	85.1	16.0	34.7	34.8	54.4	24.1	70.6		72.1	9.5	
Victoria	64.0	1.3	21.8	22.8	89.3	15.9	30.9	38.9	52.7	15.0	72.4		71.2	9.1	
Tasmania	69.1	0.7	19.4	22.3	81.9	16.6	33.9	33.3	46.3	20.0	68.4		72.9	8.5	
SA	62.2	1.6	22.2	22.3	93.8	15.6	31.6	39.8	56.2	19.6	76.2		70.9	8.7	
WA	61.6	1.6	19.8	23.0	83.2	16.6	28.9	37.7	50.1	12.2	67.0		70.2	9.4	
Australia	63.4	1.6	20.9	22.4	87.1	16.1	31.8	37.4	53.0	18.3	71.1		71.4	9.2	
TYPE:															
Fleece	66.8	0.9	21.1	21.8	89.7	15.0	32.8	36.7	53.0	17.6	73.7		72.6	9.0	
Skirting	55.6	3.5	20.3	23.2	77.8	20.5	28.3	41.6	55.4	19.7	61.9		71.2	9.2	
Carding	58.4	2.2	21.2	25.1	60.2	18.4	25.4	24.0	24.7	37.1	46.1		66.5	9.8	
2008/2009:															
Queensland	62.9	2.6	20.4	21.0	87.0	16.1	35.8	36.1	50.4	28.7	73.9		0.0	0.0	
NSW	64.5	2.6	20.7	21.4	85.6	16.2	37.3	33.9	46.1	15.6	73.0		71.5	9.5	
Victoria	63.7	1.5	21.9	22.7	88.7	15.9	31.7	38.3	45.4	13.5	73.3		70.8	9.3	
Tasmania	67.2	1.1	19.6	22.2	83.6	16.3	33.5	33.7	43.9	17.5	69.7		0.0	0.0	
SA	61.0	1.6	21.7	22.4	90.7	16.1	31.2	41.5	47.7	11.2	74.7		70.8	8.8	
WA	62.0	1.7	20.2	22.6	85.3	16.6	30.2	36.6	54.2	13.4	68.4		71.3	9.6	
Australia	63.3	1.9	21.1	22.2	87.1	16.2	33.2	36.8	48.1	14.7	72.2		71.1	9.4	
TYPE:															
Fleece	66.5	1.1	21.3	21.6	89.7	15.1	34.3	36.0	47.3	13.8	75.0		71.5	9.5	
Skirting	55.7	4.1	20.4	22.8	77.9	20.7	28.9	41.4	53.4	16.5	62.2		71.0	9.4	
Carding	58.8	2.5	21.2	24.8	60.5	18.5	27.6	23.9	24.6	39.5	48.2		0.0	0.0	
DIFFERENCES:															
Queensland	0.5	0.2	0.0	0.3-	0.9	0.0	0.8	0.4	4.2-	1.4-	1.7		71.9-	9.6-	
NSW	0.1	0.5	0.3	0.4-	0.5	0.2	2.6	0.9-	8.3-	8.5-	2.4		0.6-	0.0	
Victoria	0.3-	0.2	0.1	0.1-	0.6-	0.0	0.8	0.6-	7.3-	1.5-	0.9		0.4-	0.2	
Tasmania	1.9-	0.4	0.2	0.1-	1.7	0.3-	0.4-	0.4	2.4-	2.5-	1.3		72.9-	8.5-	
SA	1.2-	0.0	0.5-	0.1	3.1-	0.5	0.4-	1.7	8.5-	8.4-	1.5-		0.1-	0.1	
WA	0.4	0.1	0.4	0.4-	2.1	0.0	1.3	1.1-	4.1	1.2	1.4		1.1	0.2	
Australia	0.1-	0.3	0.2	0.2-	0.0	0.1	1.4	0.6-	4.9-	3.6-	1.1		0.3-	0.2	
Fleece	0.3-	0.2	0.2	0.2-	0.0	0.1	1.5	0.7-	5.7-	3.8-	1.3		1.1-	0.5	
Skirting	0.1	0.6	0.1	0.4-	0.1	0.2	0.6	0.2-	2.0-	3.2-	0.3		0.2-	0.2	
Carding	0.4	0.3	0.0	0.3-	0.3	0.1	2.2	0.1-	0.1-	2.4	2.1		66.5-	9.8-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA		COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2007/2008:																
Queensland	8043	50990		5799	76.3	5	0.2	62.4	2.4	20.4	21.3	86.1	35.0	54.6	72.2	9.6
NSW	77828	312979		51522	70.7	161	0.6	64.4	2.1	20.4	21.8	85.1	34.7	54.4	70.6	9.5
Victoria	57301	346425		38976	68.9	387	1.2	64.0	1.3	21.8	22.8	89.3	30.9	52.7	72.4	9.1
Tasmania	5656	27865		4483	77.8	10	0.5	69.1	0.7	19.4	22.3	81.9	33.9	46.3	68.4	8.5
SA	17310	132270		13219	78.7	36	0.3	62.2	1.6	22.2	22.3	93.8	31.6	56.2	76.2	8.7
WA	36403	230232		25814	77.7	71	0.2	61.6	1.6	19.8	23.0	83.2	28.9	50.1	67.0	9.4
Australia	202541	1100761		139813	73.0	670	0.7	63.4	1.6	20.9	22.4	87.1	31.8	53.0	71.1	9.2
TYPE:																
Fleece	122953	731601		107245	87.9	193	0.2	66.8	0.9	21.1	21.8	89.7	32.8	53.0	73.7	9.0
Skirting	51593	246068		29918	59.4	473	2.4	55.6	3.5	20.3	23.2	77.8	28.3	55.4	61.9	9.2
Carding	27995	123092		2650	11.3	4	0.0	58.4	2.2	21.2	25.1	60.2	25.4	24.7	46.1	9.8
2008/2009:																
Queensland	7194	46289		5351	77.1	0	0.0	62.9	2.6	20.4	21.0	87.0	35.8	50.4	73.9	0.0
NSW	72377	301669		48004	70.9	157	0.7	64.5	2.6	20.7	21.4	85.6	37.3	46.1	73.0	9.5
Victoria	50746	309345		33597	66.9	265	1.2	63.7	1.5	21.9	22.7	88.7	31.7	45.4	73.3	9.3
Tasmania	4805	24564		3757	76.8	0	0.0	67.2	1.1	19.6	22.2	83.6	33.5	43.9	69.7	0.0
SA	14913	109027		11571	81.2	30	0.3	61.0	1.6	21.7	22.4	90.7	31.2	47.7	74.7	8.8
WA	31727	211575		22395	76.1	104	0.2	62.0	1.7	20.2	22.6	85.3	30.2	54.2	68.4	9.6
Australia	181762	1002469		124675	72.3	556	0.6	63.3	1.9	21.1	22.2	87.1	33.2	48.1	72.2	9.4
TYPE:																
Fleece	111266	670240		95699	86.2	147	0.1	66.5	1.1	21.3	21.6	89.7	34.3	47.3	75.0	9.5
Skirting	46392	226074		26841	60.2	409	2.5	55.7	4.1	20.4	22.8	77.9	28.9	53.4	62.2	9.4
Carding	24104	106155		2135	10.8	0	0.0	58.8	2.5	21.2	24.8	60.5	27.6	24.6	48.2	0.0
DIFFERENCES:																
Queensland	10.6-	9.2-	9.2-	7.7-	0.8	100.0-	0.2-	0.5	0.2	0.0	0.3-	0.9	0.8	4.2-	1.7	9.6-
NSW	7.0-	3.6-	3.3-	6.8-	0.2	2.5-	0.1	0.1	0.5	0.3	0.4-	0.5	2.6	8.3-	2.4	0.0
Victoria	11.4-	10.7-	10.8-	13.8-	2.0-	31.5-	0.0	0.3-	0.2	0.1	0.1-	0.6-	0.8	7.3-	0.9	0.2
Tasmania	15.0-	11.8-	10.9-	16.2-	1.0-	100.0-	0.5-	1.9-	0.4	0.2	0.1-	1.7	0.4-	2.4-	1.3	8.5-
SA	13.8-	17.6-	17.4-	12.5-	2.5	16.7-	0.0	1.2-	0.0	0.5-	0.1	3.1-	0.4-	8.5-	1.5-	0.1
WA	12.8-	8.1-	7.7-	13.2-	1.6-	46.5	0.0	0.4	0.1	0.4	0.4-	2.1	1.3	4.1	1.4	0.2
Australia	10.3-	8.9-	8.8-	10.8-	0.7-	17.0-	0.1-	0.1-	0.3	0.2	0.2-	0.0	1.4	4.9-	1.1	0.2
Fleece	9.5-	8.4-	8.3-	10.8-	1.7-	23.8-	0.1-	0.3-	0.2	0.2	0.2-	0.0	1.5	5.7-	1.3	0.5
Skirting	10.1-	8.1-	8.1-	10.3-	0.8	13.5-	0.1	0.1	0.6	0.1	0.4-	0.1	0.6	2.0-	0.3	0.2
Carding	13.9-	13.8-	13.7-	19.4-	0.5-	100.0-	0.0	0.4	0.3	0.0	0.3-	0.3	2.2	0.1-	2.1	9.8-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -15.4%.

It has moved from 38.4% of the clip at the end of NOVEMBER last year to 35.7% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2007/2008:											
Queensland	127.8	391.5	637.8	1395.4	2552.5		1.4	4.2	6.9	15.1	27.6
NSW	3364.0	6692.1	8459.4	9204.3	27719.7		6.2	12.3	15.6	17.0	51.1
Victoria	1435.0	3252.2	6278.4	8327.5	19293.2		2.3	5.3	10.2	13.5	31.3
Tasmania	630.4	1101.6	1222.5	696.4	3650.9		12.9	22.6	25.1	14.3	74.9
SA	28.1	85.5	396.4	1200.6	1710.6		0.1	0.4	1.7	5.1	7.2
WA	506.0	2182.3	6373.5	10684.7	19746.5		1.2	5.4	15.6	26.2	48.5
Australia	6091.4	13705.3	23367.9	31508.8	74673.4		3.1	7.1	12.0	16.2	38.4
TYPE:											
Fleece	4258.9	8951.2	14553.2	18712.3	46475.7		3.3	6.9	11.1	14.3	35.6
Skirting	1449.0	3681.3	6248.6	8896.5	20275.4		3.4	8.6	14.7	20.9	47.6
Carding	383.5	1072.8	2566.1	3900.0	7922.4		1.8	5.1	12.1	18.4	37.4
2008/2009:											
Queensland	119.5	312.2	540.1	1129.5	2101.4		1.4	3.7	6.4	13.4	25.0
NSW	2794.1	5637.2	7404.3	8141.2	23976.7		5.3	10.7	14.1	15.5	45.7
Victoria	1174.4	3053.4	5666.4	7628.8	17523.0		2.1	5.6	10.3	13.9	31.9
Tasmania	522.4	831.6	1055.4	693.6	3103.0		12.0	19.2	24.3	16.0	71.5
SA	23.1	137.9	581.5	1724.2	2466.6		0.1	0.7	3.0	8.8	12.6
WA	231.8	999.5	3903.5	8888.5	14023.3		0.6	2.7	10.4	23.6	37.3
Australia	4865.3	10971.8	19151.1	28205.8	63194.0		2.7	6.2	10.8	15.9	35.7
TYPE:											
Fleece	3136.1	6762.9	11595.9	16330.7	37825.5		2.6	5.6	9.7	13.6	31.6
Skirting	1280.2	3102.2	5185.9	8439.8	18008.1		3.3	7.9	13.3	21.6	46.0
Carding	449.1	1106.6	2369.4	3435.3	7360.4		2.5	6.0	12.9	18.8	40.2
DIFFERENCES:											
Queensland	6.5-	20.3-	15.3-	19.1-	17.7-	9.2-	0.0	0.5-	0.5-	1.7-	2.6-
NSW	16.9-	15.8-	12.5-	11.6-	13.5-	3.3-	0.9-	1.6-	1.5-	1.5-	5.4-
Victoria	18.2-	6.1-	9.7-	8.4-	9.2-	10.8-	0.2-	0.3	0.1	0.4	0.6
Tasmania	17.1-	24.5-	13.7-	0.4-	15.0-	10.9-	0.9-	3.4-	0.8-	1.7	3.4-
SA	17.8-	61.3	46.7	43.6	44.2	17.4-	0.0	0.3	1.3	3.7	5.4
WA	54.2-	54.2-	38.8-	16.8-	29.0-	7.7-	0.6-	2.7-	5.2-	2.6-	11.2-
Australia	20.1-	19.9-	18.0-	10.5-	15.4-	8.8-	0.4-	0.9-	1.2-	0.3-	2.7-
Fleece	26.4-	24.4-	20.3-	12.7-	18.6-	465.4	0.7-	1.3-	1.4-	2.5-	4.0-
Skirting	11.6-	15.7-	17.0-	5.1-	11.2-	84.5	0.1-	0.7-	1.4-	6.9	1.6-
Carding	17.1	3.2	7.7-	11.9-	7.1-	13.7-	0.7	0.9	0.8	6.7	2.8

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2007/2008:											
Queensland	0.0	0.0	0.4	8.1	119.3		0.0	0.0	0.0	0.1	1.3
NSW	0.2	1.4	33.5	510.1	2818.8		0.0	0.0	0.1	0.9	5.2
Victoria	0.7	3.7	20.4	242.2	1168.0		0.0	0.0	0.0	0.4	1.9
Tasmania	0.0	0.0	10.2	115.3	504.9		0.0	0.0	0.2	2.4	10.4
SA	0.0	0.0	0.0	0.1	28.0		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	0.8	49.8	455.5		0.0	0.0	0.0	0.1	1.1
Australia	0.9	5.1	65.2	925.7	5094.5		0.0	0.0	0.0	0.5	2.6
TYPE:											
Fleece	0.9	4.6	56.4	692.9	3504.1		0.0	0.0	0.0	0.5	2.7
Skirting	0.0	0.5	7.2	184.9	1256.4		0.0	0.0	0.0	0.4	3.0
Carding	0.0	0.0	1.6	47.9	334.0		0.0	0.0	0.0	0.2	1.6
2008/2009:											
Queensland	0.2	0.1	0.4	11.9	106.9		0.0	0.0	0.0	0.1	1.3
NSW	0.4	4.2	89.3	557.1	2143.1		0.0	0.0	0.2	1.1	4.1
Victoria	0.3	2.7	13.9	192.7	964.8		0.0	0.0	0.0	0.4	1.8
Tasmania	0.0	0.2	9.4	95.9	416.1		0.0	0.0	0.2	2.2	9.6
SA	0.0	0.0	0.0	0.3	22.8		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	0.3	15.9	215.6		0.0	0.0	0.0	0.0	0.6
Australia	0.9	7.2	113.4	873.8	3869.3		0.0	0.0	0.1	0.5	2.2
TYPE:											
Fleece	0.9	6.8	89.2	595.2	2444.0		0.0	0.0	0.1	0.5	2.0
Skirting	0.0	0.4	19.5	222.8	1036.7		0.0	0.0	0.0	0.6	2.7
Carding	0.0	0.0	4.6	55.9	388.6		0.0	0.0	0.0	0.3	2.1
DIFFERENCES:											
Queensland	0.0	0.0	0.0	46.9	10.4-	9.2-	0.0	0.0	0.0	0.0	0.0
NSW	100.0	200.0	166.6	9.2	24.0-	3.3-	0.0	0.0	0.1	0.2	1.1-
Victoria	57.1-	27.0-	31.9-	20.4-	17.4-	10.8-	0.0	0.0	0.0	0.0	0.1-
Tasmania	0.0	0.0	7.8-	16.8-	17.6-	10.9-	0.0	0.0	0.0	0.2-	0.8-
SA	0.0	0.0	0.0	200.0	18.6-	17.4-	0.0	0.0	0.0	0.0	0.0
WA	0.0	0.0	62.5-	68.1-	52.7-	7.7-	0.0	0.0	0.0	0.1-	0.5-
Australia	0.0	41.2	73.9	5.6-	24.0-	8.8-	0.0	0.0	0.1	0.0	0.4-
Fleece	0.0	47.8	58.2	14.1-	30.3-	465.4	0.0	0.0	0.1	0.5	0.7-
Skirting	0.0	20.0-	170.8	20.5	17.5-	84.5	0.0	0.0	0.0	0.6	0.3-
Carding	0.0	0.0	187.5	16.7	16.3	13.7-	0.0	0.0	0.0	0.3	0.5

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2007/2008:										
Queensland	515	3273	6.36	178.5		21.0	309	59.5	0	0.0
NSW	9302	38243	4.11	175.0		10.3	5491	64.7	17	0.7
Victoria	9142	54804	5.99	177.1		27.4	5245	56.7	90	2.1
Tasmania	671	3304	4.92	175.1		31.7	564	81.3	0	0.0
SA	2260	18154	8.03	177.4		27.9	1465	69.6	10	0.7
WA	4728	30962	6.55	174.4		67.4	3077	71.3	15	0.4
Australia	26618	148740	5.59	176.0		28.6	16151	64.0	132	1.1
TYPE:										
Fleece	15181	92194	6.07	177.8		27.3	12199	80.1	15	0.1
Skirting	6437	33244	5.16	173.7		29.7	3441	56.0	117	4.6
Carding	5000	23302	4.66	172.2		31.0	511	11.8	0	0.0
2008/2009:										
Queensland	950	6433	6.77	182.5		26.8	670	73.9	0	0.0
NSW	8852	36559	4.13	173.0		9.6	4945	60.1	16	0.5
Victoria	9307	58335	6.27	175.9		33.4	4805	51.6	97	2.2
Tasmania	843	4230	5.02	176.0		29.9	651	74.7	0	0.0
SA	1831	12586	6.87	178.6		32.1	1193	69.8	7	0.5
WA	4864	32779	6.74	176.6		70.9	3220	71.7	17	0.3
Australia	26647	150922	5.66	175.9		31.9	15484	61.1	137	1.1
TYPE:										
Fleece	15089	94112	6.24	177.9		30.2	11487	75.1	18	0.1
Skirting	6676	33842	5.07	173.0		33.9	3458	54.9	119	4.6
Carding	4882	22968	4.70	171.6		34.4	539	13.2	0	0.0
DIFFERENCES:										
Queensland	84.5	96.5	0.41	2.2	101.0	5.8	116.8	14.4	0.0	0.0
NSW	4.8-	4.4-	0.02	1.1-	5.5-	0.7-	9.9-	4.6-	5.9-	0.2-
Victoria	1.8	6.4	0.28	0.7-	5.7	6.0	8.4-	5.1-	7.8	0.1
Tasmania	25.6	28.0	0.10	0.5	28.7	1.8-	15.4	6.6-	0.0	0.0
SA	19.0-	30.7-	1.16-	0.7	30.2-	4.2	18.6-	0.2	30.0-	0.2-
WA	2.9	5.9	0.19	1.3	7.2	3.5	4.6	0.4	13.3	0.1-
Australia	0.1	1.5	0.07	0.1-	1.4	3.3	4.1-	2.9-	3.8	0.0
Fleece	0.6-	2.1	0.17	0.1	2.2	2.9	5.8-	5.0-	20.0	0.0
Skirting	3.7	1.8	0.09-	0.4-	1.4	4.2	0.5	1.1-	1.7	0.0
Carding	2.4-	1.4-	0.04	0.3-	1.8-	3.4	5.5	1.4	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA					PROJ WT	RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT			LOTS	AR%	LOTS	AR%
2007/2008:											
Queensland	8558	54263	6.34	181.3			17.0	6108	75.3	5	0.2
NSW	87130	351222	4.03	173.6			9.8	57013	70.0	178	0.6
Victoria	66443	401229	6.04	177.6			31.4	44221	67.2	477	1.3
Tasmania	6327	31169	4.93	175.0			39.1	5047	78.2	10	0.4
SA	19570	150424	7.69	178.9			26.6	14684	77.6	46	0.4
WA	41131	261194	6.35	176.7			68.8	28891	77.0	86	0.2
Australia	229159	1249501	5.45	176.5			29.2	155964	71.9	802	0.7
TYPE:											
Fleece	138134	823795	5.96	178.5			28.2	119444	87.1	208	0.2
Skirting	58030	279312	4.81	173.0			30.6	33359	59.0	590	2.7
Carding	32995	146394	4.44	172.2			30.7	3161	11.4	4	0.0
2008/2009:											
Queensland	8144	52722	6.47	181.6			20.4	6021	76.7	0	0.0
NSW	81229	338228	4.16	173.8			10.0	52949	69.8	173	0.6
Victoria	60053	367680	6.12	177.2			32.8	38402	64.5	362	1.4
Tasmania	5648	28794	5.10	176.6			35.1	4408	76.5	0	0.0
SA	16744	121613	7.26	179.4			27.1	12764	80.0	37	0.3
WA	36591	244354	6.68	177.5			71.5	25615	75.5	121	0.2
Australia	208409	1153391	5.53	176.7			29.8	140159	70.9	693	0.7
TYPE:											
Fleece	126355	764352	6.05	178.7			28.7	107186	84.8	165	0.1
Skirting	53068	259916	4.90	173.0			31.3	30299	59.5	528	2.8
Carding	28986	129123	4.45	172.3			31.9	2674	11.2	0	0.0
DIFFERENCES:											
Queensland	4.8-	2.8-	0.13	0.2	2.7-	1.3-	3.4	1.4-	1.4	100.0-	0.2-
NSW	6.8-	3.7-	0.13	0.1	3.6-	4.3-	0.2	7.1-	0.2-	2.8-	0.0
Victoria	9.6-	8.4-	0.08	0.2-	8.6-	9.0-	1.4	13.2-	2.7-	24.1-	0.1
Tasmania	10.7-	7.6-	0.17	0.9	6.7-	7.3-	4.0-	12.7-	1.7-	100.0-	0.4-
SA	14.4-	19.2-	0.43-	0.3	18.9-	19.8-	0.5	13.1-	2.4	19.6-	0.1-
WA	11.0-	6.4-	0.33	0.5	6.0-	7.4-	2.7	11.3-	1.5-	40.7	0.0
Australia	9.1-	7.7-	0.08	0.1	7.6-	8.1-	0.6	10.1-	1.0-	13.6-	0.0
Fleece	8.5-	7.2-	0.09	0.1	7.1-		0.5	10.3-	2.3-	20.7-	0.1-
Skirting	8.6-	6.9-	0.09	0.0	7.0-		0.7	9.2-	0.5	10.5-	0.1
Carding	12.2-	11.8-	0.01	0.1	11.8-		1.2	15.4-	0.2-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of DECEMBER as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -13.6%.

It has moved from 38.1% of the clip at the end of DECEMBER last year to 35.6% this year.

	TEST RESULTS													
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT		Y	Y-Z
2007/2008:														
Queensland	60.1	3.4	20.7	22.8	82.7	16.5	33.2	37.5	49.9	18.0	69.4		0.0	0.0
NSW	63.6	1.7	21.2	22.1	86.3	16.0	32.7	35.5	48.8	34.4	71.8		72.1	9.1
Victoria	66.6	0.9	22.9	23.3	88.7	16.3	28.3	39.7	57.0	26.5	70.4		70.9	9.5
Tasmania	69.1	0.6	19.8	22.6	84.4	17.2	29.6	36.7	45.8	12.0	67.7		0.0	0.0
SA	62.7	1.6	22.7	22.9	92.9	16.2	29.7	40.8	54.3	32.1	75.3		71.4	10.0
WA	63.1	1.6	20.3	23.3	83.0	16.7	27.0	37.1	53.9	28.1	65.1		71.2	10.1
Australia	64.5	1.4	21.8	22.9	87.1	16.3	29.4	38.0	53.3	29.1	70.1		71.1	9.5
TYPE:														
Fleece	68.1	0.8	21.9	22.2	90.1	15.2	30.3	37.5	54.4	29.0	72.9		71.2	10.1
Skirting	56.7	2.9	21.1	23.6	78.9	20.7	26.1	42.3	54.7	26.0	61.9		71.1	9.5
Carding	61.3	1.8	22.2	25.0	59.8	18.0	27.1	22.6	14.2	51.4	50.0		0.0	0.0
2008/2009:														
Queensland	62.1	3.0	20.5	21.1	84.8	16.5	35.1	37.4	52.0	15.4	71.9		0.0	0.0
NSW	64.6	2.4	21.2	22.3	84.1	16.6	33.7	35.8	46.3	12.0	70.4		70.3	9.5
Victoria	66.2	1.1	23.0	23.3	88.5	16.1	29.7	38.9	54.7	19.2	70.9		70.9	10.0
Tasmania	67.5	0.8	19.9	22.6	85.4	16.5	30.3	36.8	47.1	10.9	68.1		0.0	0.0
SA	63.0	1.8	22.3	23.2	89.3	15.8	28.1	41.3	59.5	22.5	70.5		71.2	9.3
WA	63.1	1.7	20.5	22.6	84.4	16.7	28.8	36.8	51.5	32.1	67.4		70.9	10.2
Australia	64.7	1.7	21.8	22.8	86.2	16.3	30.5	37.7	52.0	20.7	69.8		70.8	9.9
TYPE:														
Fleece	68.3	1.0	22.0	22.1	89.3	15.2	31.8	37.1	52.7	19.7	72.8		70.3	10.3
Skirting	56.7	3.5	21.0	23.3	78.6	20.6	26.7	42.5	55.2	20.1	61.9		70.9	9.9
Carding	61.6	2.0	22.0	25.1	59.1	17.7	24.8	22.2	13.6	48.9	46.4		0.0	0.0
DIFFERENCES:														
Queensland	2.0	0.4-	0.2-	1.7-	2.1	0.0	1.9	0.1-	2.1	2.6-	2.5		0.0	0.0
NSW	1.0	0.7	0.0	0.2	2.2-	0.6	1.0	0.3	2.5-	22.4-	1.4-		1.8-	0.4
Victoria	0.4-	0.2	0.1	0.0	0.2-	0.2-	1.4	0.8-	2.3-	7.3-	0.5		0.0	0.5
Tasmania	1.6-	0.2	0.1	0.0	1.0	0.7-	0.7	0.1	1.3	1.1-	0.4		0.0	0.0
SA	0.3	0.2	0.4-	0.3	3.6-	0.4-	1.6-	0.5	5.2	9.6-	4.8-		0.2-	0.7-
WA	0.0	0.1	0.2	0.7-	1.4	0.0	1.8	0.3-	2.4-	4.0	2.3		0.3-	0.1
Australia	0.2	0.3	0.0	0.1-	0.9-	0.0	1.1	0.3-	1.3-	8.4-	0.3-		0.3-	0.4
Fleece	0.2	0.2	0.1	0.1-	0.8-	0.0	1.5	0.4-	1.7-	9.3-	0.1-		0.9-	0.2
Skirting	0.0	0.6	0.1-	0.3-	0.3-	0.1-	0.6	0.2	0.5	5.9-	0.0		0.2-	0.4
Carding	0.3	0.2	0.2-	0.1	0.7-	0.3-	2.3-	0.4-	0.6-	2.5-	3.6-		0.0	0.0

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z
2007/2008:													
Queensland	62.3	2.4	20.4	21.4	85.9	16.2	34.9	35.8	54.4	29.5	72.1	71.9	9.6
NSW	64.3	2.0	20.5	21.8	85.2	16.0	34.5	34.9	53.9	25.1	70.8	72.1	9.4
Victoria	64.4	1.2	22.0	22.9	89.3	16.0	30.6	39.0	53.2	16.3	72.2	71.2	9.2
Tasmania	69.1	0.7	19.4	22.3	82.2	16.6	33.4	33.7	46.3	19.1	68.3	72.9	8.5
SA	62.2	1.6	22.3	22.3	93.7	15.7	31.4	39.9	56.0	20.9	76.1	71.0	9.0
WA	61.8	1.6	19.9	23.1	83.2	16.6	28.7	37.7	50.5	13.9	66.8	70.5	9.6
Australia	63.6	1.6	21.0	22.5	87.1	16.1	31.6	37.4	53.0	19.4	71.0	71.4	9.3
TYPE:													
Fleece	67.0	0.9	21.2	21.8	89.7	15.1	32.5	36.8	53.2	18.8	73.6	72.5	9.1
Skirting	55.7	3.4	20.4	23.2	77.9	20.6	28.0	41.7	55.4	20.4	61.9	71.2	9.3
Carding	58.9	2.1	21.4	25.1	60.1	18.3	25.7	23.8	23.0	39.5	46.8	66.5	9.8
2008/2009:													
Queensland	62.8	2.6	20.4	21.0	86.7	16.1	35.8	36.2	50.6	27.1	73.7	0.0	0.0
NSW	64.5	2.5	20.8	21.5	85.5	16.2	37.0	34.1	46.1	15.3	72.8	71.4	9.5
Victoria	64.1	1.5	22.1	22.8	88.7	15.9	31.4	38.4	46.6	14.2	73.0	70.8	9.5
Tasmania	67.2	1.1	19.6	22.3	83.9	16.3	33.0	34.2	44.3	16.5	69.4	0.0	0.0
SA	61.2	1.6	21.8	22.5	90.6	16.1	30.9	41.5	48.8	12.2	74.3	70.8	8.9
WA	62.2	1.7	20.2	22.6	85.2	16.6	30.0	36.6	53.9	15.8	68.3	71.2	9.7
Australia	63.5	1.9	21.1	22.3	87.0	16.2	32.9	36.9	48.5	15.4	72.0	71.0	9.5
TYPE:													
Fleece	66.7	1.1	21.3	21.6	89.6	15.1	34.0	36.2	47.9	14.4	74.8	71.3	9.6
Skirting	55.8	4.0	20.5	22.9	78.0	20.7	28.6	41.6	53.7	16.9	62.1	71.0	9.5
Carding	59.3	2.4	21.3	24.9	60.2	18.4	27.1	23.6	22.3	41.5	47.8	0.0	0.0
DIFFERENCES:													
Queensland	0.5	0.2	0.0	0.4-	0.8	0.1-	0.9	0.4	3.8-	2.4-	1.6	71.9-	9.6-
NSW	0.2	0.5	0.3	0.3-	0.3	0.2	2.5	0.8-	7.8-	9.8-	2.0	0.7-	0.1
Victoria	0.3-	0.3	0.1	0.1-	0.6-	0.1-	0.8	0.6-	6.6-	2.1-	0.8	0.4-	0.3
Tasmania	1.9-	0.4	0.2	0.0	1.7	0.3-	0.4-	0.5	2.0-	2.6-	1.1	72.9-	8.5-
SA	1.0-	0.0	0.5-	0.2	3.1-	0.4	0.5-	1.6	7.2-	8.7-	1.8-	0.2-	0.1-
WA	0.4	0.1	0.3	0.5-	2.0	0.0	1.3	1.1-	3.4	1.9	1.5	0.7	0.1
Australia	0.1-	0.3	0.1	0.2-	0.1-	0.1	1.3	0.5-	4.5-	4.0-	1.0	0.4-	0.2
Fleece	0.3-	0.2	0.1	0.2-	0.1-	0.0	1.5	0.6-	5.3-	4.4-	1.2	1.2-	0.5
Skirting	0.1	0.6	0.1	0.3-	0.1	0.1	0.6	0.1-	1.7-	3.5-	0.2	0.2-	0.2
Carding	0.4	0.3	0.1-	0.2-	0.1	0.1	1.4	0.2-	0.7-	2.0	1.0	66.5-	9.8-

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA	COLOUR DATA	TEST RESULTS										
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2007/2008:																
Queensland	8558	54263		6108	75.3	5	0.2	62.3	2.4	20.4	21.4	85.9	34.9	54.4	72.1	9.6
NSW	87130	351222		57013	70.0	178	0.6	64.3	2.0	20.5	21.8	85.2	34.5	53.9	70.8	9.4
Victoria	66443	401229		44221	67.2	477	1.3	64.4	1.2	22.0	22.9	89.3	30.6	53.2	72.2	9.2
Tasmania	6327	31169		5047	78.2	10	0.4	69.1	0.7	19.4	22.3	82.2	33.4	46.3	68.3	8.5
SA	19570	150424		14684	77.6	46	0.4	62.2	1.6	22.3	22.3	93.7	31.4	56.0	76.1	9.0
WA	41131	261194		28891	77.0	86	0.2	61.8	1.6	19.9	23.1	83.2	28.7	50.5	66.8	9.6
Australia	229159	1249501		155964	71.9	802	0.7	63.6	1.6	21.0	22.5	87.1	31.6	53.0	71.0	9.3
TYPE:																
Fleece	138134	823795		119444	87.1	208	0.2	67.0	0.9	21.2	21.8	89.7	32.5	53.2	73.6	9.1
Skirting	58030	279312		33359	59.0	590	2.7	55.7	3.4	20.4	23.2	77.9	28.0	55.4	61.9	9.3
Carding	32995	146394		3161	11.4	4	0.0	58.9	2.1	21.4	25.1	60.1	25.7	23.0	46.8	9.8
2008/2009:																
Queensland	8144	52722		6021	76.7	0	0.0	62.8	2.6	20.4	21.0	86.7	35.8	50.6	73.7	0.0
NSW	81229	338228		52949	69.8	173	0.6	64.5	2.5	20.8	21.5	85.5	37.0	46.1	72.8	9.5
Victoria	60053	367680		38402	64.5	362	1.4	64.1	1.5	22.1	22.8	88.7	31.4	46.6	73.0	9.5
Tasmania	5648	28794		4408	76.5	0	0.0	67.2	1.1	19.6	22.3	83.9	33.0	44.3	69.4	0.0
SA	16744	121613		12764	80.0	37	0.3	61.2	1.6	21.8	22.5	90.6	30.9	48.8	74.3	8.9
WA	36591	244354		25615	75.5	121	0.2	62.2	1.7	20.2	22.6	85.2	30.0	53.9	68.3	9.7
Australia	208409	1153391		140159	70.9	693	0.7	63.5	1.9	21.1	22.3	87.0	32.9	48.5	72.0	9.5
TYPE:																
Fleece	126355	764352		107186	84.8	165	0.1	66.7	1.1	21.3	21.6	89.6	34.0	47.9	74.8	9.6
Skirting	53068	259916		30299	59.5	528	2.8	55.8	4.0	20.5	22.9	78.0	28.6	53.7	62.1	9.5
Carding	28986	129123		2674	11.2	0	0.0	59.3	2.4	21.3	24.9	60.2	27.1	22.3	47.8	0.0
DIFFERENCES:																
Queensland	4.8-	2.8-	2.7-	1.4-	1.4	100.0-	0.2-	0.5	0.2	0.0	0.4-	0.8	0.9	3.8-	1.6	9.6-
NSW	6.8-	3.7-	3.6-	7.1-	0.2-	2.8-	0.0	0.2	0.5	0.3	0.3-	0.3	2.5	7.8-	2.0	0.1
Victoria	9.6-	8.4-	8.6-	13.2-	2.7-	24.1-	0.1	0.3-	0.3	0.1	0.1-	0.6-	0.8	6.6-	0.8	0.3
Tasmania	10.7-	7.6-	6.7-	12.7-	1.7-	100.0-	0.4-	1.9-	0.4	0.2	0.0	1.7	0.4-	2.0-	1.1	8.5-
SA	14.4-	19.2-	18.9-	13.1-	2.4	19.6-	0.1-	1.0-	0.0	0.5-	0.2	3.1-	0.5-	7.2-	1.8-	0.1-
WA	11.0-	6.4-	6.0-	11.3-	1.5-	40.7	0.0	0.4	0.1	0.3	0.5-	2.0	1.3	3.4	1.5	0.1
Australia	9.1-	7.7-	7.6-	10.1-	1.0-	13.6-	0.0	0.1-	0.3	0.1	0.2-	0.1-	1.3	4.5-	1.0	0.2
Fleece	8.5-	7.2-	7.1-	10.3-	2.3-	20.7-	0.1-	0.3-	0.2	0.1	0.2-	0.1-	1.5	5.3-	1.2	0.5
Skirting	8.6-	6.9-	7.0-	9.2-	0.5	10.5-	0.1	0.1	0.6	0.1	0.3-	0.1	0.6	1.7-	0.2	0.2
Carding	12.2-	11.8-	11.8-	15.4-	0.2-	100.0-	0.0	0.4	0.3	0.1-	0.2-	0.1	1.4	0.7-	1.0	9.8-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -13.6%.

It has moved from 38.1% of the clip at the end of DECEMBER last year to 35.6% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2007/2008:											
Queensland	135.5	406.7	690.9	1518.1	2751.2		1.4	4.1	7.0	15.4	28.0
NSW	3567.9	7291.2	9467.0	10428.5	30754.6		5.9	12.0	15.5	17.1	50.4
Victoria	1577.1	3713.5	7295.3	9730.2	22316.2		2.2	5.2	10.2	13.7	31.3
Tasmania	708.4	1208.5	1377.5	791.2	4085.6		13.0	22.2	25.3	14.5	74.9
SA	29.4	91.0	510.7	1385.0	2016.0		0.1	0.3	1.9	5.1	7.5
WA	527.7	2315.8	6973.7	12209.3	22026.4		1.1	5.0	15.1	26.5	47.7
Australia	6545.9	15026.8	26315.2	36062.2	83950.1		3.0	6.8	11.9	16.3	38.1
TYPE:											
Fleece	4577.3	9805.6	16321.6	21229.0	51933.6		3.1	6.7	11.1	14.4	35.3
Skirting	1553.5	4042.9	7053.4	10159.2	22809.0		3.2	8.4	14.6	21.0	47.2
Carding	415.2	1178.3	2940.1	4674.0	9207.5		1.6	4.7	11.7	18.5	36.5
2008/2009:											
Queensland	126.3	333.3	592.0	1308.8	2360.4		1.3	3.5	6.2	13.7	24.7
NSW	3044.8	6175.6	8438.5	9306.2	26965.1		5.2	10.5	14.4	15.8	45.9
Victoria	1322.7	3599.4	6829.1	9087.7	20838.9		2.0	5.5	10.5	13.9	32.0
Tasmania	639.0	972.5	1216.3	799.2	3627.0		12.6	19.1	23.9	15.7	71.3
SA	24.8	170.9	661.4	1944.6	2801.7		0.1	0.8	3.0	8.9	12.8
WA	247.2	1115.8	4414.0	10181.0	15958.0		0.6	2.6	10.2	23.5	36.8
Australia	5404.9	12367.5	22151.1	32627.6	72551.0		2.7	6.1	10.9	16.0	35.6
TYPE:											
Fleece	3505.3	7606.9	13233.2	18829.0	43174.4		2.6	5.6	9.7	13.8	31.6
Skirting	1411.8	3504.5	6047.9	9681.8	20646.0		3.1	7.8	13.5	21.5	45.9
Carding	487.8	1256.1	2870.0	4116.7	8730.6		2.2	5.6	12.9	18.5	39.3
DIFFERENCES:											
Queensland	6.8-	18.0-	14.3-	13.8-	14.2-	2.7-	0.1-	0.6-	0.8-	1.7-	3.3-
NSW	14.7-	15.3-	10.9-	10.8-	12.3-	3.6-	0.7-	1.5-	1.1-	1.3-	4.5-
Victoria	16.1-	3.1-	6.4-	6.6-	6.6-	8.6-	0.2-	0.3	0.3	0.2	0.7
Tasmania	9.8-	19.5-	11.7-	1.0	11.2-	6.7-	0.4-	3.1-	1.4-	1.2	3.6-
SA	15.6-	87.8	29.5	40.4	39.0	18.9-	0.0	0.5	1.1	3.8	5.3
WA	53.2-	51.8-	36.7-	16.6-	27.6-	6.0-	0.5-	2.4-	4.9-	3.0-	10.9-
Australia	17.4-	17.7-	15.8-	9.5-	13.6-	7.6-	0.3-	0.7-	1.0-	0.3-	2.5-
Fleece	23.4-	22.4-	18.9-	11.3-	16.9-	441.8	0.5-	1.1-	1.4-	2.7-	3.7-
Skirting	9.1-	13.3-	14.3-	4.7-	9.5-	78.3	0.1-	0.6-	1.1-	6.9	1.3-
Carding	17.5	6.6	2.4-	11.9-	5.2-	11.8-	0.6	0.9	1.2	6.8	2.8

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2007/2008:											
Queensland	0.0	0.0	0.4	8.4	126.7		0.0	0.0	0.0	0.1	1.3
NSW	0.2	1.4	33.9	527.5	3004.9		0.0	0.0	0.1	0.9	4.9
Victoria	1.1	4.7	23.0	264.1	1284.2		0.0	0.0	0.0	0.4	1.8
Tasmania	0.0	0.0	12.2	126.9	569.3		0.0	0.0	0.2	2.3	10.4
SA	0.0	0.0	0.0	0.1	29.2		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	0.8	51.1	475.7		0.0	0.0	0.0	0.1	1.0
Australia	1.3	6.2	70.2	978.2	5490.1		0.0	0.0	0.0	0.4	2.5
TYPE:											
Fleece	1.3	5.6	60.5	736.0	3773.9		0.0	0.0	0.0	0.5	2.6
Skirting	0.0	0.5	7.9	193.5	1351.5		0.0	0.0	0.0	0.4	2.8
Carding	0.0	0.0	1.8	48.7	364.7		0.0	0.0	0.0	0.2	1.4
2008/2009:											
Queensland	0.2	0.1	0.4	13.8	111.8		0.0	0.0	0.0	0.1	1.2
NSW	0.6	4.2	90.1	600.5	2349.5		0.0	0.0	0.2	1.0	4.0
Victoria	0.3	2.7	13.9	206.8	1098.9		0.0	0.0	0.0	0.3	1.7
Tasmania	0.0	0.6	9.4	116.7	511.6		0.0	0.0	0.2	2.3	10.1
SA	0.0	0.0	0.0	0.3	24.6		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	0.3	15.9	231.0		0.0	0.0	0.0	0.0	0.5
Australia	1.1	7.6	114.1	953.9	4327.4		0.0	0.0	0.1	0.5	2.1
TYPE:											
Fleece	1.1	7.2	90.0	658.1	2749.0		0.0	0.0	0.1	0.5	2.0
Skirting	0.0	0.4	19.5	238.5	1152.7		0.0	0.0	0.0	0.5	2.6
Carding	0.0	0.0	4.6	57.4	425.8		0.0	0.0	0.0	0.3	1.9
DIFFERENCES:											
Queensland	0.0	0.0	0.0	64.3	11.8-	2.7-	0.0	0.0	0.0	0.0	0.1-
NSW	200.0	200.0	165.8	13.8	21.8-	3.6-	0.0	0.0	0.1	0.1	0.9-
Victoria	72.7-	42.6-	39.6-	21.7-	14.4-	8.6-	0.0	0.0	0.0	0.1-	0.1-
Tasmania	0.0	0.0	23.0-	8.0-	10.1-	6.7-	0.0	0.0	0.0	0.0	0.3-
SA	0.0	0.0	0.0	200.0	15.8-	18.9-	0.0	0.0	0.0	0.0	0.0
WA	0.0	0.0	62.5-	68.9-	51.4-	6.0-	0.0	0.0	0.0	0.1-	0.5-
Australia	15.4-	22.6	62.5	2.5-	21.2-	7.6-	0.0	0.0	0.1	0.1	0.4-
Fleece	15.4-	28.6	48.8	10.6-	27.2-	441.8	0.0	0.0	0.1	0.5	0.6-
Skirting	0.0	20.0-	146.8	23.3	14.7-	78.3	0.0	0.0	0.0	0.5	0.2-
Carding	0.0	0.0	155.6	17.9	16.8	11.8-	0.0	0.0	0.0	0.3	0.5

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2007/2008:										
Queensland	1016	6605	6.50	181.6		14.4	651	69.4	0	0.0
NSW	11633	49981	4.30	175.7		10.0	6977	65.9	21	0.5
Victoria	11553	70450	6.10	176.9		27.8	6841	59.9	58	1.1
Tasmania	1379	6472	4.69	172.1		22.3	994	66.9	0	0.0
SA	2264	16775	7.41	176.3		27.3	1522	69.9	9	0.5
WA	7648	50795	6.64	177.1		67.2	5237	75.1	26	0.3
Australia	35493	201078	5.67	176.6		29.8	22222	66.6	114	0.6
TYPE:										
Fleece	20255	126519	6.25	178.7		28.8	16598	82.1	26	0.1
Skirting	8622	43340	5.03	174.0		31.1	4826	59.0	87	2.5
Carding	6616	31219	4.72	171.6		31.4	798	14.3	1	0.0
2008/2009:										
Queensland	891	5726	6.43	182.0		19.5	612	73.6	0	0.0
NSW	9266	40212	4.34	173.0		5.8	5654	66.7	21	0.6
Victoria	9754	60827	6.24	176.3		29.0	5707	58.2	104	2.2
Tasmania	1023	4448	4.35	169.2		23.5	733	65.5	0	0.0
SA	1474	9120	6.19	175.3		27.3	969	70.0	8	1.2
WA	6006	41967	6.99	176.7		67.3	4147	76.6	16	0.3
Australia	28414	162300	5.71	175.5		29.0	17822	66.5	149	1.1
TYPE:										
Fleece	15973	100828	6.31	177.8		27.2	13273	82.7	23	0.2
Skirting	6851	35046	5.12	172.2		31.3	3913	59.9	126	4.6
Carding	5590	26426	4.73	171.3		31.1	636	13.4	0	0.0
DIFFERENCES:										
Queensland	12.3-	13.3-	0.07-	0.2	13.2-	5.1	6.0-	4.2	0.0	0.0
NSW	20.3-	19.5-	0.04	1.5-	20.8-	4.2-	19.0-	0.8	0.0	0.1
Victoria	15.6-	13.7-	0.14	0.3-	13.9-	1.2	16.6-	1.7-	79.3	1.1
Tasmania	25.8-	31.3-	0.34-	1.7-	32.4-	1.2	26.3-	1.4-	0.0	0.0
SA	34.9-	45.6-	1.22-	0.6-	45.9-	0.0	36.3-	0.1	11.1-	0.7
WA	21.5-	17.4-	0.35	0.2-	17.5-	0.1	20.8-	1.5	38.5-	0.0
Australia	19.9-	19.3-	0.04	0.6-	19.8-	0.8-	19.8-	0.1-	30.7	0.5
Fleece	21.1-	20.3-	0.06	0.5-	20.7-	1.6-	20.0-	0.6	11.5-	0.1
Skirting	20.5-	19.1-	0.09	1.0-	19.9-	0.2	18.9-	0.9	44.8	2.1
Carding	15.5-	15.4-	0.01	0.2-	15.5-	0.3-	20.3-	0.9-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA					PROJ WT	RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT			LOTS	AR%	LOTS	AR%
2007/2008:											
Queensland	9574	60868	6.36	181.3			16.7	6759	74.6	5	0.2
NSW	98763	401203	4.06	173.9			9.9	63990	69.5	199	0.6
Victoria	77996	471679	6.05	177.5			30.9	51062	66.1	535	1.3
Tasmania	7706	37641	4.88	174.5			36.1	6041	76.2	10	0.3
SA	21834	167199	7.66	178.6			26.7	16206	76.8	55	0.4
WA	48779	311989	6.40	176.7			68.5	34128	76.7	112	0.2
Australia	264652	1450579	5.48	176.5			29.3	178186	71.2	916	0.7
TYPE:											
Fleece	158389	950314	6.00	178.5			28.3	136042	86.4	234	0.2
Skirting	66652	322652	4.84	173.2			30.7	38185	59.0	677	2.7
Carding	39611	177613	4.48	172.1			30.8	3959	11.9	5	0.0
2008/2009:											
Queensland	9035	58448	6.47	181.6			20.3	6633	76.4	0	0.0
NSW	90495	378440	4.18	173.7			9.6	58603	69.5	194	0.6
Victoria	69807	428507	6.14	177.1			32.3	44109	63.6	466	1.5
Tasmania	6671	33242	4.98	175.7			33.3	5141	75.0	0	0.0
SA	18218	130733	7.18	179.1			27.1	13733	79.3	45	0.4
WA	42597	286321	6.72	177.4			70.9	29762	75.6	137	0.2
Australia	236823	1315691	5.56	176.6			29.7	157981	70.3	842	0.8
TYPE:											
Fleece	142328	865180	6.08	178.6			28.5	120459	84.5	188	0.1
Skirting	59919	294962	4.92	172.9			31.3	34212	59.6	654	3.0
Carding	34576	155549	4.50	172.1			31.8	3310	11.6	0	0.0
DIFFERENCES:											
Queensland	5.6-	4.0-	0.11	0.2	3.8-	4.2-	3.6	1.9-	1.8	100.0-	0.2-
NSW	8.4-	5.7-	0.12	0.1-	5.8-	6.1-	0.3-	8.4-	0.0	2.5-	0.0
Victoria	10.5-	9.2-	0.09	0.2-	9.4-	8.4-	1.4	13.6-	2.5-	12.9-	0.2
Tasmania	13.4-	11.7-	0.10	0.7	11.1-	15.1-	2.8-	14.9-	1.2-	100.0-	0.3-
SA	16.6-	21.8-	0.48-	0.3	21.6-	21.0-	0.4	15.3-	2.5	18.2-	0.0
WA	12.7-	8.2-	0.32	0.4	7.9-	7.5-	2.4	12.8-	1.1-	22.3	0.0
Australia	10.5-	9.3-	0.08	0.1	9.3-	8.9-	0.4	11.3-	0.9-	8.1-	0.1
Fleece	10.1-	9.0-	0.08	0.1	8.9-		0.2	11.5-	1.9-	19.7-	0.1-
Skirting	10.1-	8.6-	0.08	0.2-	8.7-		0.6	10.4-	0.6	3.4-	0.3
Carding	12.7-	12.4-	0.02	0.0	12.4-		1.0	16.4-	0.3-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of JANUARY as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -13.5%.

It has moved from 37.4% of the clip at the end of JANUARY last year to 35.7% this year.

	TEST RESULTS														
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT		Y	Y-Z	
2007/2008:															
Queensland	59.7	3.1	20.4	21.7	84.1	16.0	34.8	35.2	55.5	18.9	70.2		0.0	0.0	
NSW	63.0	1.9	21.2	22.0	86.6	16.0	32.4	35.9	46.9	37.6	71.9		70.5	9.8	
Victoria	66.8	1.0	23.1	23.3	88.6	15.9	28.1	38.8	53.3	33.3	71.2		69.5	10.3	
Tasmania	68.8	0.8	20.8	23.0	83.4	16.5	30.0	36.8	52.6	17.6	66.9		0.0	0.0	
SA	63.1	1.8	22.8	23.0	90.8	15.8	30.4	40.5	49.8	35.5	75.2		70.9	9.1	
WA	62.2	2.0	20.2	22.8	83.1	16.3	27.1	37.5	50.7	36.3	66.5		71.5	9.9	
Australia	64.2	1.6	21.7	22.8	86.4	16.1	29.4	37.7	50.7	34.4	70.2		70.1	10.1	
TYPE:															
Fleece	67.5	1.0	21.8	22.1	89.4	14.9	30.2	37.1	51.2	35.0	73.0		71.4	9.9	
Skirting	56.1	3.4	20.9	23.4	78.3	20.6	25.9	42.9	54.9	28.8	61.6		69.8	10.1	
Carding	61.7	1.9	22.3	24.9	60.4	17.4	28.9	22.6	15.2	52.5	52.4		73.9	9.2	
2008/2009:															
Queensland	61.8	3.7	20.7	21.5	84.8	16.7	36.5	34.9	55.0	16.3	71.7		0.0	0.0	
NSW	64.6	2.8	21.0	22.1	84.1	16.6	32.5	36.8	52.4	13.3	68.9		71.5	10.0	
Victoria	66.4	1.3	22.5	23.2	87.1	16.0	29.7	38.3	52.8	23.9	70.1		70.9	9.5	
Tasmania	68.3	0.8	20.7	22.9	82.6	17.0	30.9	36.4	48.3	13.3	67.1		0.0	0.0	
SA	63.9	1.5	22.7	23.5	87.8	15.7	28.4	42.3	53.0	30.4	71.2		72.7	9.8	
WA	63.7	2.0	20.4	22.1	85.5	16.3	29.0	36.8	47.7	39.7	69.3		71.3	10.0	
Australia	65.0	2.0	21.5	22.6	85.7	16.3	30.4	37.5	51.1	25.8	69.6		71.1	9.6	
TYPE:															
Fleece	68.3	1.2	21.6	21.8	88.7	15.2	31.5	36.9	51.5	25.8	72.5		72.0	9.6	
Skirting	57.0	4.0	20.8	23.1	78.3	20.4	26.5	42.8	55.7	22.4	61.6		71.0	9.6	
Carding	62.6	2.4	22.1	25.0	58.1	18.2	26.9	22.0	15.4	47.7	46.7		0.0	0.0	
DIFFERENCES:															
Queensland	2.1	0.6	0.3	0.2-	0.7	0.7	1.7	0.3-	0.5-	2.6-	1.5		0.0	0.0	
NSW	1.6	0.9	0.2-	0.1	2.5-	0.6	0.1	0.9	5.5	24.3-	3.0-		1.0	0.2	
Victoria	0.4-	0.3	0.6-	0.1-	1.5-	0.1	1.6	0.5-	0.5-	9.4-	1.1-		1.4	0.8-	
Tasmania	0.5-	0.0	0.1-	0.1-	0.8-	0.5	0.9	0.4-	4.3-	4.3-	0.2		0.0	0.0	
SA	0.8	0.3-	0.1-	0.5	3.0-	0.1-	2.0-	1.8	3.2	5.1-	4.0-		1.8	0.7	
WA	1.5	0.0	0.2	0.7-	2.4	0.0	1.9	0.7-	3.0-	3.4	2.8		0.2-	0.1	
Australia	0.8	0.4	0.2-	0.2-	0.7-	0.2	1.0	0.2-	0.4	8.6-	0.6-		1.0	0.5-	
Fleece	0.8	0.2	0.2-	0.3-	0.7-	0.3	1.3	0.2-	0.3	9.2-	0.5-		0.6	0.3-	
Skirting	0.9	0.6	0.1-	0.3-	0.0	0.2-	0.6	0.1-	0.8	6.4-	0.0		1.2	0.5-	
Carding	0.9	0.5	0.2-	0.1	2.3-	0.8	2.0-	0.6-	0.2	4.8-	5.7-		73.9-	9.2-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z
2007/2008:													
Queensland	62.0	2.5	20.4	21.5	85.7	16.1	34.9	35.7	54.5	28.5	71.9	71.9	9.6
NSW	64.1	2.0	20.6	21.8	85.4	16.0	34.2	35.0	53.0	26.6	70.9	71.9	9.5
Victoria	64.7	1.2	22.1	23.0	89.2	15.9	30.2	39.0	53.2	18.6	72.1	71.0	9.3
Tasmania	69.1	0.7	19.6	22.5	82.4	16.6	32.9	34.2	47.2	18.9	68.1	72.9	8.5
SA	62.3	1.6	22.3	22.4	93.5	15.7	31.3	40.0	55.4	22.2	76.0	71.0	9.0
WA	61.9	1.7	19.9	23.0	83.2	16.6	28.5	37.6	50.6	17.5	66.7	70.8	9.7
Australia	63.7	1.6	21.1	22.5	87.0	16.1	31.3	37.5	52.7	21.4	70.9	71.2	9.4
TYPE:													
Fleece	67.0	0.9	21.3	21.8	89.7	15.0	32.2	36.8	52.9	20.8	73.5	72.4	9.2
Skirting	55.8	3.4	20.5	23.3	77.9	20.6	27.7	41.8	55.3	21.5	61.9	71.0	9.4
Carding	59.4	2.1	21.5	25.0	60.2	18.1	26.3	23.5	21.4	42.2	48.0	67.9	9.7
2008/2009:													
Queensland	62.7	2.7	20.4	21.1	86.5	16.2	35.8	36.1	51.0	26.1	73.5	0.0	0.0
NSW	64.5	2.6	20.8	21.6	85.3	16.2	36.5	34.4	46.8	15.1	72.4	71.4	9.5
Victoria	64.4	1.4	22.2	22.9	88.5	15.9	31.2	38.4	47.4	15.5	72.6	70.8	9.5
Tasmania	67.4	1.1	19.8	22.4	83.7	16.4	32.8	34.4	44.8	16.2	69.2	0.0	0.0
SA	61.4	1.6	21.8	22.6	90.4	16.1	30.7	41.5	49.0	13.3	74.2	71.2	9.0
WA	62.4	1.8	20.3	22.5	85.3	16.6	29.9	36.6	53.0	19.3	68.4	71.2	9.8
Australia	63.7	1.9	21.2	22.3	86.8	16.2	32.6	37.0	48.8	16.6	71.7	71.0	9.5
TYPE:													
Fleece	66.9	1.1	21.4	21.7	89.5	15.1	33.7	36.2	48.3	15.7	74.5	71.4	9.6
Skirting	56.0	4.0	20.5	22.9	78.0	20.6	28.4	41.7	53.9	17.6	62.1	71.0	9.5
Carding	59.9	2.4	21.4	24.9	59.8	18.3	27.0	23.3	21.0	42.7	47.6	0.0	0.0
DIFFERENCES:													
Queensland	0.7	0.2	0.0	0.4-	0.8	0.1	0.9	0.4	3.5-	2.4-	1.6	71.9-	9.6-
NSW	0.4	0.6	0.2	0.2-	0.1-	0.2	2.3	0.6-	6.2-	11.5-	1.5	0.5-	0.0
Victoria	0.3-	0.2	0.1	0.1-	0.7-	0.0	1.0	0.6-	5.8-	3.1-	0.5	0.2-	0.2
Tasmania	1.7-	0.4	0.2	0.1-	1.3	0.2-	0.1-	0.2	2.4-	2.7-	1.1	72.9-	8.5-
SA	0.9-	0.0	0.5-	0.2	3.1-	0.4	0.6-	1.5	6.4-	8.9-	1.8-	0.2	0.0
WA	0.5	0.1	0.4	0.5-	2.1	0.0	1.4	1.0-	2.4	1.8	1.7	0.4	0.1
Australia	0.0	0.3	0.1	0.2-	0.2-	0.1	1.3	0.5-	3.9-	4.8-	0.8	0.2-	0.1
Fleece	0.1-	0.2	0.1	0.1-	0.2-	0.1	1.5	0.6-	4.6-	5.1-	1.0	1.0-	0.4
Skirting	0.2	0.6	0.0	0.4-	0.1	0.0	0.7	0.1-	1.4-	3.9-	0.2	0.0	0.1
Carding	0.5	0.3	0.1-	0.1-	0.4-	0.2	0.7	0.2-	0.4-	0.5	0.4-	67.9-	9.7-

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA	COLOUR DATA	TEST RESULTS										
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2007/2008:																
Queensland	9574	60868		6759	74.6	5	0.2	62.0	2.5	20.4	21.5	85.7	34.9	54.5	71.9	9.6
NSW	98763	401203		63990	69.5	199	0.6	64.1	2.0	20.6	21.8	85.4	34.2	53.0	70.9	9.5
Victoria	77996	471679		51062	66.1	535	1.3	64.7	1.2	22.1	23.0	89.2	30.2	53.2	72.1	9.3
Tasmania	7706	37641		6041	76.2	10	0.3	69.1	0.7	19.6	22.5	82.4	32.9	47.2	68.1	8.5
SA	21834	167199		16206	76.8	55	0.4	62.3	1.6	22.3	22.4	93.5	31.3	55.4	76.0	9.0
WA	48779	311989		34128	76.7	112	0.2	61.9	1.7	19.9	23.0	83.2	28.5	50.6	66.7	9.7
Australia	264652	1450579		178186	71.2	916	0.7	63.7	1.6	21.1	22.5	87.0	31.3	52.7	70.9	9.4
TYPE:																
Fleece	158389	950314		136042	86.4	234	0.2	67.0	0.9	21.3	21.8	89.7	32.2	52.9	73.5	9.2
Skirting	66652	322652		38185	59.0	677	2.7	55.8	3.4	20.5	23.3	77.9	27.7	55.3	61.9	9.4
Carding	39611	177613		3959	11.9	5	0.0	59.4	2.1	21.5	25.0	60.2	26.3	21.4	48.0	9.7
2008/2009:																
Queensland	9035	58448		6633	76.4	0	0.0	62.7	2.7	20.4	21.1	86.5	35.8	51.0	73.5	0.0
NSW	90495	378440		58603	69.5	194	0.6	64.5	2.6	20.8	21.6	85.3	36.5	46.8	72.4	9.5
Victoria	69807	428507		44109	63.6	466	1.5	64.4	1.4	22.2	22.9	88.5	31.2	47.4	72.6	9.5
Tasmania	6671	33242		5141	75.0	0	0.0	67.4	1.1	19.8	22.4	83.7	32.8	44.8	69.2	0.0
SA	18218	130733		13733	79.3	45	0.4	61.4	1.6	21.8	22.6	90.4	30.7	49.0	74.2	9.0
WA	42597	286321		29762	75.6	137	0.2	62.4	1.8	20.3	22.5	85.3	29.9	53.0	68.4	9.8
Australia	236823	1315691		157981	70.3	842	0.8	63.7	1.9	21.2	22.3	86.8	32.6	48.8	71.7	9.5
TYPE:																
Fleece	142328	865180		120459	84.5	188	0.1	66.9	1.1	21.4	21.7	89.5	33.7	48.3	74.5	9.6
Skirting	59919	294962		34212	59.6	654	3.0	56.0	4.0	20.5	22.9	78.0	28.4	53.9	62.1	9.5
Carding	34576	155549		3310	11.6	0	0.0	59.9	2.4	21.4	24.9	59.8	27.0	21.0	47.6	0.0
DIFFERENCES:																
Queensland	5.6-	4.0-	3.8-	1.9-	1.8	100.0-	0.2-	0.7	0.2	0.0	0.4-	0.8	0.9	3.5-	1.6	9.6-
NSW	8.4-	5.7-	5.8-	8.4-	0.0	2.5-	0.0	0.4	0.6	0.2	0.2-	0.1-	2.3	6.2-	1.5	0.0
Victoria	10.5-	9.2-	9.4-	13.6-	2.5-	12.9-	0.2	0.3-	0.2	0.1	0.1-	0.7-	1.0	5.8-	0.5	0.2
Tasmania	13.4-	11.7-	11.1-	14.9-	1.2-	100.0-	0.3-	1.7-	0.4	0.2	0.1-	1.3	0.1-	2.4-	1.1	8.5-
SA	16.6-	21.8-	21.6-	15.3-	2.5	18.2-	0.0	0.9-	0.0	0.5-	0.2	3.1-	0.6-	6.4-	1.8-	0.0
WA	12.7-	8.2-	7.9-	12.8-	1.1-	22.3	0.0	0.5	0.1	0.4	0.5-	2.1	1.4	2.4	1.7	0.1
Australia	10.5-	9.3-	9.3-	11.3-	0.9-	8.1-	0.1	0.0	0.3	0.1	0.2-	0.2-	1.3	3.9-	0.8	0.1
Fleece	10.1-	9.0-	8.9-	11.5-	1.9-	19.7-	0.1-	0.1-	0.2	0.1	0.1-	0.2-	1.5	4.6-	1.0	0.4
Skirting	10.1-	8.6-	8.7-	10.4-	0.6	3.4-	0.3	0.2	0.6	0.0	0.4-	0.1	0.7	1.4-	0.2	0.1
Carding	12.7-	12.4-	12.4-	16.4-	0.3-	100.0-	0.0	0.5	0.3	0.1-	0.1-	0.4-	0.7	0.4-	0.4-	9.7-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -13.5%.

It has moved from 37.4% of the clip at the end of JANUARY last year to 35.7% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2007/2008:											
Queensland	138.8	433.3	801.2	1730.2	3103.5		1.3	3.9	7.3	15.7	28.1
NSW	3738.6	7869.1	10733.2	12022.5	34363.4		5.4	11.3	15.4	17.2	49.3
Victoria	1687.7	4167.9	8503.7	11515.6	25874.9		2.0	5.0	10.2	13.8	30.9
Tasmania	814.2	1415.8	1616.1	928.5	4774.6		12.4	21.6	24.6	14.1	72.7
SA	29.7	104.6	589.8	1560.2	2284.3		0.1	0.4	2.0	5.2	7.6
WA	567.6	2553.5	7842.1	14526.5	25489.7		1.0	4.6	14.2	26.3	46.2
Australia	6976.4	16544.3	30086.2	42283.5	95890.4		2.7	6.5	11.7	16.5	37.4
TYPE:											
Fleece	4883.3	10764.0	18484.9	24586.2	58718.3		2.9	6.3	10.9	14.5	34.6
Skirting	1654.0	4481.0	8128.2	11957.7	26220.9		3.0	8.0	14.5	21.4	46.9
Carding	439.2	1299.4	3473.1	5739.6	10951.2		1.4	4.3	11.4	18.8	35.8
2008/2009:											
Queensland	128.8	386.0	673.1	1467.2	2655.1		1.2	3.6	6.3	13.8	25.0
NSW	3237.0	6680.1	9555.7	10589.4	30062.1		4.9	10.2	14.5	16.1	45.7
Victoria	1489.0	4261.4	8194.0	10653.9	24598.2		2.0	5.6	10.8	14.0	32.4
Tasmania	732.8	1079.0	1379.7	924.1	4115.7		12.6	18.5	23.6	15.8	70.5
SA	26.8	185.4	718.0	2089.1	3019.4		0.1	0.8	3.1	8.9	12.9
WA	259.4	1256.4	5133.4	11823.0	18472.2		0.5	2.5	10.1	23.3	36.4
Australia	5873.8	13848.3	25654.0	37546.7	82922.8		2.5	6.0	11.0	16.2	35.7
TYPE:											
Fleece	3824.3	8455.6	15148.3	21650.4	49078.5		2.5	5.5	9.8	14.0	31.8
Skirting	1521.3	3921.2	7026.9	11022.3	23491.8		3.0	7.7	13.8	21.6	46.1
Carding	528.2	1471.5	3478.7	4874.0	10352.4		2.0	5.5	13.0	18.2	38.7
DIFFERENCES:											
Queensland	7.2-	10.9-	16.0-	15.2-	14.4-	3.8-	0.1-	0.3-	1.0-	1.9-	3.1-
NSW	13.4-	15.1-	11.0-	11.9-	12.5-	5.8-	0.5-	1.1-	0.9-	1.1-	3.6-
Victoria	11.8-	2.2	3.6-	7.5-	4.9-	9.4-	0.0	0.6	0.6	0.2	1.5
Tasmania	10.0-	23.8-	14.6-	0.5-	13.8-	11.1-	0.2	3.1-	1.0-	1.7	2.2-
SA	9.8-	77.2	21.7	33.9	32.2	21.6-	0.0	0.4	1.1	3.7	5.3
WA	54.3-	50.8-	34.5-	18.6-	27.5-	7.9-	0.5-	2.1-	4.1-	3.0-	9.8-
Australia	15.8-	16.3-	14.7-	11.2-	13.5-	9.3-	0.2-	0.5-	0.7-	0.3-	1.7-
Fleece	21.7-	21.4-	18.1-	11.9-	16.4-	405.5	0.4-	0.8-	1.1-	3.1-	2.8-
Skirting	8.0-	12.5-	13.5-	7.8-	10.4-	66.8	0.0	0.3-	0.7-	7.1	0.8-
Carding	20.3	13.2	0.2	15.1-	5.5-	12.4-	0.6	1.2	1.6	6.8-	2.9

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2007/2008:											
Queensland	0.0	0.0	0.4	8.4	130.0		0.0	0.0	0.0	0.1	1.2
NSW	0.2	1.6	34.8	541.4	3160.5		0.0	0.0	0.0	0.8	4.5
Victoria	1.1	4.7	23.1	272.4	1386.3		0.0	0.0	0.0	0.3	1.7
Tasmania	0.0	0.0	12.7	140.7	660.7		0.0	0.0	0.2	2.1	10.1
SA	0.0	0.0	0.0	0.1	29.5		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	1.0	54.2	512.4		0.0	0.0	0.0	0.1	0.9
Australia	1.3	6.4	72.0	1017.3	5879.5		0.0	0.0	0.0	0.4	2.3
TYPE:											
Fleece	1.3	5.8	62.3	767.8	4046.0		0.0	0.0	0.0	0.5	2.4
Skirting	0.0	0.5	7.9	198.4	1447.2		0.0	0.0	0.0	0.4	2.6
Carding	0.0	0.0	1.8	51.0	386.3		0.0	0.0	0.0	0.2	1.3
2008/2009:											
Queensland	0.2	0.1	0.4	13.8	114.4		0.0	0.0	0.0	0.1	1.1
NSW	0.6	4.2	93.8	630.7	2507.7		0.0	0.0	0.1	1.0	3.8
Victoria	0.3	2.7	14.4	224.5	1247.1		0.0	0.0	0.0	0.3	1.6
Tasmania	0.0	0.6	10.6	137.7	583.2		0.0	0.0	0.2	2.4	10.0
SA	0.0	0.0	0.0	2.3	24.6		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	0.3	16.0	243.0		0.0	0.0	0.0	0.0	0.5
Australia	1.1	7.6	119.5	1025.0	4719.9		0.0	0.0	0.1	0.4	2.0
TYPE:											
Fleece	1.1	7.2	94.0	716.5	3005.5		0.0	0.0	0.1	0.5	1.9
Skirting	0.0	0.4	20.8	248.7	1250.6		0.0	0.0	0.0	0.5	2.5
Carding	0.0	0.0	4.6	59.8	463.8		0.0	0.0	0.0	0.2	1.7
DIFFERENCES:											
Queensland	0.0	0.0	0.0	64.3	12.0-	3.8-	0.0	0.0	0.0	0.0	0.1-
NSW	200.0	162.5	169.5	16.5	20.7-	5.8-	0.0	0.0	0.1	0.2	0.7-
Victoria	72.7-	42.6-	37.7-	17.6-	10.0-	9.4-	0.0	0.0	0.0	0.0	0.1-
Tasmania	0.0	0.0	16.5-	2.1-	11.7-	11.1-	0.0	0.0	0.0	0.3	0.1-
SA	0.0	0.0	0.0	2200.0	16.6-	21.6-	0.0	0.0	0.0	0.0	0.0
WA	0.0	0.0	70.0-	70.5-	52.6-	7.9-	0.0	0.0	0.0	0.1-	0.4-
Australia	15.4-	18.8	66.0	0.8	19.7-	9.3-	0.0	0.0	0.1	0.0	0.3-
Fleece	15.4-	24.1	50.9	6.7-	25.7-	405.5	0.0	0.0	0.1	0.5	0.5-
Skirting	0.0	20.0-	163.3	25.4	13.6-	66.8	0.0	0.0	0.0	0.5	0.1-
Carding	0.0	0.0	155.6	17.3	20.1	12.4-	0.0	0.0	0.0	0.2	0.4

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2007/2008:										
Queensland	1029	6468	6.29	180.4		19.9	632	59.9	0	0.0
NSW	10974	50148	4.57	176.6		11.7	6030	60.8	14	0.4
Victoria	11362	69299	6.10	176.0		31.8	6389	56.3	56	1.2
Tasmania	936	4587	4.90	171.3		59.0	633	57.7	0	0.0
SA	2826	20544	7.27	177.8		28.8	1917	71.6	4	0.4
WA	9791	66744	6.82	178.1		68.7	7231	81.6	45	0.5
Australia	36918	217790	5.90	177.0		35.7	22832	66.7	119	0.6
TYPE:										
Fleece	20688	135630	6.56	179.7		34.7	16872	82.8	46	0.2
Skirting	9113	48442	5.32	173.3		40.3	4973	56.5	73	2.2
Carding	7117	33718	4.74	171.4		32.8	987	16.5	0	0.0
2008/2009:										
Queensland	722	4889	6.77	182.7		17.0	456	68.4	0	0.0
NSW	10600	48790	4.60	174.4		8.6	5907	60.7	15	0.5
Victoria	9184	57470	6.26	174.7		34.8	5073	55.0	90	2.2
Tasmania	789	4465	5.66	173.7		69.1	479	57.0	1	0.0
SA	2179	14625	6.71	175.7		32.7	1587	77.5	10	0.7
WA	7397	51936	7.02	177.6		72.9	5215	77.2	10	0.1
Australia	30871	182175	5.90	175.7		35.2	18717	65.1	126	0.9
TYPE:										
Fleece	17031	112262	6.59	178.4		34.1	13697	80.5	11	0.1
Skirting	7895	41957	5.31	172.2		38.9	4291	56.7	115	3.8
Carding	5945	27956	4.70	170.2		33.5	729	15.8	0	0.0
DIFFERENCES:										
Queensland	29.8-	24.4-	0.48	1.3	23.5-	2.9-	27.8-	8.5	0.0	0.0
NSW	3.4-	2.7-	0.03	1.2-	3.9-	3.1-	2.0-	0.1-	7.1	0.1
Victoria	19.2-	17.1-	0.16	0.7-	17.7-	3.0	20.6-	1.3-	60.7	1.0
Tasmania	15.7-	2.7-	0.76	1.4	1.3-	10.1	24.3-	0.7-	0.0	0.0
SA	22.9-	28.8-	0.56-	1.2-	29.6-	3.9	17.2-	5.9	150.0	0.3
WA	24.5-	22.2-	0.20	0.3-	22.4-	4.2	27.9-	4.4-	77.8-	0.4-
Australia	16.4-	16.4-	0.00	0.7-	17.0-	0.5-	18.0-	1.6-	5.9	0.3
Fleece	17.7-	17.2-	0.03	0.7-	17.8-	0.6-	18.8-	2.3-	76.1-	0.1-
Skirting	13.4-	13.4-	0.01-	0.6-	13.9-	1.4-	13.7-	0.2	57.5	1.6
Carding	16.5-	17.1-	0.04-	0.7-	17.6-	0.7	26.1-	0.7-	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA					PROJ WT	RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT			LOTS	AR%	LOTS	AR%
2007/2008:											
Queensland	10603	67336	6.35	181.3			17.1	7391	73.2	5	0.1
NSW	109737	451351	4.11	174.2			10.0	70020	68.6	213	0.6
Victoria	89358	540978	6.05	177.3			31.0	57451	64.9	591	1.3
Tasmania	8642	42228	4.89	174.1			38.6	6674	74.2	10	0.3
SA	24660	187743	7.61	178.5			26.9	18123	76.3	59	0.4
WA	58570	378733	6.47	177.0			68.5	41359	77.5	157	0.3
Australia	301570	1668369	5.53	176.6			30.1	201018	70.6	1035	0.7
TYPE:											
Fleece	179077	1085944	6.06	178.7			29.0	152914	85.9	280	0.2
Skirting	75765	371094	4.90	173.2			31.8	43158	58.7	750	2.6
Carding	46728	211331	4.52	172.0			31.1	4946	12.6	5	0.0
2008/2009:											
Queensland	9757	63337	6.49	181.7			20.1	7089	75.8	0	0.0
NSW	101095	427230	4.23	173.8			9.4	64510	68.5	209	0.6
Victoria	78991	485977	6.15	176.8			32.6	49182	62.6	556	1.6
Tasmania	7460	37707	5.05	175.4			37.1	5620	72.9	1	0.0
SA	20397	145358	7.13	178.8			27.7	15320	79.1	55	0.4
WA	49994	338257	6.77	177.4			71.2	34977	75.9	147	0.2
Australia	267694	1497866	5.60	176.4			30.4	176698	69.7	968	0.8
TYPE:											
Fleece	159359	977442	6.13	178.6			29.1	134156	84.1	199	0.1
Skirting	67814	336919	4.97	172.8			32.2	38503	59.2	769	3.1
Carding	40521	183505	4.53	171.8			32.1	4039	12.3	0	0.0
DIFFERENCES:											
Queensland	8.0-	5.9-	0.14	0.2	5.7-	5.4-	3.0	4.1-	2.6	100.0-	0.1-
NSW	7.9-	5.3-	0.12	0.2-	5.5-	6.1-	0.6-	7.9-	0.1-	1.9-	0.0
Victoria	11.6-	10.2-	0.10	0.3-	10.4-	9.2-	1.6	14.4-	2.3-	5.9-	0.3
Tasmania	13.7-	10.7-	0.16	0.7	10.0-	10.8-	1.5-	15.8-	1.3-	90.0-	0.3-
SA	17.3-	22.6-	0.48-	0.2	22.5-	21.8-	0.8	15.5-	2.8	6.8-	0.0
WA	14.6-	10.7-	0.30	0.2	10.5-	8.9-	2.7	15.4-	1.6-	6.4-	0.1-
Australia	11.2-	10.2-	0.07	0.1-	10.3-	9.6-	0.3	12.1-	0.9-	6.5-	0.1
Fleece	11.0-	10.0-	0.07	0.1-	10.0-		0.1	12.3-	1.8-	28.9-	0.1-
Skirting	10.5-	9.2-	0.07	0.2-	9.4-		0.4	10.8-	0.5	2.5	0.5
Carding	13.3-	13.2-	0.01	0.1-	13.3-		1.0	18.3-	0.3-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of FEBRUARY as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -12.9%.

It has moved from 36.3% of the clip at the end of FEBRUARY last year to 35.3% this year.

	TEST RESULTS														
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z		
2007/2008:															
Queensland	58.8	3.4	20.5	22.1	86.2	16.6	32.9	38.1	56.6	15.0	70.4	0.0	0.0		
NSW	61.4	2.4	21.5	22.0	86.2	16.0	33.4	36.2	49.1	34.7	72.0	70.9	10.4		
Victoria	65.2	1.4	23.2	23.4	86.3	16.0	29.0	38.7	46.1	40.1	71.5	69.6	10.1		
Tasmania	68.3	0.9	21.5	24.1	80.6	17.7	29.7	39.6	46.7	23.3	66.1	0.0	0.0		
SA	60.9	1.8	22.5	22.6	91.7	15.4	30.8	39.0	46.1	35.8	76.3	70.3	9.3		
WA	60.5	2.3	20.2	22.5	82.6	16.2	26.9	38.9	47.0	37.4	66.6	70.7	9.5		
Australia	62.4	2.0	21.7	22.7	85.3	16.1	29.5	38.3	47.4	36.5	70.2	70.1	10.0		
TYPE:															
Fleece	65.3	1.2	21.8	22.0	88.5	14.9	30.3	37.7	47.2	37.7	73.1	70.7	9.6		
Skirting	54.8	4.0	21.0	23.4	77.0	20.6	25.6	43.3	53.4	29.0	60.7	69.9	10.1		
Carding	61.1	2.3	22.4	24.8	60.4	17.7	30.8	24.3	20.6	49.1	54.2	0.0	0.0		
2008/2009:															
Queensland	61.8	3.4	20.8	21.4	82.6	17.9	35.7	35.9	60.3	19.2	69.1	0.0	0.0		
NSW	62.9	3.1	21.3	22.2	82.4	17.8	30.7	38.0	57.6	17.2	66.2	71.3	11.1		
Victoria	65.4	1.5	23.0	23.3	86.0	16.0	29.9	38.5	52.1	29.3	70.1	70.4	9.5		
Tasmania	68.3	1.1	21.9	23.8	84.4	17.3	30.2	39.0	54.1	21.5	67.0	67.4	7.5		
SA	62.4	2.0	22.0	22.8	88.2	15.7	29.0	40.4	46.3	38.8	72.4	70.1	8.9		
WA	61.8	2.3	20.5	22.0	84.1	16.2	30.2	35.3	44.9	38.3	69.6	72.0	9.9		
Australia	63.4	2.2	21.6	22.5	84.5	16.6	30.3	37.4	50.8	29.8	69.1	70.5	9.7		
TYPE:															
Fleece	66.6	1.3	21.8	21.8	87.7	15.4	31.5	36.6	50.8	30.5	72.4	71.8	9.8		
Skirting	55.7	4.5	20.9	23.3	76.5	21.1	25.7	42.9	56.2	24.0	59.6	70.5	9.7		
Carding	62.1	2.7	22.1	24.7	60.7	17.7	28.4	24.0	20.4	45.5	50.3	0.0	0.0		
DIFFERENCES:															
Queensland	3.0	0.0	0.3	0.7-	3.6-	1.3	2.8	2.2-	3.7	4.2	1.3-	0.0	0.0		
NSW	1.5	0.7	0.2-	0.2	3.8-	1.8	2.7-	1.8	8.5	17.5-	5.8-	0.4	0.7		
Victoria	0.2	0.1	0.2-	0.1-	0.3-	0.0	0.9	0.2-	6.0	10.8-	1.4-	0.8	0.6-		
Tasmania	0.0	0.2	0.4	0.3-	3.8	0.4-	0.5	0.6-	7.4	1.8-	0.9	67.4	7.5		
SA	1.5	0.2	0.5-	0.2	3.5-	0.3	1.8-	1.4	0.2	3.0	3.9-	0.2-	0.4-		
WA	1.3	0.0	0.3	0.5-	1.5	0.0	3.3	3.6-	2.1-	0.9	3.0	1.3	0.4		
Australia	1.0	0.2	0.1-	0.2-	0.8-	0.5	0.8	0.9-	3.4	6.7-	1.1-	0.4	0.3-		
Fleece	1.3	0.1	0.0	0.2-	0.8-	0.5	1.2	1.1-	3.6	7.2-	0.7-	1.1	0.2		
Skirting	0.9	0.5	0.1-	0.1-	0.5-	0.5	0.1	0.4-	2.8	5.0-	1.1-	0.6	0.4-		
Carding	1.0	0.4	0.3-	0.1-	0.3	0.0	2.4-	0.3-	0.2-	3.6-	3.9-	0.0	0.0		

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS													
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z	
2007/2008:														
Queensland	61.7	2.6	20.4	21.5	85.8	16.2	34.7	35.9	54.6	27.4	71.8	71.9	9.6	
NSW	63.8	2.1	20.7	21.9	85.5	16.0	34.2	35.1	52.6	27.5	71.0	71.8	9.5	
Victoria	64.8	1.2	22.3	23.0	88.9	15.9	30.1	39.0	52.4	21.0	72.0	70.8	9.4	
Tasmania	69.0	0.7	19.8	22.6	82.2	16.7	32.6	34.6	47.2	19.2	67.9	72.9	8.5	
SA	62.2	1.6	22.3	22.4	93.3	15.7	31.2	39.9	54.5	23.6	76.1	70.9	9.1	
WA	61.6	1.8	20.0	22.9	83.1	16.5	28.2	37.9	49.9	21.2	66.7	70.7	9.6	
Australia	63.5	1.7	21.2	22.6	86.8	16.1	31.1	37.6	52.1	23.3	70.8	71.1	9.4	
TYPE:														
Fleece	66.8	1.0	21.3	21.9	89.5	15.0	32.0	36.9	52.2	22.9	73.5	72.1	9.3	
Skirting	55.6	3.5	20.6	23.3	77.8	20.6	27.5	42.0	55.1	22.5	61.7	70.9	9.5	
Carding	59.6	2.1	21.7	25.0	60.2	18.0	27.3	23.7	21.2	43.7	49.3	67.9	9.7	
2008/2009:														
Queensland	62.7	2.8	20.5	21.1	86.3	16.3	35.8	36.1	51.7	25.6	73.2	0.0	0.0	
NSW	64.3	2.6	20.9	21.7	85.0	16.4	35.9	34.8	47.9	15.3	71.7	71.4	9.7	
Victoria	64.5	1.5	22.2	22.9	88.2	15.9	31.1	38.4	47.9	16.9	72.3	70.8	9.5	
Tasmania	67.5	1.1	20.0	22.5	83.8	16.5	32.5	34.8	45.6	16.7	69.0	67.4	7.5	
SA	61.5	1.6	21.9	22.6	90.2	16.0	30.6	41.4	48.8	15.8	74.0	71.0	9.0	
WA	62.3	1.8	20.3	22.4	85.1	16.5	29.9	36.4	51.7	22.3	68.6	71.3	9.8	
Australia	63.7	1.9	21.2	22.3	86.6	16.2	32.3	37.1	49.0	18.1	71.4	71.0	9.5	
TYPE:														
Fleece	66.9	1.1	21.4	21.7	89.3	15.2	33.5	36.3	48.6	17.3	74.3	71.5	9.6	
Skirting	55.9	4.1	20.6	23.0	77.8	20.7	28.1	41.9	54.2	18.4	61.8	70.9	9.5	
Carding	60.2	2.5	21.5	24.9	60.0	18.2	27.3	23.4	20.8	43.2	48.1	0.0	0.0	
DIFFERENCES:														
Queensland	1.0	0.2	0.1	0.4-	0.5	0.1	1.1	0.2	2.9-	1.8-	1.4	71.9-	9.6-	
NSW	0.5	0.5	0.2	0.2-	0.5-	0.4	1.7	0.3-	4.7-	12.2-	0.7	0.4-	0.2	
Victoria	0.3-	0.3	0.1-	0.1-	0.7-	0.0	1.0	0.6-	4.5-	4.1-	0.3	0.0	0.1	
Tasmania	1.5-	0.4	0.2	0.1-	1.6	0.2-	0.1-	0.2	1.6-	2.5-	1.1	5.5-	1.0-	
SA	0.7-	0.0	0.4-	0.2	3.1-	0.3	0.6-	1.5	5.7-	7.8-	2.1-	0.1	0.1-	
WA	0.7	0.0	0.3	0.5-	2.0	0.0	1.7	1.5-	1.8	1.1	1.9	0.6	0.2	
Australia	0.2	0.2	0.0	0.3-	0.2-	0.1	1.2	0.5-	3.1-	5.2-	0.6	0.1-	0.1	
Fleece	0.1	0.1	0.1	0.2-	0.2-	0.2	1.5	0.6-	3.6-	5.6-	0.8	0.6-	0.3	
Skirting	0.3	0.6	0.0	0.3-	0.0	0.1	0.6	0.1-	0.9-	4.1-	0.1	0.0	0.0	
Carding	0.6	0.4	0.2-	0.1-	0.2-	0.2	0.0	0.3-	0.4-	0.5-	1.2-	67.9-	9.7-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA		COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2007/2008:																
Queensland	10603	67336		7391	73.2	5	0.1	61.7	2.6	20.4	21.5	85.8	34.7	54.6	71.8	9.6
NSW	109737	451351		70020	68.6	213	0.6	63.8	2.1	20.7	21.9	85.5	34.2	52.6	71.0	9.5
Victoria	89358	540978		57451	64.9	591	1.3	64.8	1.2	22.3	23.0	88.9	30.1	52.4	72.0	9.4
Tasmania	8642	42228		6674	74.2	10	0.3	69.0	0.7	19.8	22.6	82.2	32.6	47.2	67.9	8.5
SA	24660	187743		18123	76.3	59	0.4	62.2	1.6	22.3	22.4	93.3	31.2	54.5	76.1	9.1
WA	58570	378733		41359	77.5	157	0.3	61.6	1.8	20.0	22.9	83.1	28.2	49.9	66.7	9.6
Australia	301570	1668369		201018	70.6	1035	0.7	63.5	1.7	21.2	22.6	86.8	31.1	52.1	70.8	9.4
TYPE:																
Fleece	179077	1085944		152914	85.9	280	0.2	66.8	1.0	21.3	21.9	89.5	32.0	52.2	73.5	9.3
Skirting	75765	371094		43158	58.7	750	2.6	55.6	3.5	20.6	23.3	77.8	27.5	55.1	61.7	9.5
Carding	46728	211331		4946	12.6	5	0.0	59.6	2.1	21.7	25.0	60.2	27.3	21.2	49.3	9.7
2008/2009:																
Queensland	9757	63337		7089	75.8	0	0.0	62.7	2.8	20.5	21.1	86.3	35.8	51.7	73.2	0.0
NSW	101095	427230		64510	68.5	209	0.6	64.3	2.6	20.9	21.7	85.0	35.9	47.9	71.7	9.7
Victoria	78991	485977		49182	62.6	556	1.6	64.5	1.5	22.2	22.9	88.2	31.1	47.9	72.3	9.5
Tasmania	7460	37707		5620	72.9	1	0.0	67.5	1.1	20.0	22.5	83.8	32.5	45.6	69.0	7.5
SA	20397	145358		15320	79.1	55	0.4	61.5	1.6	21.9	22.6	90.2	30.6	48.8	74.0	9.0
WA	49994	338257		34977	75.9	147	0.2	62.3	1.8	20.3	22.4	85.1	29.9	51.7	68.6	9.8
Australia	267694	1497866		176698	69.7	968	0.8	63.7	1.9	21.2	22.3	86.6	32.3	49.0	71.4	9.5
TYPE:																
Fleece	159359	977442		134156	84.1	199	0.1	66.9	1.1	21.4	21.7	89.3	33.5	48.6	74.3	9.6
Skirting	67814	336919		38503	59.2	769	3.1	55.9	4.1	20.6	23.0	77.8	28.1	54.2	61.8	9.5
Carding	40521	183505		4039	12.3	0	0.0	60.2	2.5	21.5	24.9	60.0	27.3	20.8	48.1	0.0
DIFFERENCES:																
Queensland	8.0-	5.9-	5.7-	4.1-	2.6	100.0-	0.1-	1.0	0.2	0.1	0.4-	0.5	1.1	2.9-	1.4	9.6-
NSW	7.9-	5.3-	5.5-	7.9-	0.1-	1.9-	0.0	0.5	0.5	0.2	0.2-	0.5-	1.7	4.7-	0.7	0.2
Victoria	11.6-	10.2-	10.4-	14.4-	2.3-	5.9-	0.3	0.3-	0.3	0.1-	0.1-	0.7-	1.0	4.5-	0.3	0.1
Tasmania	13.7-	10.7-	10.0-	15.8-	1.3-	90.0-	0.3-	1.5-	0.4	0.2	0.1-	1.6	0.1-	1.6-	1.1	1.0-
SA	17.3-	22.6-	22.5-	15.5-	2.8	6.8-	0.0	0.7-	0.0	0.4-	0.2	3.1-	0.6-	5.7-	2.1-	0.1-
WA	14.6-	10.7-	10.5-	15.4-	1.6-	6.4-	0.1-	0.7	0.0	0.3	0.5-	2.0	1.7	1.8	1.9	0.2
Australia	11.2-	10.2-	10.3-	12.1-	0.9-	6.5-	0.1	0.2	0.2	0.0	0.3-	0.2-	1.2	3.1-	0.6	0.1
Fleece	11.0-	10.0-	10.0-	12.3-	1.8-	28.9-	0.1-	0.1	0.1	0.1	0.2-	0.2-	1.5	3.6-	0.8	0.3
Skirting	10.5-	9.2-	9.4-	10.8-	0.5	2.5	0.5	0.3	0.6	0.0	0.3-	0.0	0.6	0.9-	0.1	0.0
Carding	13.3-	13.2-	13.3-	18.3-	0.3-	100.0-	0.0	0.6	0.4	0.2-	0.1-	0.2-	0.0	0.4-	1.2-	9.7-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -12.9%.

It has moved from 36.3% of the clip at the end of FEBRUARY last year to 35.3% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2007/2008:											
Queensland	143.0	468.4	886.0	1923.9	3421.4		1.2	3.8	7.3	15.8	28.0
NSW	3849.8	8257.6	11510.6	13593.7	37211.7		4.9	10.5	14.6	17.3	47.3
Victoria	1770.5	4535.1	9437.3	13092.8	28835.7		1.8	4.7	9.8	13.7	30.1
Tasmania	879.1	1532.4	1769.5	1032.8	5213.7		12.0	20.8	24.1	14.0	70.9
SA	33.3	117.1	678.6	1793.0	2621.9		0.1	0.3	2.0	5.3	7.8
WA	581.0	2728.9	8998.5	17427.2	29735.6		0.9	4.1	13.4	26.0	44.4
Australia	7256.8	17639.3	33280.6	48863.2	107039.9		2.5	6.0	11.3	16.6	36.3
TYPE:											
Fleece	5073.4	11380.1	20076.9	28207.1	64737.5		2.6	5.9	10.3	14.5	33.4
Skirting	1721.8	4792.6	9102.2	13958.4	29575.0		2.7	7.5	14.2	21.7	46.0
Carding	461.6	1466.6	4101.5	6697.7	12727.4		1.3	4.0	11.3	18.4	35.0
2008/2009:											
Queensland	133.7	408.6	727.3	1616.2	2885.7		1.2	3.5	6.3	14.0	25.1
NSW	3379.1	7285.8	10796.0	12059.2	33520.0		4.6	9.8	14.5	16.2	45.1
Victoria	1611.6	4713.8	9252.4	12123.5	27701.4		1.9	5.5	10.8	14.1	32.2
Tasmania	779.4	1189.0	1530.6	1031.6	4530.6		11.8	18.0	23.1	15.6	68.5
SA	27.2	218.3	821.3	2311.5	3378.4		0.1	0.8	3.2	8.9	13.0
WA	269.7	1363.6	5856.2	13693.9	21183.4		0.4	2.3	9.8	22.8	35.3
Australia	6200.7	15179.0	28983.7	42836.0	93199.4		2.3	5.7	11.0	16.2	35.3
TYPE:											
Fleece	4031.0	9150.2	16839.6	24583.8	54604.6		2.3	5.2	9.6	14.1	31.3
Skirting	1604.6	4330.4	8046.7	12615.3	26597.0		2.8	7.4	13.8	21.7	45.7
Carding	565.1	1698.4	4097.4	5637.0	11997.9		1.8	5.4	13.0	17.9	38.1
DIFFERENCES:											
Queensland	6.5-	12.8-	17.9-	16.0-	15.7-	5.7-	0.0	0.3-	1.0-	1.8-	2.9-
NSW	12.2-	11.8-	6.2-	11.3-	9.9-	5.5-	0.3-	0.7-	0.1-	1.1-	2.2-
Victoria	9.0-	3.9	2.0-	7.4-	3.9-	10.4-	0.1	0.8	1.0	0.4	2.1
Tasmania	11.3-	22.4-	13.5-	0.1-	13.1-	10.0-	0.2-	2.8-	1.0-	1.6	2.4-
SA	18.3-	86.4	21.0	28.9	28.9	22.5-	0.0	0.5	1.2	3.6	5.2
WA	53.6-	50.0-	34.9-	21.4-	28.8-	10.5-	0.5-	1.8-	3.6-	3.2-	9.1-
Australia	14.6-	13.9-	12.9-	12.3-	12.9-	10.3-	0.2-	0.3-	0.3-	0.4-	1.0-
Fleece	20.5-	19.6-	16.1-	12.8-	15.7-	380.2	0.3-	0.7-	0.7-	3.8-	2.1-
Skirting	6.8-	9.6-	11.6-	9.6-	10.1-	60.2	0.1	0.1-	0.4-	7.5	0.3-
Carding	22.4	15.8	0.1-	15.8-	5.7-	13.3-	0.5	1.4	1.7	6.6-	3.1

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2007/2008:											
Queensland	0.0	0.0	0.4	8.4	134.3		0.0	0.0	0.0	0.1	1.1
NSW	0.2	1.7	36.5	557.3	3254.1		0.0	0.0	0.0	0.7	4.1
Victoria	1.1	5.4	24.2	282.9	1456.9		0.0	0.0	0.0	0.3	1.5
Tasmania	0.0	0.0	12.9	147.8	718.5		0.0	0.0	0.2	2.0	9.8
SA	0.0	0.0	0.0	0.1	33.2		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	1.0	55.4	524.6		0.0	0.0	0.0	0.1	0.8
Australia	1.3	7.1	74.9	1051.9	6121.6		0.0	0.0	0.0	0.4	2.1
TYPE:											
Fleece	1.3	6.6	64.8	795.3	4205.3		0.0	0.0	0.0	0.4	2.2
Skirting	0.0	0.5	8.2	203.9	1509.2		0.0	0.0	0.0	0.3	2.3
Carding	0.0	0.0	1.8	52.7	407.1		0.0	0.0	0.0	0.1	1.1
2008/2009:											
Queensland	0.2	0.1	0.4	14.1	118.9		0.0	0.0	0.0	0.1	1.0
NSW	0.6	4.3	96.1	651.4	2626.7		0.0	0.0	0.1	0.9	3.5
Victoria	0.7	4.2	16.5	237.1	1353.1		0.0	0.0	0.0	0.3	1.6
Tasmania	0.0	0.6	10.8	147.5	619.8		0.0	0.0	0.2	2.2	9.4
SA	0.0	0.0	0.0	2.3	25.0		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	0.3	16.3	253.0		0.0	0.0	0.0	0.0	0.4
Australia	1.5	9.1	124.0	1068.8	4996.4		0.0	0.0	0.0	0.4	1.9
TYPE:											
Fleece	1.5	8.8	97.7	748.8	3174.2		0.0	0.0	0.1	0.4	1.8
Skirting	0.0	0.4	21.5	259.3	1322.7		0.0	0.0	0.0	0.4	2.3
Carding	0.0	0.0	4.9	60.7	499.5		0.0	0.0	0.0	0.2	1.6
DIFFERENCES:											
Queensland	0.0	0.0	0.0	67.9	11.5-	5.7-	0.0	0.0	0.0	0.0	0.1-
NSW	200.0	152.9	163.3	16.9	19.3-	5.5-	0.0	0.0	0.1	0.2	0.6-
Victoria	36.4-	22.2-	31.8-	16.2-	7.1-	10.4-	0.0	0.0	0.0	0.0	0.1
Tasmania	0.0	0.0	16.3-	0.2-	13.7-	10.0-	0.0	0.0	0.0	0.2	0.4-
SA	0.0	0.0	0.0	2200.0	24.7-	22.5-	0.0	0.0	0.0	0.0	0.0
WA	0.0	0.0	70.0-	70.6-	51.8-	10.5-	0.0	0.0	0.0	0.1-	0.4-
Australia	15.4	28.2	65.6	1.6	18.4-	10.3-	0.0	0.0	0.0	0.0	0.2-
Fleece	15.4	33.3	50.8	5.8-	24.5-	380.2	0.0	0.0	0.1	0.4	0.4-
Skirting	0.0	20.0-	162.2	27.2	12.4-	60.2	0.0	0.0	0.0	0.4	0.0
Carding	0.0	0.0	172.2	15.2	22.7	13.3-	0.0	0.0	0.0	0.2	0.5

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2007/2008:										
Queensland	898	6159	6.86	181.8		22.5	594	66.8	0	0.0
NSW	10586	50782	4.80	177.3		16.6	6236	67.2	16	0.4
Victoria	8708	56417	6.48	178.1		35.9	5257	62.8	83	2.4
Tasmania	419	2318	5.53	171.2		55.8	193	41.9	0	0.0
SA	2510	20957	8.35	179.7		37.5	1884	78.7	4	0.2
WA	7667	54264	7.08	178.7		69.8	5798	82.0	20	0.2
Australia	30788	190897	6.20	178.3		37.7	19962	71.1	123	0.9
TYPE:										
Fleece	17528	120928	6.90	181.0		37.7	14946	87.4	20	0.1
Skirting	7709	43089	5.59	174.6		39.7	4277	59.0	102	3.8
Carding	5551	26880	4.84	171.8		35.0	739	16.6	1	0.0
2008/2009:										
Queensland	1153	6894	5.98	179.7		9.4	758	68.0	0	0.0
NSW	10210	49803	4.88	176.4		10.9	5738	63.8	10	0.3
Victoria	10702	68672	6.42	177.3		37.0	6323	60.9	56	1.2
Tasmania	365	2306	6.32	174.9		63.0	185	51.6	0	0.0
SA	2433	17592	7.23	179.5		31.9	1846	79.8	13	0.8
WA	8663	62231	7.18	177.0		72.2	6321	78.9	0	0.0
Australia	33526	207498	6.19	177.2		37.1	21171	68.7	79	0.5
TYPE:										
Fleece	18985	131701	6.94	180.0		36.3	15764	84.7	0	0.0
Skirting	8444	46035	5.45	173.1		39.9	4589	57.0	79	2.3
Carding	6097	29762	4.88	171.2		35.8	818	16.4	0	0.0
DIFFERENCES:										
Queensland	28.4	11.9	0.88-	1.2-	10.6	13.1-	27.6	1.2	0.0	0.0
NSW	3.6-	1.9-	0.08	0.5-	2.4-	5.7-	8.0-	3.4-	37.5-	0.1-
Victoria	22.9	21.7	0.06-	0.4-	21.1	1.1	20.3	1.9-	32.5-	1.2-
Tasmania	12.9-	0.5-	0.79	2.2	1.6	7.2	4.1-	9.7	0.0	0.0
SA	3.1-	16.1-	1.12-	0.1-	16.1-	5.6-	2.0-	1.1	225.0	0.6
WA	13.0	14.7	0.10	1.0-	13.6	2.4	9.0	3.1-	100.0-	0.2-
Australia	8.9	8.7	0.01-	0.6-	8.1	0.6-	6.1	2.4-	35.8-	0.4-
Fleece	8.3	8.9	0.04	0.6-	8.3	1.4-	5.5	2.7-	100.0-	0.1-
Skirting	9.5	6.8	0.14-	0.9-	5.9	0.2	7.3	2.0-	22.5-	1.5-
Carding	9.8	10.7	0.04	0.3-	10.3	0.8	10.7	0.2-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA					PROJ WT	RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT			LOTS	AR%	LOTS	AR%
2007/2008:											
Queensland	11501	73495	6.39	181.3			17.5	7985	72.7	5	0.1
NSW	120323	502133	4.17	174.5			10.6	76256	68.4	229	0.6
Victoria	98066	597395	6.09	177.4			31.4	62708	64.7	674	1.4
Tasmania	9061	44546	4.92	174.0			39.4	6867	72.5	10	0.3
SA	27170	208700	7.68	178.6			27.9	20007	76.5	63	0.4
WA	66237	432997	6.54	177.2			68.7	47157	78.1	177	0.2
Australia	332358	1859266	5.59	176.8			30.8	220980	70.6	1158	0.7
TYPE:											
Fleece	196605	1206872	6.14	178.9			29.8	167860	86.1	300	0.2
Skirting	83474	414183	4.96	173.3			32.6	47435	58.7	852	2.7
Carding	52279	238211	4.56	172.0			31.5	5685	13.1	6	0.0
2008/2009:											
Queensland	10910	70231	6.44	181.5			18.9	7847	75.0	0	0.0
NSW	111305	477033	4.29	174.1			9.6	70248	68.0	219	0.6
Victoria	89693	554649	6.18	176.8			33.1	55505	62.4	612	1.5
Tasmania	7825	40013	5.11	175.4			38.3	5805	71.7	1	0.0
SA	22830	162950	7.14	178.9			28.2	17166	79.2	68	0.5
WA	58657	400488	6.83	177.4			71.3	41298	76.3	147	0.2
Australia	301220	1705364	5.66	176.5			31.1	197869	69.6	1047	0.7
TYPE:											
Fleece	178344	1109143	6.22	178.8			29.9	149920	84.1	199	0.1
Skirting	76258	382954	5.02	172.8			33.1	43092	59.0	848	3.0
Carding	46618	213267	4.57	171.7			32.6	4857	12.8	0	0.0
DIFFERENCES:											
Queensland	5.1-	4.4-	0.05	0.1	4.3-	6.0-	1.4	1.7-	2.3	100.0-	0.1-
NSW	7.5-	5.0-	0.12	0.2-	5.2-	6.6-	1.0-	7.9-	0.4-	4.4-	0.0
Victoria	8.5-	7.2-	0.09	0.3-	7.4-	7.9-	1.7	11.5-	2.3-	9.2-	0.1
Tasmania	13.6-	10.2-	0.19	0.8	9.4-	10.8-	1.1-	15.5-	0.8-	90.0-	0.3-
SA	16.0-	21.9-	0.54-	0.2	21.8-	22.5-	0.3	14.2-	2.7	7.9	0.1
WA	11.4-	7.5-	0.29	0.1	7.4-	8.1-	2.6	12.4-	1.8-	16.9-	0.0
Australia	9.4-	8.3-	0.07	0.2-	8.4-	9.3-	0.3	10.5-	1.0-	9.6-	0.0
Fleece	9.3-	8.1-	0.08	0.1-	8.2-		0.1	10.7-	2.0-	33.7-	0.1-
Skirting	8.6-	7.5-	0.06	0.3-	7.8-		0.5	9.2-	0.3	0.5-	0.3
Carding	10.8-	10.5-	0.01	0.2-	10.6-		1.1	14.6-	0.3-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of MARCH as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -9.5%.

It has moved from 35.7% of the clip at the end of MARCH last year to 35.3% this year.

	TEST RESULTS													
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z	
2007/2008:														
Queensland	59.9	3.1	20.7	22.0	85.3	16.6	32.6	37.6	59.6	17.6	70.0	0.0	0.0	
NSW	61.0	2.7	21.4	21.7	86.5	16.1	33.5	36.4	49.2	32.7	72.4	69.0	10.4	
Victoria	63.9	1.7	22.3	22.9	86.7	15.8	28.6	38.2	42.8	42.0	71.4	69.3	9.3	
Tasmania	68.1	1.0	23.8	24.3	77.1	18.5	31.1	36.1	49.4	26.7	64.1	0.0	0.0	
SA	59.2	1.9	22.2	22.2	90.2	15.5	31.8	38.4	44.3	31.9	76.2	70.8	8.7	
WA	59.2	2.5	20.2	22.5	80.7	16.2	28.0	37.9	43.8	36.2	66.3	71.5	9.4	
Australia	61.2	2.2	21.4	22.4	85.0	16.0	30.2	37.6	45.5	35.7	70.5	69.5	9.4	
TYPE:														
Fleece	64.0	1.4	21.5	21.7	87.8	14.9	31.3	37.1	44.8	37.1	73.6	71.5	9.4	
Skirting	53.7	4.6	20.7	23.1	77.1	20.5	25.7	42.7	51.7	29.6	60.9	69.3	9.4	
Carding	60.0	2.6	21.9	24.6	60.1	18.2	29.0	22.6	26.6	35.0	48.4	71.3	10.5	
2008/2009:														
Queensland	61.9	3.1	20.6	21.3	82.3	17.4	36.0	34.7	60.5	20.9	69.2	0.0	0.0	
NSW	60.4	3.4	20.8	21.9	82.7	17.4	30.9	37.7	59.0	21.3	66.1	70.9	10.6	
Victoria	62.9	1.9	22.0	23.0	85.0	15.8	29.4	38.8	51.6	31.9	69.1	68.4	8.8	
Tasmania	68.1	1.3	23.0	24.1	86.4	17.4	31.3	39.8	55.1	30.0	69.7	0.0	0.0	
SA	59.5	2.1	21.6	22.5	87.7	15.6	29.8	40.5	44.4	40.1	72.6	69.6	10.5	
WA	61.3	2.4	20.3	21.9	83.2	16.1	31.6	34.5	43.3	31.2	69.9	0.0	0.0	
Australia	61.6	2.5	21.1	22.3	84.1	16.3	30.8	37.1	50.0	29.7	69.1	68.8	9.2	
TYPE:														
Fleece	64.4	1.5	21.3	21.6	87.0	15.2	32.0	36.5	49.6	30.6	72.2	0.0	0.0	
Skirting	53.9	5.1	20.6	23.0	75.5	20.9	25.5	42.3	55.7	24.1	58.5	68.8	9.2	
Carding	60.0	3.0	21.4	24.6	61.0	17.6	31.0	25.3	28.5	39.1	51.4	0.0	0.0	
DIFFERENCES:														
Queensland	2.0	0.0	0.1-	0.7-	3.0-	0.8	3.4	2.9-	0.9	3.3	0.8-	0.0	0.0	
NSW	0.6-	0.7	0.6-	0.2	3.8-	1.3	2.6-	1.3	9.8	11.4-	6.3-	1.9	0.2	
Victoria	1.0-	0.2	0.3-	0.1	1.7-	0.0	0.8	0.6	8.8	10.1-	2.3-	0.9-	0.5-	
Tasmania	0.0	0.3	0.8-	0.2-	9.3	1.1-	0.2	3.7	5.7	3.3	5.6	0.0	0.0	
SA	0.3	0.2	0.6-	0.3	2.5-	0.1	2.0-	2.1	0.1	8.2	3.6-	1.2-	1.8	
WA	2.1	0.1-	0.1	0.6-	2.5	0.1-	3.6	3.4-	0.5-	5.0-	3.6	71.5-	9.4-	
Australia	0.4	0.3	0.3-	0.1-	0.9-	0.3	0.6	0.5-	4.5	6.0-	1.4-	0.7-	0.2-	
Fleece	0.4	0.1	0.2-	0.1-	0.8-	0.3	0.7	0.6-	4.8	6.5-	1.4-	71.5-	9.4-	
Skirting	0.2	0.5	0.1-	0.1-	1.6-	0.4	0.2-	0.4-	4.0	5.5-	2.4-	0.5-	0.2-	
Carding	0.0	0.4	0.5-	0.0	0.9	0.6-	2.0	2.7	1.9	4.1	3.0	71.3-	10.5-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS													
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z	
2007/2008:														
Queensland	61.5	2.6	20.4	21.6	85.7	16.2	34.5	36.0	55.0	26.7	71.7	71.9	9.6	
NSW	63.5	2.1	20.8	21.9	85.6	16.0	34.1	35.2	52.3	28.0	71.2	71.6	9.6	
Victoria	64.7	1.3	22.3	23.0	88.7	15.9	30.0	38.9	51.5	22.9	71.9	70.6	9.4	
Tasmania	68.9	0.7	20.0	22.7	82.1	16.8	32.6	34.6	47.2	19.5	67.8	72.9	8.5	
SA	61.9	1.7	22.3	22.4	93.0	15.7	31.3	39.7	53.4	24.5	76.1	70.9	9.0	
WA	61.3	1.9	20.0	22.9	82.8	16.5	28.2	37.9	49.1	23.2	66.7	70.8	9.6	
Australia	63.2	1.7	21.2	22.5	86.6	16.1	31.0	37.6	51.4	24.6	70.8	70.9	9.4	
TYPE:														
Fleece	66.5	1.0	21.4	21.8	89.4	15.0	31.9	36.9	51.5	24.4	73.5	72.0	9.3	
Skirting	55.4	3.6	20.6	23.3	77.7	20.6	27.3	42.1	54.7	23.2	61.6	70.7	9.4	
Carding	59.7	2.2	21.7	25.0	60.2	18.1	27.5	23.5	22.0	42.4	49.1	68.6	9.8	
2008/2009:														
Queensland	62.6	2.8	20.5	21.1	85.9	16.4	35.8	36.0	52.5	25.2	72.8	0.0	0.0	
NSW	63.9	2.7	20.9	21.7	84.8	16.5	35.4	35.1	49.0	15.9	71.2	71.4	9.7	
Victoria	64.3	1.5	22.2	22.9	87.8	15.9	30.9	38.5	48.3	18.7	71.9	70.5	9.4	
Tasmania	67.5	1.1	20.2	22.6	83.9	16.5	32.5	35.0	46.0	17.2	69.0	67.4	7.5	
SA	61.3	1.7	21.8	22.6	89.9	16.0	30.5	41.3	48.3	18.4	73.8	70.7	9.3	
WA	62.2	1.9	20.3	22.3	84.8	16.4	30.2	36.1	50.3	23.7	68.8	71.3	9.8	
Australia	63.4	2.0	21.2	22.3	86.3	16.3	32.1	37.1	49.2	19.5	71.1	70.8	9.5	
TYPE:														
Fleece	66.6	1.2	21.4	21.7	89.1	15.2	33.3	36.3	48.7	18.9	74.0	71.5	9.6	
Skirting	55.7	4.2	20.6	23.0	77.6	20.7	27.8	41.9	54.4	19.0	61.4	70.7	9.5	
Carding	60.2	2.5	21.5	24.8	60.2	18.1	28.0	23.7	22.2	42.5	48.7	0.0	0.0	
DIFFERENCES:														
Queensland	1.1	0.2	0.1	0.5-	0.2	0.2	1.3	0.0	2.5-	1.5-	1.1	71.9-	9.6-	
NSW	0.4	0.6	0.1	0.2-	0.8-	0.5	1.3	0.1-	3.3-	12.1-	0.0	0.2-	0.1	
Victoria	0.4-	0.2	0.1-	0.1-	0.9-	0.0	0.9	0.4-	3.2-	4.2-	0.0	0.1-	0.0	
Tasmania	1.4-	0.4	0.2	0.1-	1.8	0.3-	0.1-	0.4	1.2-	2.3-	1.2	5.5-	1.0-	
SA	0.6-	0.0	0.5-	0.2	3.1-	0.3	0.8-	1.6	5.1-	6.1-	2.3-	0.2-	0.3	
WA	0.9	0.0	0.3	0.6-	2.0	0.1-	2.0	1.8-	1.2	0.5	2.1	0.5	0.2	
Australia	0.2	0.3	0.0	0.2-	0.3-	0.2	1.1	0.5-	2.2-	5.1-	0.3	0.1-	0.1	
Fleece	0.1	0.2	0.0	0.1-	0.3-	0.2	1.4	0.6-	2.8-	5.5-	0.5	0.5-	0.3	
Skirting	0.3	0.6	0.0	0.3-	0.1-	0.1	0.5	0.2-	0.3-	4.2-	0.2-	0.0	0.1	
Carding	0.5	0.3	0.2-	0.2-	0.0	0.0	0.5	0.2	0.2	0.1	0.4-	68.6-	9.8-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA		COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2007/2008:																
Queensland	11501	73495		7985	72.7	5	0.1	61.5	2.6	20.4	21.6	85.7	34.5	55.0	71.7	9.6
NSW	120323	502133		76256	68.4	229	0.6	63.5	2.1	20.8	21.9	85.6	34.1	52.3	71.2	9.6
Victoria	98066	597395		62708	64.7	674	1.4	64.7	1.3	22.3	23.0	88.7	30.0	51.5	71.9	9.4
Tasmania	9061	44546		6867	72.5	10	0.3	68.9	0.7	20.0	22.7	82.1	32.6	47.2	67.8	8.5
SA	27170	208700		20007	76.5	63	0.4	61.9	1.7	22.3	22.4	93.0	31.3	53.4	76.1	9.0
WA	66237	432997		47157	78.1	177	0.2	61.3	1.9	20.0	22.9	82.8	28.2	49.1	66.7	9.6
Australia	332358	1859266		220980	70.6	1158	0.7	63.2	1.7	21.2	22.5	86.6	31.0	51.4	70.8	9.4
TYPE:																
Fleece	196605	1206872		167860	86.1	300	0.2	66.5	1.0	21.4	21.8	89.4	31.9	51.5	73.5	9.3
Skirting	83474	414183		47435	58.7	852	2.7	55.4	3.6	20.6	23.3	77.7	27.3	54.7	61.6	9.4
Carding	52279	238211		5685	13.1	6	0.0	59.7	2.2	21.7	25.0	60.2	27.5	22.0	49.1	9.8
2008/2009:																
Queensland	10910	70231		7847	75.0	0	0.0	62.6	2.8	20.5	21.1	85.9	35.8	52.5	72.8	0.0
NSW	111305	477033		70248	68.0	219	0.6	63.9	2.7	20.9	21.7	84.8	35.4	49.0	71.2	9.7
Victoria	89693	554649		55505	62.4	612	1.5	64.3	1.5	22.2	22.9	87.8	30.9	48.3	71.9	9.4
Tasmania	7825	40013		5805	71.7	1	0.0	67.5	1.1	20.2	22.6	83.9	32.5	46.0	69.0	7.5
SA	22830	162950		17166	79.2	68	0.5	61.3	1.7	21.8	22.6	89.9	30.5	48.3	73.8	9.3
WA	58657	400488		41298	76.3	147	0.2	62.2	1.9	20.3	22.3	84.8	30.2	50.3	68.8	9.8
Australia	301220	1705364		197869	69.6	1047	0.7	63.4	2.0	21.2	22.3	86.3	32.1	49.2	71.1	9.5
TYPE:																
Fleece	178344	1109143		149920	84.1	199	0.1	66.6	1.2	21.4	21.7	89.1	33.3	48.7	74.0	9.6
Skirting	76258	382954		43092	59.0	848	3.0	55.7	4.2	20.6	23.0	77.6	27.8	54.4	61.4	9.5
Carding	46618	213267		4857	12.8	0	0.0	60.2	2.5	21.5	24.8	60.2	28.0	22.2	48.7	0.0
DIFFERENCES:																
Queensland	5.1-	4.4-	4.3-	1.7-	2.3	100.0-	0.1-	1.1	0.2	0.1	0.5-	0.2	1.3	2.5-	1.1	9.6-
NSW	7.5-	5.0-	5.2-	7.9-	0.4-	4.4-	0.0	0.4	0.6	0.1	0.2-	0.8-	1.3	3.3-	0.0	0.1
Victoria	8.5-	7.2-	7.4-	11.5-	2.3-	9.2-	0.1	0.4-	0.2	0.1-	0.1-	0.9-	0.9	3.2-	0.0	0.0
Tasmania	13.6-	10.2-	9.4-	15.5-	0.8-	90.0-	0.3-	1.4-	0.4	0.2	0.1-	1.8	0.1-	1.2-	1.2	1.0-
SA	16.0-	21.9-	21.8-	14.2-	2.7	7.9	0.1	0.6-	0.0	0.5-	0.2	3.1-	0.8-	5.1-	2.3-	0.3
WA	11.4-	7.5-	7.4-	12.4-	1.8-	16.9-	0.0	0.9	0.0	0.3	0.6-	2.0	2.0	1.2	2.1	0.2
Australia	9.4-	8.3-	8.4-	10.5-	1.0-	9.6-	0.0	0.2	0.3	0.0	0.2-	0.3-	1.1	2.2-	0.3	0.1
Fleece	9.3-	8.1-	8.2-	10.7-	2.0-	33.7-	0.1-	0.1	0.2	0.0	0.1-	0.3-	1.4	2.8-	0.5	0.3
Skirting	8.6-	7.5-	7.8-	9.2-	0.3	0.5-	0.3	0.3	0.6	0.0	0.3-	0.1-	0.5	0.3-	0.2-	0.1
Carding	10.8-	10.5-	10.6-	14.6-	0.3-	100.0-	0.0	0.5	0.3	0.2-	0.2-	0.0	0.5	0.2	0.4-	9.8-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -9.5%.

It has moved from 35.7% of the clip at the end of MARCH last year to 35.3% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2007/2008:											
Queensland	144.2	478.3	1024.3	2121.7	3768.5		1.1	3.6	7.7	15.9	28.3
NSW	3914.3	8511.3	12334.7	15213.5	39973.8		4.5	9.7	14.1	17.4	45.6
Victoria	1809.8	4931.5	10511.7	14776.8	32029.8		1.7	4.7	9.9	13.9	30.2
Tasmania	884.4	1556.3	1818.8	1093.4	5353.0		11.4	20.1	23.5	14.1	69.1
SA	34.7	131.4	789.3	2032.4	2987.7		0.1	0.4	2.1	5.5	8.0
WA	591.8	2912.0	9930.8	19746.2	33180.7		0.8	3.8	12.9	25.7	43.2
Australia	7379.2	18520.9	36409.5	54983.9	117293.6		2.2	5.6	11.1	16.7	35.7
TYPE:											
Fleece	5139.3	11802.7	21684.8	31659.8	70286.5		2.4	5.5	10.0	14.7	32.6
Skirting	1749.3	5011.0	10056.4	15876.0	32692.7		2.4	7.0	14.0	22.1	45.5
Carding	490.5	1707.3	4668.4	7448.2	14314.4		1.2	4.2	11.4	18.2	34.9
2008/2009:											
Queensland	136.4	441.7	827.5	1830.8	3236.4		1.1	3.5	6.5	14.4	25.4
NSW	3493.1	7875.7	12121.1	13927.3	37417.2		4.2	9.5	14.6	16.8	45.1
Victoria	1772.8	5551.7	10955.1	13961.5	32241.1		1.8	5.7	11.2	14.2	32.9
Tasmania	784.5	1215.8	1590.5	1091.0	4681.8		11.2	17.3	22.7	15.5	66.7
SA	27.6	244.9	932.3	2616.0	3820.8		0.1	0.8	3.2	9.0	13.1
WA	288.7	1617.6	6980.3	15869.8	24756.4		0.4	2.3	9.8	22.3	34.8
Australia	6503.0	16947.4	33406.8	49296.4	106153.6		2.2	5.6	11.1	16.4	35.3
TYPE:											
Fleece	4193.8	10036.9	19307.6	28242.7	61780.9		2.1	5.1	9.7	14.2	31.2
Skirting	1672.4	4810.5	9228.3	14539.7	30250.9		2.5	7.3	13.9	22.0	45.7
Carding	636.8	2100.0	4870.9	6514.0	14121.7		1.7	5.7	13.3	17.8	38.6
DIFFERENCES:											
Queensland	5.4-	7.7-	19.2-	13.7-	14.1-	4.3-	0.0	0.1-	1.2-	1.5-	2.9-
NSW	10.8-	7.5-	1.7-	8.5-	6.4-	5.2-	0.3-	0.2-	0.5	0.6-	0.5-
Victoria	2.0-	12.6	4.2	5.5-	0.7	7.4-	0.1	1.0	1.3	0.3	2.7
Tasmania	11.3-	21.9-	12.6-	0.2-	12.5-	9.4-	0.2-	2.8-	0.8-	1.4	2.4-
SA	20.5-	86.4	18.1	28.7	27.9	21.8-	0.0	0.4	1.1	3.5	5.1
WA	51.2-	44.5-	29.7-	19.6-	25.4-	7.4-	0.4-	1.5-	3.1-	3.4-	8.4-
Australia	11.9-	8.5-	8.2-	10.3-	9.5-	8.4-	0.0	0.0	0.0	0.3-	0.4-
Fleece	18.4-	15.0-	11.0-	10.8-	12.1-	384.0	0.3-	0.4-	0.3-	4.2-	1.4-
Skirting	4.4-	4.0-	8.2-	8.4-	7.5-	61.6	0.1	0.3	0.1-	8.0-	0.2
Carding	29.8	23.0	4.3	12.5-	1.3-	10.6-	0.5	1.5	1.9	6.4-	3.7

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2007/2008:											
Queensland	0.0	0.0	0.4	8.4	135.4		0.0	0.0	0.0	0.1	1.0
NSW	0.2	1.8	36.5	560.3	3315.5		0.0	0.0	0.0	0.6	3.8
Victoria	1.1	5.5	24.8	285.9	1492.4		0.0	0.0	0.0	0.3	1.4
Tasmania	0.0	0.0	12.9	148.1	723.4		0.0	0.0	0.2	1.9	9.3
SA	0.0	0.0	0.0	0.1	34.5		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	1.0	56.3	534.6		0.0	0.0	0.0	0.1	0.7
Australia	1.3	7.4	75.5	1059.2	6235.9		0.0	0.0	0.0	0.3	1.9
TYPE:											
Fleece	1.3	6.8	65.3	800.8	4265.1		0.0	0.0	0.0	0.4	2.0
Skirting	0.0	0.5	8.2	204.6	1536.0		0.0	0.0	0.0	0.3	2.1
Carding	0.0	0.0	2.0	53.8	434.7		0.0	0.0	0.0	0.1	1.1
2008/2009:											
Queensland	0.2	0.1	0.4	14.4	121.2		0.0	0.0	0.0	0.1	1.0
NSW	0.6	4.3	97.0	669.8	2721.4		0.0	0.0	0.1	0.8	3.3
Victoria	0.7	4.7	17.5	248.1	1501.8		0.0	0.0	0.0	0.3	1.5
Tasmania	0.0	0.6	10.8	147.7	624.6		0.0	0.0	0.2	2.1	8.9
SA	0.0	0.0	0.0	2.3	25.3		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	0.3	17.2	271.2		0.0	0.0	0.0	0.0	0.4
Australia	1.5	9.6	126.0	1099.6	5265.5		0.0	0.0	0.0	0.4	1.7
TYPE:											
Fleece	1.5	9.3	99.2	770.0	3313.8		0.0	0.0	0.1	0.4	1.7
Skirting	0.0	0.4	21.9	265.7	1383.7		0.0	0.0	0.0	0.4	2.1
Carding	0.0	0.0	4.9	63.9	568.0		0.0	0.0	0.0	0.2	1.6
DIFFERENCES:											
Queensland	0.0	0.0	0.0	71.4	10.5-	4.3-	0.0	0.0	0.0	0.0	0.0
NSW	200.0	138.9	165.8	19.5	17.9-	5.2-	0.0	0.0	0.1	0.2	0.5-
Victoria	36.4-	14.5-	29.4-	13.2-	0.6	7.4-	0.0	0.0	0.0	0.0	0.1
Tasmania	0.0	0.0	16.3-	0.3-	13.7-	9.4-	0.0	0.0	0.0	0.2	0.4-
SA	0.0	0.0	0.0	2200.0	26.7-	21.8-	0.0	0.0	0.0	0.0	0.0
WA	0.0	0.0	70.0-	69.4-	49.3-	7.4-	0.0	0.0	0.0	0.1-	0.3-
Australia	15.4	29.7	66.9	3.8	15.6-	8.4-	0.0	0.0	0.0	0.1	0.2-
Fleece	15.4	36.8	51.9	3.8-	22.3-	384.0	0.0	0.0	0.1	0.4	0.3-
Skirting	0.0	20.0-	167.1	29.9	9.9-	61.6	0.0	0.0	0.0	0.4	0.0
Carding	0.0	0.0	145.0	18.8	30.7	10.6-	0.0	0.0	0.0	0.2	0.5

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2007/2008:										
Queensland	1527	10103	6.62	182.9		18.0	913	62.2	0	0.0
NSW	11923	57782	4.85	178.2		15.7	6675	65.5	25	0.4
Victoria	11088	70954	6.40	178.9		33.9	7076	66.5	70	1.4
Tasmania	590	3534	5.99	177.5		54.9	343	55.5	0	0.0
SA	3205	27481	8.57	182.5		33.2	2458	80.8	5	0.4
WA	8741	60866	6.96	178.4		68.2	6444	79.1	50	0.6
Australia	37074	230720	6.22	179.2		35.7	23909	70.9	150	0.7
TYPE:										
Fleece	21227	148110	6.98	182.0		35.2	17779	86.2	45	0.2
Skirting	9491	52600	5.54	175.1		37.6	5237	58.2	105	2.8
Carding	6356	30010	4.72	172.3		34.4	893	17.6	0	0.0
2008/2009:										
Queensland	1280	8661	6.77	182.3		10.5	870	71.4	0	0.0
NSW	8841	41583	4.70	177.4		11.5	5328	68.0	20	0.6
Victoria	9019	56421	6.26	177.6		33.6	5615	63.0	88	2.0
Tasmania	484	2602	5.38	175.0		52.5	278	52.5	0	0.0
SA	2727	21241	7.79	182.1		21.6	2216	84.5	8	0.5
WA	6974	50517	7.24	178.0		63.7	5193	80.0	0	0.0
Australia	29325	181025	6.17	178.4		32.3	19500	71.6	116	0.8
TYPE:										
Fleece	16726	115177	6.89	181.1		31.3	14479	88.0	0	0.0
Skirting	7609	41679	5.48	174.1		35.4	4326	58.5	116	3.6
Carding	4990	24169	4.84	172.7		30.9	695	16.2	0	0.0
DIFFERENCES:										
Queensland	16.2-	14.3-	0.15-	0.3-	14.5-	7.5-	4.7-	9.2	0.0	0.0
NSW	25.8-	28.0-	0.15-	0.4-	28.4-	4.2-	20.2-	2.5	20.0-	0.2
Victoria	18.7-	20.5-	0.14-	0.7-	21.1-	0.3-	20.6-	3.5-	25.7	0.6
Tasmania	18.0-	26.4-	0.61-	1.4-	27.4-	2.4-	19.0-	3.0-	0.0	0.0
SA	14.9-	22.7-	0.78-	0.2-	22.9-	11.6-	9.8-	3.7	60.0	0.1
WA	20.2-	17.0-	0.28	0.2-	17.2-	4.5-	19.4-	0.9	100.0-	0.6-
Australia	20.9-	21.5-	0.05-	0.4-	21.9-	3.4-	18.4-	0.7	22.7-	0.1
Fleece	21.2-	22.2-	0.09-	0.5-	22.6-	3.9-	18.6-	1.8	100.0-	0.2-
Skirting	19.8-	20.8-	0.06-	0.6-	21.2-	2.2-	17.4-	0.3	10.5	0.8
Carding	21.5-	19.5-	0.12	0.2	19.3-	3.5-	22.2-	1.4-	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.
Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA					PROJ WT	RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT			LOTS	AR%	LOTS	AR%
2007/2008:											
Queensland	13028	83598	6.42	181.5			17.5	8898	71.4	5	0.1
NSW	132246	559915	4.23	174.9			11.1	82931	68.1	254	0.6
Victoria	109154	668349	6.12	177.5			31.7	69784	64.9	744	1.4
Tasmania	9651	48080	4.98	174.2			40.3	7210	71.3	10	0.3
SA	30375	236181	7.78	179.1			28.5	22465	77.0	68	0.4
WA	74978	493863	6.59	177.3			68.6	53601	78.2	227	0.3
Australia	369432	2089986	5.66	177.0			31.3	244889	70.7	1308	0.7
TYPE:											
Fleece	217832	1354982	6.22	179.2			30.3	185639	86.1	345	0.2
Skirting	92965	466783	5.02	173.5			33.1	52672	58.7	957	2.7
Carding	58635	268221	4.57	172.0			31.9	6578	13.6	6	0.0
2008/2009:											
Queensland	12190	78892	6.47	181.6			18.0	8717	74.6	0	0.0
NSW	120146	518616	4.32	174.3			9.7	75576	68.0	239	0.6
Victoria	98712	611070	6.19	176.9			33.1	61120	62.4	700	1.6
Tasmania	8309	42615	5.13	175.4			39.1	6083	70.5	1	0.0
SA	25557	184191	7.21	179.2			27.5	19382	79.8	76	0.5
WA	65631	451005	6.87	177.4			70.5	46491	76.8	147	0.2
Australia	330545	1886389	5.71	176.7			31.2	217369	69.8	1163	0.8
TYPE:											
Fleece	195070	1224320	6.28	179.0			30.0	164399	84.5	199	0.1
Skirting	83867	424633	5.06	173.0			33.3	47418	58.9	964	3.1
Carding	51608	237436	4.60	171.8			32.4	5552	13.2	0	0.0
DIFFERENCES:											
Queensland	6.4-	5.6-	0.05	0.1	5.6-	3.8-	0.5	2.0-	3.2	100.0-	0.1-
NSW	9.1-	7.4-	0.09	0.3-	7.7-	6.9-	1.4-	8.9-	0.1-	5.9-	0.0
Victoria	9.6-	8.6-	0.07	0.3-	8.9-	7.8-	1.4	12.4-	2.5-	5.9-	0.2
Tasmania	13.9-	11.4-	0.15	0.7	10.8-	10.7-	1.2-	15.6-	0.8-	90.0-	0.3-
SA	15.9-	22.0-	0.57-	0.1	21.9-	21.0-	1.0-	13.7-	2.8	11.8	0.1
WA	12.5-	8.7-	0.28	0.1	8.6-	7.1-	1.9	13.3-	1.4-	35.2-	0.1-
Australia	10.5-	9.7-	0.05	0.2-	9.9-	8.9-	0.1-	11.2-	0.9-	11.1-	0.1
Fleece	10.4-	9.6-	0.06	0.1-	9.8-		0.3-	11.4-	1.6-	42.3-	0.1-
Skirting	9.8-	9.0-	0.04	0.3-	9.3-		0.2	10.0-	0.2	0.7	0.4
Carding	12.0-	11.5-	0.03	0.1-	11.6-		0.5	15.6-	0.4-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of APRIL as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -9.4%.

It has moved from 35.1% of the clip at the end of APRIL last year to 35.3% this year.

	TEST RESULTS												
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z
2007/2008:													
Queensland	60.2	2.8	20.7	21.7	85.6	16.7	32.0	38.9	61.4	18.7	70.0	0.0	0.0
NSW	60.9	2.7	21.3	21.5	86.7	16.0	34.4	35.4	49.8	30.9	72.7	70.7	10.4
Victoria	62.0	1.9	22.0	22.8	85.5	15.9	31.1	36.5	44.0	33.1	71.4	69.7	8.8
Tasmania	67.8	1.0	22.3	23.4	84.7	16.6	29.3	39.4	51.9	29.7	68.9	0.0	0.0
SA	57.9	2.1	22.1	22.0	89.3	15.8	33.5	37.8	47.8	21.4	75.8	70.6	8.8
WA	58.0	2.6	20.2	22.6	80.3	16.4	29.4	37.5	42.2	30.7	67.0	71.0	9.4
Australia	60.2	2.3	21.3	22.3	84.8	16.1	31.7	36.8	46.1	29.7	71.0	70.2	9.2
TYPE:													
Fleece	62.9	1.4	21.4	21.6	87.7	15.0	32.9	36.1	45.3	30.6	74.1	70.8	9.4
Skirting	53.1	4.7	20.7	23.1	76.1	20.7	26.5	41.8	51.5	25.3	60.3	70.1	9.1
Carding	58.4	3.0	21.6	24.5	61.9	18.4	31.1	26.2	33.7	32.4	52.6	0.0	0.0
2008/2009:													
Queensland	62.1	2.6	20.6	21.5	83.6	17.6	35.0	35.4	61.1	20.1	69.6	0.0	0.0
NSW	59.8	3.5	20.7	21.8	81.7	17.3	32.5	36.5	56.0	24.0	66.6	70.2	9.8
Victoria	61.2	2.1	21.7	22.9	84.1	16.0	30.3	38.0	49.4	33.3	69.1	67.7	8.7
Tasmania	67.3	1.2	22.7	23.4	86.4	16.7	30.9	38.6	55.3	27.1	69.8	0.0	0.0
SA	58.8	2.0	21.6	22.1	88.1	15.6	31.1	39.5	44.8	38.4	73.9	71.1	8.3
WA	60.5	2.4	20.3	22.0	82.5	16.0	31.8	34.7	41.4	21.4	69.7	0.0	0.0
Australia	60.5	2.5	21.0	22.2	83.7	16.3	31.6	36.7	48.4	27.6	69.4	68.4	8.9
TYPE:													
Fleece	63.4	1.5	21.2	21.5	86.4	15.2	32.9	35.9	47.5	28.3	72.4	0.0	0.0
Skirting	53.4	4.9	20.5	23.0	75.7	20.8	26.3	42.2	54.6	24.3	59.4	68.4	8.9
Carding	58.6	3.2	21.2	24.6	61.3	18.1	30.7	25.6	33.5	31.2	50.4	0.0	0.0
DIFFERENCES:													
Queensland	1.9	0.2-	0.1-	0.2-	2.0-	0.9	3.0	3.5-	0.3-	1.4	0.4-	0.0	0.0
NSW	1.1-	0.8	0.6-	0.3	5.0-	1.3	1.9-	1.1	6.2	6.9-	6.1-	0.5-	0.6-
Victoria	0.8-	0.2	0.3-	0.1	1.4-	0.1	0.8-	1.5	5.4	0.2	2.3-	2.0-	0.1-
Tasmania	0.5-	0.2	0.4	0.0	1.7	0.1	1.6	0.8-	3.4	2.6-	0.9	0.0	0.0
SA	0.9	0.1-	0.5-	0.1	1.2-	0.2-	2.4-	1.7	3.0-	17.0	1.9-	0.5	0.5-
WA	2.5	0.2-	0.1	0.6-	2.2	0.4-	2.4	2.8-	0.8-	9.3-	2.7	71.0-	9.4-
Australia	0.3	0.2	0.3-	0.1-	1.1-	0.2	0.1-	0.1-	2.3	2.1-	1.6-	1.8-	0.3-
Fleece	0.5	0.1	0.2-	0.1-	1.3-	0.2	0.0	0.2-	2.2	2.3-	1.7-	70.8-	9.4-
Skirting	0.3	0.2	0.2-	0.1-	0.4-	0.1	0.2-	0.4	3.1	1.0-	0.9-	1.7-	0.2-
Carding	0.2	0.2	0.4-	0.1	0.6-	0.3-	0.4-	0.6-	0.2-	1.2-	2.2-	0.0	0.0

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z
2007/2008:													
Queensland	61.4	2.7	20.5	21.6	85.7	16.3	34.3	36.3	55.7	25.8	71.5	71.9	9.6
NSW	63.2	2.2	20.8	21.8	85.7	16.0	34.1	35.3	52.0	28.3	71.3	71.5	9.7
Victoria	64.4	1.3	22.2	23.0	88.3	15.9	30.1	38.6	50.7	24.0	71.9	70.5	9.3
Tasmania	68.9	0.8	20.2	22.8	82.2	16.8	32.4	34.9	47.5	20.1	67.9	72.9	8.5
SA	61.4	1.7	22.3	22.4	92.5	15.7	31.6	39.5	52.7	24.1	76.0	70.9	9.0
WA	60.9	2.0	20.0	22.9	82.5	16.5	28.3	37.8	48.2	24.1	66.7	70.9	9.6
Australia	62.9	1.8	21.2	22.5	86.4	16.1	31.1	37.5	50.8	25.1	70.8	70.8	9.4
TYPE:													
Fleece	66.1	1.1	21.4	21.8	89.2	15.0	32.0	36.9	50.8	25.0	73.5	71.9	9.3
Skirting	55.2	3.7	20.6	23.2	77.6	20.6	27.2	42.1	54.3	23.5	61.5	70.6	9.4
Carding	59.5	2.3	21.7	24.9	60.5	18.1	28.1	23.9	23.7	40.9	49.6	68.6	9.8
2008/2009:													
Queensland	62.5	2.8	20.5	21.2	85.7	16.5	35.7	35.9	53.4	24.6	72.5	0.0	0.0
NSW	63.6	2.8	20.8	21.7	84.5	16.6	35.2	35.2	49.6	16.6	70.8	71.3	9.7
Victoria	64.0	1.6	22.2	22.9	87.5	15.9	30.8	38.4	48.4	20.1	71.7	70.2	9.4
Tasmania	67.5	1.1	20.3	22.7	84.0	16.5	32.4	35.2	46.5	17.7	69.1	67.4	7.5
SA	61.0	1.7	21.8	22.5	89.7	15.9	30.6	41.1	47.9	20.9	73.8	70.8	9.2
WA	62.0	2.0	20.3	22.3	84.5	16.4	30.4	36.0	49.3	23.4	68.9	71.3	9.8
Australia	63.1	2.1	21.2	22.3	86.0	16.3	32.1	37.0	49.1	20.3	70.9	70.5	9.4
TYPE:													
Fleece	66.3	1.2	21.4	21.6	88.8	15.2	33.2	36.3	48.6	19.9	73.9	71.5	9.6
Skirting	55.5	4.3	20.6	23.0	77.4	20.7	27.6	41.9	54.4	19.5	61.2	70.4	9.4
Carding	60.0	2.6	21.5	24.8	60.3	18.1	28.3	24.0	23.6	41.1	48.9	0.0	0.0
DIFFERENCES:													
Queensland	1.1	0.1	0.0	0.4-	0.0	0.2	1.4	0.4-	2.3-	1.2-	1.0	71.9-	9.6-
NSW	0.4	0.6	0.0	0.1-	1.2-	0.6	1.1	0.1-	2.4-	11.7-	0.5-	0.2-	0.0
Victoria	0.4-	0.3	0.0	0.1-	0.8-	0.0	0.7	0.2-	2.3-	3.9-	0.2-	0.3-	0.1
Tasmania	1.4-	0.3	0.1	0.1-	1.8	0.3-	0.0	0.3	1.0-	2.4-	1.2	5.5-	1.0-
SA	0.4-	0.0	0.5-	0.1	2.8-	0.2	1.0-	1.6	4.8-	3.2-	2.2-	0.1-	0.2
WA	1.1	0.0	0.3	0.6-	2.0	0.1-	2.1	1.8-	1.1	0.7-	2.2	0.4	0.2
Australia	0.2	0.3	0.0	0.2-	0.4-	0.2	1.0	0.5-	1.7-	4.8-	0.1	0.3-	0.0
Fleece	0.2	0.1	0.0	0.2-	0.4-	0.2	1.2	0.6-	2.2-	5.1-	0.4	0.4-	0.3
Skirting	0.3	0.6	0.0	0.2-	0.2-	0.1	0.4	0.2-	0.1	4.0-	0.3-	0.2-	0.0
Carding	0.5	0.3	0.2-	0.1-	0.2-	0.0	0.2	0.1	0.1-	0.2	0.7-	68.6-	9.8-

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA		COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2007/2008:																
Queensland	13028	83598		8898	71.4	5	0.1	61.4	2.7	20.5	21.6	85.7	34.3	55.7	71.5	9.6
NSW	132246	559915		82931	68.1	254	0.6	63.2	2.2	20.8	21.8	85.7	34.1	52.0	71.3	9.7
Victoria	109154	668349		69784	64.9	744	1.4	64.4	1.3	22.2	23.0	88.3	30.1	50.7	71.9	9.3
Tasmania	9651	48080		7210	71.3	10	0.3	68.9	0.8	20.2	22.8	82.2	32.4	47.5	67.9	8.5
SA	30375	236181		22465	77.0	68	0.4	61.4	1.7	22.3	22.4	92.5	31.6	52.7	76.0	9.0
WA	74978	493863		53601	78.2	227	0.3	60.9	2.0	20.0	22.9	82.5	28.3	48.2	66.7	9.6
Australia	369432	2089986		244889	70.7	1308	0.7	62.9	1.8	21.2	22.5	86.4	31.1	50.8	70.8	9.4
TYPE:																
Fleece	217832	1354982		185639	86.1	345	0.2	66.1	1.1	21.4	21.8	89.2	32.0	50.8	73.5	9.3
Skirting	92965	466783		52672	58.7	957	2.7	55.2	3.7	20.6	23.2	77.6	27.2	54.3	61.5	9.4
Carding	58635	268221		6578	13.6	6	0.0	59.5	2.3	21.7	24.9	60.5	28.1	23.7	49.6	9.8
2008/2009:																
Queensland	12190	78892		8717	74.6	0	0.0	62.5	2.8	20.5	21.2	85.7	35.7	53.4	72.5	0.0
NSW	120146	518616		75576	68.0	239	0.6	63.6	2.8	20.8	21.7	84.5	35.2	49.6	70.8	9.7
Victoria	98712	611070		61120	62.4	700	1.6	64.0	1.6	22.2	22.9	87.5	30.8	48.4	71.7	9.4
Tasmania	8309	42615		6083	70.5	1	0.0	67.5	1.1	20.3	22.7	84.0	32.4	46.5	69.1	7.5
SA	25557	184191		19382	79.8	76	0.5	61.0	1.7	21.8	22.5	89.7	30.6	47.9	73.8	9.2
WA	65631	451005		46491	76.8	147	0.2	62.0	2.0	20.3	22.3	84.5	30.4	49.3	68.9	9.8
Australia	330545	1886389		217369	69.8	1163	0.8	63.1	2.1	21.2	22.3	86.0	32.1	49.1	70.9	9.4
TYPE:																
Fleece	195070	1224320		164399	84.5	199	0.1	66.3	1.2	21.4	21.6	88.8	33.2	48.6	73.9	9.6
Skirting	83867	424633		47418	58.9	964	3.1	55.5	4.3	20.6	23.0	77.4	27.6	54.4	61.2	9.4
Carding	51608	237436		5552	13.2	0	0.0	60.0	2.6	21.5	24.8	60.3	28.3	23.6	48.9	0.0
DIFFERENCES:																
Queensland	6.4-	5.6-	5.6-	2.0-	3.2	100.0-	0.1-	1.1	0.1	0.0	0.4-	0.0	1.4	2.3-	1.0	9.6-
NSW	9.1-	7.4-	7.7-	8.9-	0.1-	5.9-	0.0	0.4	0.6	0.0	0.1-	1.2-	1.1	2.4-	0.5-	0.0
Victoria	9.6-	8.6-	8.9-	12.4-	2.5-	5.9-	0.2	0.4-	0.3	0.0	0.1-	0.8-	0.7	2.3-	0.2-	0.1
Tasmania	13.9-	11.4-	10.8-	15.6-	0.8-	90.0-	0.3-	1.4-	0.3	0.1	0.1-	1.8	0.0	1.0-	1.2	1.0-
SA	15.9-	22.0-	21.9-	13.7-	2.8	11.8	0.1	0.4-	0.0	0.5-	0.1	2.8-	1.0-	4.8-	2.2-	0.2
WA	12.5-	8.7-	8.6-	13.3-	1.4-	35.2-	0.1-	1.1	0.0	0.3	0.6-	2.0	2.1	1.1	2.2	0.2
Australia	10.5-	9.7-	9.9-	11.2-	0.9-	11.1-	0.1	0.2	0.3	0.0	0.2-	0.4-	1.0	1.7-	0.1	0.0
Fleece	10.4-	9.6-	9.8-	11.4-	1.6-	42.3-	0.1-	0.2	0.1	0.0	0.2-	0.4-	1.2	2.2-	0.4	0.3
Skirting	9.8-	9.0-	9.3-	10.0-	0.2	0.7	0.4	0.3	0.6	0.0	0.2-	0.2-	0.4	0.1	0.3-	0.0
Carding	12.0-	11.5-	11.6-	15.6-	0.4-	100.0-	0.0	0.5	0.3	0.2-	0.1-	0.2-	0.2	0.1-	0.7-	9.8-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -9.4%.

It has moved from 35.1% of the clip at the end of APRIL last year to 35.3% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2007/2008:											
Queensland	146.0	491.3	1106.1	2449.6	4193.1		1.0	3.2	7.3	16.1	27.6
NSW	3984.1	8870.6	13342.3	17032.0	43229.0		4.1	9.1	13.6	17.4	44.2
Victoria	1935.8	5527.3	11991.6	16741.5	36196.1		1.6	4.7	10.1	14.1	30.5
Tasmania	900.0	1625.1	1911.8	1190.6	5627.6		10.7	19.4	22.8	14.2	67.2
SA	39.4	158.1	935.0	2436.8	3569.3		0.1	0.4	2.2	5.8	8.4
WA	625.6	3207.6	11111.1	22114.6	37058.8		0.7	3.7	12.7	25.2	42.3
Australia	7630.9	19879.9	40397.8	61965.1	129873.8		2.1	5.4	10.9	16.7	35.1
TYPE:											
Fleece	5258.5	12483.4	23914.4	35588.7	77245.0		2.2	5.1	9.8	14.7	31.8
Skirting	1814.1	5359.6	11170.2	18040.4	36384.4		2.2	6.6	13.8	22.3	44.9
Carding	558.2	2036.9	5313.3	8336.0	16244.4		1.2	4.4	11.5	18.1	35.2
2008/2009:											
Queensland	143.6	480.3	934.4	2137.0	3695.3		1.0	3.4	6.5	14.9	25.8
NSW	3608.3	8367.2	13281.3	15488.0	40744.8		4.0	9.3	14.7	17.1	45.1
Victoria	1988.1	6291.3	12379.4	15525.4	36184.3		1.8	5.8	11.5	14.4	33.5
Tasmania	795.3	1258.2	1663.9	1159.9	4877.3		10.6	16.8	22.3	15.5	65.3
SA	33.2	279.1	1063.2	2917.9	4293.5		0.1	0.8	3.2	8.8	13.0
WA	328.8	1913.6	7935.5	17652.8	27830.7		0.4	2.4	9.9	22.1	34.8
Australia	6897.4	18589.8	37257.8	54880.9	117625.9		2.1	5.6	11.2	16.5	35.3
TYPE:											
Fleece	4366.5	10910.1	21528.0	31468.7	68273.2		2.0	5.0	9.8	14.4	31.2
Skirting	1752.9	5256.4	10266.0	16211.1	33486.3		2.4	7.2	14.0	22.1	45.6
Carding	778.0	2423.4	5463.9	7201.2	15866.4		1.9	5.9	13.4	17.7	38.9
DIFFERENCES:											
Queensland	1.6-	2.2-	15.5-	12.8-	11.9-	5.6-	0.0	0.2	0.8-	1.2-	1.8-
NSW	9.4-	5.7-	0.5-	9.1-	5.7-	7.7-	0.1-	0.2	1.1	0.3-	0.9
Victoria	2.7	13.8	3.2	7.3-	0.0-	8.9-	0.2	1.1	1.4	0.3	3.0
Tasmania	11.6-	22.6-	13.0-	2.6-	13.3-	10.8-	0.1-	2.6-	0.5-	1.3	1.9-
SA	15.7-	76.5	13.7	19.7	20.3	21.9-	0.0	0.4	1.0	3.0	4.6
WA	47.4-	40.3-	28.6-	20.2-	24.9-	8.6-	0.3-	1.3-	2.8-	3.1-	7.5-
Australia	9.6-	6.5-	7.8-	11.4-	9.4-	9.9-	0.0	0.2	0.3	0.2-	0.2
Fleece	17.0-	12.6-	10.0-	11.6-	11.6-	374.9	0.2-	0.1-	0.0	4.6-	0.6-
Skirting	3.4-	1.9-	8.1-	10.1-	8.0-	59.2	0.2	0.6	0.2	8.3-	0.7
Carding	39.4	19.0	2.8	13.6-	2.3-	11.6-	0.7	1.5	1.9	6.2-	3.7

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2007/2008:											
Queensland	0.0	0.0	0.4	8.4	137.3		0.0	0.0	0.0	0.1	0.9
NSW	0.2	1.8	36.7	565.8	3379.6		0.0	0.0	0.0	0.6	3.5
Victoria	1.4	6.5	25.9	292.6	1609.3		0.0	0.0	0.0	0.2	1.4
Tasmania	0.0	0.0	12.9	148.6	738.6		0.0	0.0	0.2	1.8	8.8
SA	0.0	0.0	0.0	0.1	39.3		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	1.0	56.9	567.7		0.0	0.0	0.0	0.1	0.6
Australia	1.6	8.4	76.8	1072.5	6471.7		0.0	0.0	0.0	0.3	1.7
TYPE:											
Fleece	1.6	7.8	66.0	807.4	4375.7		0.0	0.0	0.0	0.3	1.8
Skirting	0.0	0.5	8.8	208.8	1596.0		0.0	0.0	0.0	0.3	2.0
Carding	0.0	0.0	2.0	56.3	500.0		0.0	0.0	0.0	0.1	1.1
2008/2009:											
Queensland	0.2	0.1	0.4	14.6	128.3		0.0	0.0	0.0	0.1	0.9
NSW	0.6	4.4	97.6	677.6	2828.2		0.0	0.0	0.1	0.7	3.1
Victoria	0.7	4.7	17.8	260.8	1704.1		0.0	0.0	0.0	0.2	1.6
Tasmania	0.0	0.6	10.8	147.9	635.3		0.0	0.0	0.1	2.0	8.5
SA	0.0	0.0	0.0	2.3	30.9		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	0.3	17.2	311.3		0.0	0.0	0.0	0.0	0.4
Australia	1.5	9.7	126.8	1120.3	5638.2		0.0	0.0	0.0	0.3	1.7
TYPE:											
Fleece	1.5	9.4	100.0	779.4	3476.2		0.0	0.0	0.0	0.4	1.6
Skirting	0.0	0.4	21.9	267.2	1462.6		0.0	0.0	0.0	0.4	2.0
Carding	0.0	0.0	4.9	73.7	699.5		0.0	0.0	0.0	0.2	1.7
DIFFERENCES:											
Queensland	0.0	0.0	0.0	73.8	6.6-	5.6-	0.0	0.0	0.0	0.0	0.0
NSW	200.0	144.4	165.9	19.8	16.3-	7.7-	0.0	0.0	0.1	0.1	0.4-
Victoria	50.0-	27.7-	31.3-	10.9-	5.9	8.9-	0.0	0.0	0.0	0.0	0.2
Tasmania	0.0	0.0	16.3-	0.5-	14.0-	10.8-	0.0	0.0	0.1-	0.2	0.3-
SA	0.0	0.0	0.0	2200.0	21.4-	21.9-	0.0	0.0	0.0	0.0	0.0
WA	0.0	0.0	70.0-	69.8-	45.2-	8.6-	0.0	0.0	0.0	0.1-	0.2-
Australia	6.3-	15.5	65.1	4.5	12.9-	9.9-	0.0	0.0	0.0	0.0	0.0
Fleece	6.3-	20.5	51.5	3.5-	20.6-	374.9	0.0	0.0	0.0	0.4	0.2-
Skirting	0.0	20.0-	148.9	28.0	8.4-	59.2	0.0	0.0	0.0	0.4	0.0
Carding	0.0	0.0	145.0	30.9	39.9	11.6-	0.0	0.0	0.0	0.2	0.6

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2007/2008:										
Queensland	1230	8499	6.91	182.6		20.7	973	82.7	0	0.0
NSW	11299	54545	4.83	177.9		10.9	7133	72.8	31	0.5
Victoria	9372	58089	6.20	178.3		31.4	5974	63.8	49	0.9
Tasmania	804	4561	5.67	177.9		55.0	498	59.0	0	0.0
SA	2599	22750	8.75	182.1		40.7	1945	80.6	3	0.1
WA	5116	35952	7.03	177.7		73.4	3889	81.2	21	0.3
Australia	30420	184396	6.06	178.7		31.8	20412	72.7	104	0.5
TYPE:										
Fleece	17431	117621	6.75	181.5		30.6	15261	89.1	41	0.2
Skirting	8142	43997	5.40	174.5		34.5	4517	58.2	62	1.6
Carding	4847	22778	4.70	172.8		31.7	634	15.9	1	0.1
2008/2009:										
Queensland	1195	8096	6.77	181.5		15.1	859	76.0	0	0.0
NSW	10284	47884	4.66	177.2		9.8	6222	69.5	22	0.3
Victoria	8734	51863	5.94	177.3		33.6	5397	61.7	61	1.5
Tasmania	715	4282	5.99	177.1		58.5	445	62.9	0	0.0
SA	2408	18995	7.89	183.8		25.0	1896	84.0	5	0.2
WA	5124	35457	6.92	175.0		75.7	3469	71.8	1	0.0
Australia	28460	166577	5.85	177.7		31.7	18288	69.4	89	0.6
TYPE:										
Fleece	16280	105896	6.50	180.4		29.7	13674	85.5	12	0.1
Skirting	7386	38768	5.25	173.8		34.9	4011	56.0	77	2.4
Carding	4794	21913	4.57	172.0		33.8	603	15.2	0	0.0
DIFFERENCES:										
Queensland	2.8-	4.7-	0.14-	0.6-	5.3-	5.6-	11.7-	6.7-	0.0	0.0
NSW	9.0-	12.2-	0.17-	0.4-	12.6-	1.1-	12.8-	3.3-	29.0-	0.2-
Victoria	6.8-	10.7-	0.26-	0.6-	11.2-	2.2	9.7-	2.1-	24.5	0.6
Tasmania	11.1-	6.1-	0.32	0.4-	6.5-	3.5	10.6-	3.9	0.0	0.0
SA	7.3-	16.5-	0.86-	0.9	15.7-	15.7-	2.5-	3.4	66.7	0.1
WA	0.2	1.4-	0.11-	1.5-	2.9-	2.3	10.8-	9.4-	95.2-	0.3-
Australia	6.4-	9.7-	0.21-	0.6-	10.2-	0.1-	10.4-	3.3-	14.4-	0.1
Fleece	6.6-	10.0-	0.25-	0.6-	10.5-	0.9-	10.4-	3.6-	70.7-	0.1-
Skirting	9.3-	11.9-	0.15-	0.4-	12.3-	0.4	11.2-	2.2-	24.2	0.8
Carding	1.1-	3.8-	0.13-	0.5-	4.2-	2.1	4.9-	0.7-	100.0-	0.1-

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA					PROJ WT	RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT			LOTS	AR%	LOTS	AR%
2007/2008:											
Queensland	14258	92097	6.46	181.6			17.8	9871	72.5	5	0.1
NSW	143545	614460	4.28	175.1			11.1	90064	68.5	285	0.6
Victoria	118526	726438	6.13	177.6			31.7	75758	64.8	793	1.3
Tasmania	10455	52641	5.04	174.6			41.5	7708	70.2	10	0.2
SA	32974	258931	7.85	179.3			29.4	24410	77.3	71	0.3
WA	80094	529815	6.61	177.4			68.9	57490	78.4	248	0.3
Australia	399852	2274382	5.69	177.2			31.3	265301	70.8	1412	0.7
TYPE:											
Fleece	235263	1472603	6.26	179.4			30.4	200900	86.3	386	0.2
Skirting	101107	510780	5.05	173.6			33.2	57189	58.6	1019	2.6
Carding	63482	290999	4.58	172.1			31.8	7212	13.8	7	0.0
2008/2009:											
Queensland	13385	86988	6.50	181.6			17.8	9576	74.7	0	0.0
NSW	130430	566500	4.34	174.6			9.7	81798	68.1	261	0.6
Victoria	107446	662933	6.17	176.9			33.2	66517	62.4	761	1.6
Tasmania	9024	46897	5.20	175.5			40.7	6528	69.8	1	0.0
SA	27965	203186	7.27	179.7			27.2	21278	80.2	81	0.5
WA	70755	486462	6.88	177.3			70.9	49960	76.4	148	0.2
Australia	359005	2052966	5.72	176.8			31.2	235657	69.7	1252	0.7
TYPE:											
Fleece	211350	1330216	6.29	179.1			30.0	178073	84.6	211	0.1
Skirting	91253	463401	5.08	173.0			33.4	51429	58.7	1041	3.0
Carding	56402	259349	4.60	171.8			32.5	6155	13.3	0	0.0
DIFFERENCES:											
Queensland	6.1-	5.5-	0.04	0.0	5.5-	4.5-	0.0	3.0-	2.2	100.0-	0.1-
NSW	9.1-	7.8-	0.06	0.3-	8.1-	7.0-	1.4-	9.2-	0.4-	8.4-	0.0
Victoria	9.3-	8.7-	0.04	0.4-	9.1-	8.1-	1.5	12.2-	2.4-	4.0-	0.3
Tasmania	13.7-	10.9-	0.16	0.5	10.4-	9.7-	0.8-	15.3-	0.4-	90.0-	0.2-
SA	15.2-	21.5-	0.58-	0.2	21.4-	20.5-	2.2-	12.8-	2.9	14.1	0.2
WA	11.7-	8.2-	0.27	0.1-	8.2-	7.8-	2.0	13.1-	2.0-	40.3-	0.1-
Australia	10.2-	9.7-	0.03	0.2-	9.9-	9.1-	0.1-	11.2-	1.1-	11.3-	0.0
Fleece	10.2-	9.7-	0.03	0.2-	9.8-		0.4-	11.4-	1.7-	45.3-	0.1-
Skirting	9.7-	9.3-	0.03	0.3-	9.6-		0.2	10.1-	0.1	2.2	0.4
Carding	11.2-	10.9-	0.02	0.2-	11.0-		0.7	14.7-	0.5-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of MAY as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -8.3%.

It has moved from 35.0% of the clip at the end of MAY last year to 35.6% this year.

	TEST RESULTS													
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z	
2007/2008:														
Queensland	61.3	2.7	20.5	21.3	83.8	16.1	32.4	39.0	63.9	21.5	69.3	0.0	0.0	
NSW	61.1	3.0	21.1	21.3	86.2	16.0	36.3	35.1	55.7	23.0	72.5	70.9	10.7	
Victoria	61.5	2.0	21.9	22.9	84.2	15.9	32.1	36.0	44.8	25.9	70.6	68.8	9.1	
Tasmania	66.2	1.4	21.7	23.0	82.5	15.9	31.5	35.7	49.2	30.8	68.4	0.0	0.0	
SA	57.4	2.0	21.9	22.1	89.1	15.8	34.9	37.6	49.7	17.9	75.8	69.7	8.3	
WA	58.3	2.9	20.1	23.0	79.8	16.8	30.1	36.9	42.3	24.1	66.6	69.8	9.5	
Australia	60.3	2.5	21.2	22.3	84.5	16.1	33.3	36.3	49.3	23.4	70.9	69.6	9.6	
TYPE:														
Fleece	63.4	1.5	21.5	21.5	87.2	15.0	34.7	35.4	48.7	23.5	73.9	70.0	9.9	
Skirting	53.1	4.9	20.6	23.1	76.0	20.6	27.5	41.3	53.2	21.6	60.2	69.6	9.5	
Carding	57.8	3.1	21.4	24.7	63.2	18.0	34.6	27.5	38.6	33.2	56.2	62.0	11.3	
2008/2009:														
Queensland	62.1	2.7	20.4	21.3	83.2	17.1	35.5	35.7	62.3	21.8	69.8	0.0	0.0	
NSW	60.8	3.3	20.4	21.5	82.3	17.2	34.2	35.1	53.6	26.8	67.9	68.6	9.6	
Victoria	61.5	2.1	21.7	22.9	82.8	16.1	31.8	36.7	47.6	28.8	68.9	68.8	9.3	
Tasmania	66.7	1.4	21.9	22.8	83.8	16.3	30.9	37.0	51.0	30.2	69.0	0.0	0.0	
SA	57.9	1.9	21.6	21.9	87.4	15.8	33.0	38.7	49.3	33.2	73.9	70.1	8.9	
WA	59.4	2.8	20.5	22.6	80.1	16.8	30.2	35.9	43.6	16.3	66.3	66.7	9.4	
Australia	60.6	2.6	21.0	22.3	82.8	16.6	32.5	36.3	49.6	25.8	68.8	68.8	9.3	
TYPE:														
Fleece	63.6	1.5	21.2	21.5	85.3	15.5	33.7	35.5	49.1	26.1	71.8	69.5	10.9	
Skirting	53.4	5.1	20.4	23.0	74.8	21.1	27.0	40.9	53.8	22.9	58.3	68.8	9.2	
Carding	58.0	3.3	21.3	24.8	62.0	17.9	32.7	27.1	36.8	35.6	54.1	0.0	0.0	
DIFFERENCES:														
Queensland	0.8	0.0	0.1-	0.0	0.6-	1.0	3.1	3.3-	1.6-	0.3	0.5	0.0	0.0	
NSW	0.3-	0.3	0.7-	0.2	3.9-	1.2	2.1-	0.0	2.1-	3.8	4.6-	2.3-	1.1-	
Victoria	0.0	0.1	0.2-	0.0	1.4-	0.2	0.3-	0.7	2.8	2.9	1.7-	0.0	0.2	
Tasmania	0.5	0.0	0.2	0.2-	1.3	0.4	0.6-	1.3	1.8	0.6-	0.6	0.0	0.0	
SA	0.5	0.1-	0.3-	0.2-	1.7-	0.0	1.9-	1.1	0.4-	15.3	1.9-	0.4	0.6	
WA	1.1	0.1-	0.4	0.4-	0.3	0.0	0.1	1.0-	1.3	7.8-	0.3-	3.1-	0.1-	
Australia	0.3	0.1	0.2-	0.0	1.7-	0.5	0.8-	0.0	0.3	2.4	2.1-	0.8-	0.3-	
Fleece	0.2	0.0	0.3-	0.0	1.9-	0.5	1.0-	0.1	0.4	2.6	2.1-	0.5-	1.0	
Skirting	0.3	0.2	0.2-	0.1-	1.2-	0.5	0.5-	0.4-	0.6	1.3	1.9-	0.8-	0.3-	
Carding	0.2	0.2	0.1-	0.1	1.2-	0.1-	1.9-	0.4-	1.8-	2.4	2.1-	62.0-	11.3-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS													
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z	
2007/2008:														
Queensland	61.4	2.7	20.5	21.5	85.5	16.2	34.1	36.6	56.6	25.3	71.3	71.9	9.6	
NSW	63.0	2.3	20.9	21.8	85.8	16.0	34.3	35.2	52.4	27.8	71.4	71.5	9.8	
Victoria	64.2	1.4	22.2	23.0	88.0	15.9	30.3	38.4	50.2	24.2	71.8	70.4	9.3	
Tasmania	68.6	0.8	20.3	22.8	82.2	16.7	32.3	35.0	47.6	20.9	67.9	72.9	8.5	
SA	61.0	1.7	22.3	22.3	92.2	15.7	31.9	39.3	52.4	23.5	76.0	70.8	9.0	
WA	60.7	2.0	20.0	22.9	82.3	16.5	28.4	37.8	47.8	24.1	66.7	70.8	9.6	
Australia	62.7	1.9	21.2	22.5	86.2	16.1	31.3	37.4	50.6	25.0	70.8	70.7	9.4	
TYPE:														
Fleece	65.9	1.1	21.4	21.8	89.0	15.0	32.3	36.7	50.6	24.9	73.6	71.7	9.3	
Skirting	55.0	3.8	20.6	23.2	77.4	20.6	27.2	42.0	54.2	23.3	61.4	70.6	9.4	
Carding	59.4	2.3	21.7	24.9	60.7	18.1	28.6	24.2	25.0	40.2	50.2	66.7	10.3	
2008/2009:														
Queensland	62.5	2.8	20.5	21.2	85.4	16.6	35.7	35.9	54.2	24.4	72.2	0.0	0.0	
NSW	63.4	2.8	20.8	21.7	84.3	16.6	35.1	35.2	49.9	17.5	70.5	71.1	9.7	
Victoria	63.8	1.6	22.1	22.9	87.1	15.9	30.9	38.3	48.4	20.8	71.5	70.1	9.3	
Tasmania	67.4	1.1	20.5	22.7	84.0	16.5	32.3	35.4	46.8	18.7	69.0	67.4	7.5	
SA	60.7	1.7	21.8	22.5	89.5	15.9	30.8	40.9	48.0	22.1	73.8	70.8	9.2	
WA	61.8	2.0	20.3	22.3	84.2	16.4	30.4	36.0	48.9	23.0	68.8	71.2	9.8	
Australia	62.9	2.1	21.2	22.3	85.7	16.3	32.1	37.0	49.1	20.7	70.8	70.4	9.4	
TYPE:														
Fleece	66.1	1.2	21.4	21.6	88.5	15.2	33.3	36.2	48.6	20.4	73.7	71.4	9.7	
Skirting	55.3	4.3	20.5	23.0	77.2	20.7	27.6	41.9	54.3	19.8	61.0	70.3	9.4	
Carding	59.9	2.7	21.5	24.8	60.5	18.1	28.7	24.3	24.9	40.5	49.4	0.0	0.0	
DIFFERENCES:														
Queensland	1.1	0.1	0.0	0.3-	0.1-	0.4	1.6	0.7-	2.4-	0.9-	0.9	71.9-	9.6-	
NSW	0.4	0.5	0.1-	0.1-	1.5-	0.6	0.8	0.0	2.5-	10.3-	0.9-	0.4-	0.1-	
Victoria	0.4-	0.2	0.1-	0.1-	0.9-	0.0	0.6	0.1-	1.8-	3.4-	0.3-	0.3-	0.0	
Tasmania	1.2-	0.3	0.2	0.1-	1.8	0.2-	0.0	0.4	0.8-	2.2-	1.1	5.5-	1.0-	
SA	0.3-	0.0	0.5-	0.2	2.7-	0.2	1.1-	1.6	4.4-	1.4-	2.2-	0.0	0.2	
WA	1.1	0.0	0.3	0.6-	1.9	0.1-	2.0	1.8-	1.1	1.1-	2.1	0.4	0.2	
Australia	0.2	0.2	0.0	0.2-	0.5-	0.2	0.8	0.4-	1.5-	4.3-	0.0	0.3-	0.0	
Fleece	0.2	0.1	0.0	0.2-	0.5-	0.2	1.0	0.5-	2.0-	4.5-	0.1	0.3-	0.4	
Skirting	0.3	0.5	0.1-	0.2-	0.2-	0.1	0.4	0.1-	0.1	3.5-	0.4-	0.3-	0.0	
Carding	0.5	0.4	0.2-	0.1-	0.2-	0.0	0.1	0.1	0.1-	0.3	0.8-	66.7-	10.3-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA	COLOUR DATA	TEST RESULTS										
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2007/2008:																
Queensland	14258	92097		9871	72.5	5	0.1	61.4	2.7	20.5	21.5	85.5	34.1	56.6	71.3	9.6
NSW	143545	614460		90064	68.5	285	0.6	63.0	2.3	20.9	21.8	85.8	34.3	52.4	71.4	9.8
Victoria	118526	726438		75758	64.8	793	1.3	64.2	1.4	22.2	23.0	88.0	30.3	50.2	71.8	9.3
Tasmania	10455	52641		7708	70.2	10	0.2	68.6	0.8	20.3	22.8	82.2	32.3	47.6	67.9	8.5
SA	32974	258931		24410	77.3	71	0.3	61.0	1.7	22.3	22.3	92.2	31.9	52.4	76.0	9.0
WA	80094	529815		57490	78.4	248	0.3	60.7	2.0	20.0	22.9	82.3	28.4	47.8	66.7	9.6
Australia	399852	2274382		265301	70.8	1412	0.7	62.7	1.9	21.2	22.5	86.2	31.3	50.6	70.8	9.4
TYPE:																
Fleece	235263	1472603		200900	86.3	386	0.2	65.9	1.1	21.4	21.8	89.0	32.3	50.6	73.6	9.3
Skirting	101107	510780		57189	58.6	1019	2.6	55.0	3.8	20.6	23.2	77.4	27.2	54.2	61.4	9.4
Carding	63482	290999		7212	13.8	7	0.0	59.4	2.3	21.7	24.9	60.7	28.6	25.0	50.2	10.3
2008/2009:																
Queensland	13385	86988		9576	74.7	0	0.0	62.5	2.8	20.5	21.2	85.4	35.7	54.2	72.2	0.0
NSW	130430	566500		81798	68.1	261	0.6	63.4	2.8	20.8	21.7	84.3	35.1	49.9	70.5	9.7
Victoria	107446	662933		66517	62.4	761	1.6	63.8	1.6	22.1	22.9	87.1	30.9	48.4	71.5	9.3
Tasmania	9024	46897		6528	69.8	1	0.0	67.4	1.1	20.5	22.7	84.0	32.3	46.8	69.0	7.5
SA	27965	203186		21278	80.2	81	0.5	60.7	1.7	21.8	22.5	89.5	30.8	48.0	73.8	9.2
WA	70755	486462		49960	76.4	148	0.2	61.8	2.0	20.3	22.3	84.2	30.4	48.9	68.8	9.8
Australia	359005	2052966		235657	69.7	1252	0.7	62.9	2.1	21.2	22.3	85.7	32.1	49.1	70.8	9.4
TYPE:																
Fleece	211350	1330216		178073	84.6	211	0.1	66.1	1.2	21.4	21.6	88.5	33.3	48.6	73.7	9.7
Skirting	91253	463401		51429	58.7	1041	3.0	55.3	4.3	20.5	23.0	77.2	27.6	54.3	61.0	9.4
Carding	56402	259349		6155	13.3	0	0.0	59.9	2.7	21.5	24.8	60.5	28.7	24.9	49.4	0.0
DIFFERENCES:																
Queensland	6.1-	5.5-	5.5-	3.0-	2.2	100.0-	0.1-	1.1	0.1	0.0	0.3-	0.1-	1.6	2.4-	0.9	9.6-
NSW	9.1-	7.8-	8.1-	9.2-	0.4-	8.4-	0.0	0.4	0.5	0.1-	0.1-	1.5-	0.8	2.5-	0.9-	0.1-
Victoria	9.3-	8.7-	9.1-	12.2-	2.4-	4.0-	0.3	0.4-	0.2	0.1-	0.1-	0.9-	0.6	1.8-	0.3-	0.0
Tasmania	13.7-	10.9-	10.4-	15.3-	0.4-	90.0-	0.2-	1.2-	0.3	0.2	0.1-	1.8	0.0	0.8-	1.1	1.0-
SA	15.2-	21.5-	21.4-	12.8-	2.9	14.1	0.2	0.3-	0.0	0.5-	0.2	2.7-	1.1-	4.4-	2.2-	0.2
WA	11.7-	8.2-	8.2-	13.1-	2.0-	40.3-	0.1-	1.1	0.0	0.3	0.6-	1.9	2.0	1.1	2.1	0.2
Australia	10.2-	9.7-	9.9-	11.2-	1.1-	11.3-	0.0	0.2	0.2	0.0	0.2-	0.5-	0.8	1.5-	0.0	0.0
Fleece	10.2-	9.7-	9.8-	11.4-	1.7-	45.3-	0.1-	0.2	0.1	0.0	0.2-	0.5-	1.0	2.0-	0.1	0.4
Skirting	9.7-	9.3-	9.6-	10.1-	0.1	2.2	0.4	0.3	0.5	0.1-	0.2-	0.2-	0.4	0.1	0.4-	0.0
Carding	11.2-	10.9-	11.0-	14.7-	0.5-	100.0-	0.0	0.5	0.4	0.2-	0.1-	0.2-	0.1	0.1-	0.8-	10.3-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -8.3%.

It has moved from 35.0% of the clip at the end of MAY last year to 35.6% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2007/2008:											
Queensland	146.0	501.6	1221.4	2746.0	4615.0		0.9	3.0	7.3	16.4	27.6
NSW	4079.4	9264.1	14377.0	18770.2	46490.7		3.8	8.6	13.4	17.4	43.2
Victoria	2109.5	6193.6	13315.9	18395.0	40014.0		1.6	4.8	10.3	14.3	31.0
Tasmania	915.2	1707.4	2065.8	1350.2	6038.7		10.0	18.6	22.5	14.7	65.7
SA	49.7	201.1	1089.0	2751.3	4091.1		0.1	0.4	2.3	5.9	8.8
WA	654.0	3454.7	11864.0	23655.3	39628.0		0.7	3.7	12.6	25.2	42.2
Australia	7953.8	21322.4	43933.2	67668.0	140877.5		2.0	5.3	10.9	16.8	35.0
TYPE:											
Fleece	5391.8	13265.3	25930.2	38804.8	83392.0		2.0	5.0	9.8	14.7	31.6
Skirting	1889.8	5739.1	12207.1	19914.3	39750.3		2.1	6.5	13.8	22.5	44.8
Carding	672.2	2318.0	5796.0	8949.0	17735.2		1.3	4.6	11.6	17.9	35.4
2008/2009:											
Queensland	144.5	510.7	1027.7	2455.3	4138.2		0.9	3.2	6.5	15.5	26.2
NSW	3786.6	9099.8	14806.1	17299.4	44991.9		3.8	9.2	15.0	17.5	45.5
Victoria	2222.8	7056.3	13715.1	17133.4	40127.6		1.9	6.0	11.7	14.6	34.2
Tasmania	816.9	1337.0	1790.5	1282.6	5227.0		9.9	16.2	21.8	15.6	63.5
SA	38.2	300.4	1156.8	3189.1	4684.5		0.1	0.8	3.2	8.7	12.8
WA	365.8	2127.6	8671.0	18883.9	30048.3		0.4	2.5	10.1	21.9	34.8
Australia	7375.0	20431.8	41167.2	60243.6	129217.5		2.0	5.6	11.3	16.6	35.6
TYPE:											
Fleece	4639.6	11984.5	23848.4	34655.8	75128.4		1.9	5.0	10.0	14.5	31.5
Skirting	1877.1	5743.3	11331.9	17764.9	36717.2		2.3	7.2	14.1	22.2	45.8
Carding	858.3	2704.0	5986.8	7822.9	17371.9		1.9	6.1	13.4	17.6	39.0
DIFFERENCES:											
Queensland	1.0-	1.8	15.9-	10.6-	10.3-	5.5-	0.0	0.2	0.8-	0.9-	1.4-
NSW	7.2-	1.8-	3.0	7.8-	3.2-	8.1-	0.0	0.6	1.6	0.1	2.3
Victoria	5.4	13.9	3.0	6.9-	0.3	9.1-	0.3	1.2	1.4	0.3	3.2
Tasmania	10.7-	21.7-	13.3-	5.0-	13.4-	10.4-	0.1-	2.4-	0.7-	0.9	2.2-
SA	23.1-	49.4	6.2	15.9	14.5	21.4-	0.0	0.4	0.9	2.8	4.0
WA	44.1-	38.4-	26.9-	20.2-	24.2-	8.2-	0.3-	1.2-	2.5-	3.3-	7.4-
Australia	7.3-	4.2-	6.3-	11.0-	8.3-	9.9-	0.0	0.3	0.4	0.2-	0.6
Fleece	14.0-	9.7-	8.0-	10.7-	9.9-	375.7	0.1-	0.0	0.2	4.7-	0.1-
Skirting	0.7-	0.1	7.2-	10.8-	7.6-	60.1	0.2	0.7	0.3	8.4-	1.0
Carding	27.7	16.7	3.3	12.6-	2.0-	11.0-	0.6	1.5	1.8	6.0-	3.6

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2007/2008:											
Queensland	0.0	0.0	0.4	8.4	137.3		0.0	0.0	0.0	0.1	0.8
NSW	0.2	2.1	39.7	583.3	3454.2		0.0	0.0	0.0	0.5	3.2
Victoria	1.5	7.8	28.4	305.6	1766.3		0.0	0.0	0.0	0.2	1.4
Tasmania	0.0	0.0	12.9	149.4	753.0		0.0	0.0	0.1	1.6	8.2
SA	0.0	0.0	0.0	0.1	49.5		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	1.0	59.0	594.0		0.0	0.0	0.0	0.1	0.6
Australia	1.7	9.9	82.3	1105.8	6754.2		0.0	0.0	0.0	0.3	1.7
TYPE:											
Fleece	1.7	9.4	70.9	821.5	4488.3		0.0	0.0	0.0	0.3	1.7
Skirting	0.0	0.5	9.4	216.0	1663.9		0.0	0.0	0.0	0.2	1.9
Carding	0.0	0.0	2.0	68.3	601.9		0.0	0.0	0.0	0.1	1.2
2008/2009:											
Queensland	0.2	0.1	0.4	14.6	129.2		0.0	0.0	0.0	0.1	0.8
NSW	0.7	4.6	99.8	689.5	2992.0		0.0	0.0	0.1	0.7	3.0
Victoria	0.7	5.9	20.6	278.6	1917.0		0.0	0.0	0.0	0.2	1.6
Tasmania	0.0	0.6	10.8	149.2	655.6		0.0	0.0	0.1	1.8	8.0
SA	0.0	0.0	0.0	2.3	36.0		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	0.3	17.6	347.9		0.0	0.0	0.0	0.0	0.4
Australia	1.6	11.2	131.8	1151.8	6077.7		0.0	0.0	0.0	0.3	1.7
TYPE:											
Fleece	1.6	10.8	104.3	798.3	3724.6		0.0	0.0	0.0	0.3	1.6
Skirting	0.0	0.4	22.4	276.0	1577.6		0.0	0.0	0.0	0.3	2.0
Carding	0.0	0.0	5.1	77.5	775.6		0.0	0.0	0.0	0.2	1.7
DIFFERENCES:											
Queensland	0.0	0.0	0.0	73.8	5.9-	5.5-	0.0	0.0	0.0	0.0	0.0
NSW	250.0	119.0	151.4	18.2	13.4-	8.1-	0.0	0.0	0.1	0.2	0.2-
Victoria	53.3-	24.4-	27.5-	8.8-	8.5	9.1-	0.0	0.0	0.0	0.0	0.2
Tasmania	0.0	0.0	16.3-	0.1-	12.9-	10.4-	0.0	0.0	0.0	0.2	0.2-
SA	0.0	0.0	0.0	2200.0	27.3-	21.4-	0.0	0.0	0.0	0.0	0.0
WA	0.0	0.0	70.0-	70.2-	41.4-	8.2-	0.0	0.0	0.0	0.1-	0.2-
Australia	5.9-	13.1	60.1	4.2	10.0-	9.9-	0.0	0.0	0.0	0.0	0.0
Fleece	5.9-	14.9	47.1	2.8-	17.0-	375.7	0.0	0.0	0.0	0.3	0.1-
Skirting	0.0	20.0-	138.3	27.8	5.2-	60.1	0.0	0.0	0.0	0.3	0.1
Carding	0.0	0.0	155.0	13.5	28.9	11.0-	0.0	0.0	0.0	0.2	0.5

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2007/2008:										
Queensland	1400	9432	6.74	182.9		19.0	955	73.3	0	0.0
NSW	9041	41656	4.61	178.3		12.4	5381	69.7	11	0.4
Victoria	6194	36125	5.83	176.8		37.4	3787	60.8	15	0.4
Tasmania	820	4927	6.01	178.1		44.8	508	62.8	0	0.0
SA	1434	11853	8.27	182.4		32.8	1061	79.6	1	0.1
WA	2478	16748	6.76	174.5		69.9	1554	67.8	4	0.2
Australia	21367	120741	5.65	178.1		29.3	13246	67.7	31	0.3
TYPE:										
Fleece	12029	75852	6.31	180.7		26.8	9825	83.7	4	0.0
Skirting	5915	29691	5.02	174.2		32.4	2999	53.7	26	1.2
Carding	3423	15198	4.44	172.5		33.1	422	15.5	1	0.0
2008/2009:										
Queensland	1295	9068	7.00	183.7		12.5	959	80.5	0	0.0
NSW	8936	41525	4.65	177.6		11.1	5289	66.7	8	0.2
Victoria	6416	37264	5.81	175.9		47.1	3567	54.6	11	0.3
Tasmania	944	5312	5.63	178.4		39.3	567	63.6	0	0.0
SA	1506	11205	7.44	183.2		32.3	1111	80.1	1	0.1
WA	2111	16525	7.83	173.6		62.8	1343	65.6	3	0.4
Australia	21208	120899	5.70	177.5		29.9	12836	65.0	23	0.2
TYPE:										
Fleece	11776	73839	6.27	180.3		27.4	9472	82.2	1	0.0
Skirting	5756	29848	5.19	173.9		33.4	2914	52.1	22	0.8
Carding	3676	17212	4.68	172.1		32.7	450	13.3	0	0.0
DIFFERENCES:										
Queensland	7.5-	3.9-	0.26	0.4	3.4-	6.5-	0.4	7.2	0.0	0.0
NSW	1.2-	0.3-	0.04	0.4-	0.7-	1.3-	1.7-	3.0-	27.3-	0.2-
Victoria	3.6	3.2	0.02-	0.5-	2.6	9.7	5.8-	6.2-	26.7-	0.1-
Tasmania	15.1	7.8	0.38-	0.2	8.0	5.5-	11.6	0.8	0.0	0.0
SA	5.0	5.5-	0.83-	0.4	5.1-	0.5-	4.7	0.5	0.0	0.0
WA	14.8-	1.3-	1.07	0.5-	1.9-	7.1-	13.6-	2.2-	25.0-	0.2
Australia	0.7-	0.1	0.05	0.3-	0.2-	0.6	3.1-	2.7-	25.8-	0.1-
Fleece	2.1-	2.7-	0.04-	0.2-	2.9-	0.6	3.6-	1.5-	75.0-	0.0
Skirting	2.7-	0.5	0.17	0.2-	0.3	1.0	2.8-	1.6-	15.4-	0.4-
Carding	7.4	13.3	0.24	0.2-	13.0	0.4-	6.6	2.2-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA							STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT	PROJ WT	RAPID	LOTS	AR%	LOTS	AR%
2007/2008:											
Queensland	15658	101529	6.48	181.7			17.9	10826	72.5	5	0.1
NSW	152586	656116	4.30	175.3			11.1	95445	68.6	296	0.6
Victoria	124720	762563	6.11	177.6			32.0	79545	64.6	808	1.3
Tasmania	11275	57568	5.11	174.9			41.7	8216	69.6	10	0.2
SA	34408	270784	7.87	179.5			29.6	25471	77.4	72	0.3
WA	82572	546563	6.62	177.3			69.0	59044	78.1	252	0.3
Australia	421219	2395123	5.69	177.2			31.2	278547	70.7	1443	0.7
TYPE:											
Fleece	247292	1548455	6.26	179.5			30.2	210725	86.2	390	0.2
Skirting	107022	540471	5.05	173.7			33.2	60188	58.4	1045	2.6
Carding	66905	306197	4.58	172.1			31.9	7634	13.8	8	0.0
2008/2009:											
Queensland	14680	96056	6.54	181.8			17.3	10535	75.3	0	0.0
NSW	139366	608025	4.36	174.8			9.8	87087	68.0	269	0.5
Victoria	113862	700197	6.15	176.9			34.0	70084	62.0	772	1.5
Tasmania	9968	52209	5.24	175.8			40.5	7095	69.2	1	0.0
SA	29471	214391	7.27	179.8			27.5	22389	80.2	82	0.4
WA	72866	502987	6.90	177.1			70.7	51303	76.0	151	0.2
Australia	380213	2173865	5.72	176.8			31.2	248493	69.5	1275	0.7
TYPE:											
Fleece	223126	1404055	6.29	179.1			29.8	187545	84.5	212	0.1
Skirting	97009	493249	5.08	173.1			33.4	54343	58.3	1063	2.9
Carding	60078	276561	4.60	171.8			32.5	6605	13.3	0	0.0
DIFFERENCES:											
Queensland	6.2-	5.4-	0.06	0.1	5.3-	5.3-	0.6-	2.7-	2.8	100.0-	0.1-
NSW	8.7-	7.3-	0.06	0.3-	7.6-	7.5-	1.3-	8.8-	0.6-	9.1-	0.1-
Victoria	8.7-	8.2-	0.04	0.4-	8.5-	8.5-	2.0	11.9-	2.6-	4.5-	0.2
Tasmania	11.6-	9.3-	0.13	0.5	8.8-	8.8-	1.2-	13.6-	0.4-	90.0-	0.2-
SA	14.3-	20.8-	0.60-	0.2	20.7-	20.6-	2.1-	12.1-	2.8	13.9	0.1
WA	11.8-	8.0-	0.28	0.1-	8.0-	8.0-	1.7	13.1-	2.1-	40.1-	0.1-
Australia	9.7-	9.2-	0.03	0.2-	9.4-	9.4-	0.0	10.8-	1.2-	11.6-	0.0
Fleece	9.8-	9.3-	0.03	0.2-	9.5-		0.4-	11.0-	1.7-	45.6-	0.1-
Skirting	9.4-	8.7-	0.03	0.3-	9.0-		0.2	9.7-	0.1-	1.7	0.3
Carding	10.2-	9.7-	0.02	0.2-	9.8-		0.6	13.5-	0.5-	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of JUNE as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -7.4%.

It has moved from 35.0% of the clip at the end of JUNE last year to 35.8% this year.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2007/2008:														
Queensland	61.4	2.6	20.5	21.2	86.3	16.0	32.8	38.3	64.1	24.3	70.6	0.0	0.0	
NSW	61.1	3.0	20.8	21.1	86.1	15.8	37.2	34.2	57.0	22.3	72.4	71.4	9.1	
Victoria	62.0	1.9	22.0	23.1	82.9	16.3	32.9	35.0	44.4	22.3	69.8	69.6	10.0	
Tasmania	66.1	1.4	21.4	22.6	82.8	16.0	32.9	34.2	46.2	28.4	69.4	0.0	0.0	
SA	57.6	1.9	21.9	22.1	89.6	15.9	35.0	37.7	49.8	18.4	76.1	69.1	8.9	
WA	57.8	2.9	20.6	23.8	77.7	17.6	31.7	35.7	44.7	19.2	65.1	70.9	9.2	
Australia	60.8	2.5	21.2	22.2	84.4	16.2	34.5	35.4	51.3	21.8	70.9	70.5	9.5	
TYPE:														
Fleece	64.1	1.5	21.4	21.4	87.1	15.0	35.9	34.4	50.9	21.1	73.9	70.9	9.2	
Skirting	53.5	4.7	20.6	23.1	76.3	20.9	28.6	40.6	54.9	21.9	60.4	70.6	9.5	
Carding	57.8	3.2	21.5	24.8	63.7	18.0	35.4	28.6	38.2	40.8	57.9	68.4	10.9	
2008/2009:														
Queensland	63.1	2.1	20.5	21.1	84.2	16.6	35.8	36.3	56.0	32.1	71.9	0.0	0.0	
NSW	60.8	3.1	20.4	21.7	82.7	16.8	34.9	34.2	50.4	27.7	69.2	69.2	10.3	
Victoria	61.4	2.1	22.0	23.4	82.8	16.5	32.7	36.2	45.8	29.6	69.2	69.5	10.1	
Tasmania	65.4	1.5	21.1	22.7	84.8	16.2	31.1	36.5	49.5	28.4	68.8	0.0	0.0	
SA	57.5	1.9	21.6	22.1	87.7	15.8	33.8	38.5	50.0	28.2	74.2	69.9	9.6	
WA	58.1	2.9	20.7	23.5	80.4	18.1	30.1	37.9	45.5	16.8	65.7	68.7	9.6	
Australia	60.7	2.5	21.1	22.5	83.2	16.7	33.5	36.0	49.0	27.2	69.6	69.2	10.0	
TYPE:														
Fleece	64.1	1.5	21.2	21.6	85.9	15.6	34.9	35.0	48.4	27.3	72.6	69.1	8.3	
Skirting	53.6	4.8	20.6	23.4	75.1	21.2	27.8	41.1	52.7	25.5	59.2	69.2	10.0	
Carding	58.1	3.2	21.5	25.1	64.2	18.1	32.9	28.9	39.7	36.5	55.6	0.0	0.0	
DIFFERENCES:														
Queensland	1.7	0.5-	0.0	0.1-	2.1-	0.6	3.0	2.0-	8.1-	7.8	1.3	0.0	0.0	
NSW	0.3-	0.1	0.4-	0.6	3.4-	1.0	2.3-	0.0	6.6-	5.4	3.2-	2.2-	1.2	
Victoria	0.6-	0.2	0.0	0.3	0.1-	0.2	0.2-	1.2	1.4	7.3	0.6-	0.1-	0.1	
Tasmania	0.7-	0.1	0.3-	0.1	2.0	0.2	1.8-	2.3	3.3	0.0	0.6-	0.0	0.0	
SA	0.1-	0.0	0.3-	0.0	1.9-	0.1-	1.2-	0.8	0.2	9.8	1.9-	0.8	0.7	
WA	0.3	0.0	0.1	0.3-	2.7	0.5	1.6-	2.2	0.8	2.4-	0.6	2.2-	0.4	
Australia	0.1-	0.0	0.1-	0.3	1.2-	0.5	1.0-	0.6	2.3-	5.4	1.3-	1.3-	0.5	
Fleece	0.0	0.0	0.2-	0.2	1.2-	0.6	1.0-	0.6	2.5-	6.2	1.3-	1.8-	0.9-	
Skirting	0.1	0.1	0.0	0.3	1.2-	0.3	0.8-	0.5	2.2-	3.6	1.2-	1.4-	0.5	
Carding	0.3	0.0	0.0	0.3	0.5	0.1	2.5-	0.3	1.5	4.3-	2.3-	68.4-	10.9-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS													
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z	
2007/2008:														
Queensland	61.4	2.7	20.5	21.5	85.6	16.2	34.0	36.8	57.3	25.2	71.2	71.9	9.6	
NSW	62.9	2.3	20.9	21.7	85.8	16.0	34.5	35.2	52.7	27.4	71.5	71.5	9.7	
Victoria	64.1	1.4	22.2	23.0	87.8	15.9	30.4	38.3	50.0	24.1	71.7	70.4	9.3	
Tasmania	68.4	0.9	20.4	22.8	82.3	16.6	32.4	34.9	47.5	21.5	68.0	72.9	8.5	
SA	60.9	1.8	22.2	22.3	92.1	15.7	32.0	39.2	52.3	23.3	76.0	70.8	9.0	
WA	60.6	2.1	20.1	22.9	82.2	16.5	28.5	37.7	47.7	24.0	66.7	70.8	9.5	
Australia	62.6	1.9	21.2	22.5	86.1	16.1	31.4	37.3	50.7	24.8	70.8	70.7	9.4	
TYPE:														
Fleece	65.8	1.1	21.4	21.8	88.9	15.0	32.4	36.6	50.6	24.7	73.6	71.7	9.3	
Skirting	54.9	3.9	20.6	23.2	77.4	20.6	27.3	41.9	54.3	23.2	61.3	70.6	9.4	
Carding	59.3	2.4	21.6	24.9	60.9	18.1	29.0	24.5	25.8	40.3	50.7	66.9	10.3	
2008/2009:														
Queensland	62.6	2.7	20.5	21.2	85.3	16.6	35.7	35.9	54.4	25.2	72.2	0.0	0.0	
NSW	63.2	2.9	20.8	21.7	84.2	16.6	35.1	35.1	50.0	18.2	70.5	71.1	9.7	
Victoria	63.7	1.6	22.1	23.0	86.9	16.0	31.0	38.2	48.3	21.2	71.4	70.1	9.4	
Tasmania	67.2	1.2	20.5	22.7	84.1	16.5	32.2	35.5	47.1	19.7	69.0	67.4	7.5	
SA	60.5	1.8	21.8	22.5	89.4	15.9	31.0	40.7	48.1	22.5	73.9	70.8	9.2	
WA	61.7	2.1	20.3	22.4	84.1	16.5	30.4	36.0	48.8	22.8	68.7	71.0	9.8	
Australia	62.8	2.1	21.2	22.3	85.6	16.3	32.2	36.9	49.1	21.1	70.7	70.4	9.4	
TYPE:														
Fleece	66.0	1.3	21.4	21.6	88.4	15.2	33.4	36.1	48.6	20.7	73.6	71.4	9.7	
Skirting	55.2	4.3	20.5	23.0	77.1	20.8	27.6	41.8	54.2	20.1	60.9	70.3	9.4	
Carding	59.8	2.7	21.5	24.8	60.7	18.1	29.0	24.6	25.8	40.3	49.8	0.0	0.0	
DIFFERENCES:														
Queensland	1.2	0.0	0.0	0.3-	0.3-	0.4	1.7	0.9-	2.9-	0.0	1.0	71.9-	9.6-	
NSW	0.3	0.6	0.1-	0.0	1.6-	0.6	0.6	0.1-	2.7-	9.2-	1.0-	0.4-	0.0	
Victoria	0.4-	0.2	0.1-	0.0	0.9-	0.1	0.6	0.1-	1.7-	2.9-	0.3-	0.3-	0.1	
Tasmania	1.2-	0.3	0.1	0.1-	1.8	0.1-	0.2-	0.6	0.4-	1.8-	1.0	5.5-	1.0-	
SA	0.4-	0.0	0.4-	0.2	2.7-	0.2	1.0-	1.5	4.2-	0.8-	2.1-	0.0	0.2	
WA	1.1	0.0	0.2	0.5-	1.9	0.0	1.9	1.7-	1.1	1.2-	2.0	0.2	0.3	
Australia	0.2	0.2	0.0	0.2-	0.5-	0.2	0.8	0.4-	1.6-	3.7-	0.1-	0.3-	0.0	
Fleece	0.2	0.2	0.0	0.2-	0.5-	0.2	1.0	0.5-	2.0-	4.0-	0.0	0.3-	0.4	
Skirting	0.3	0.4	0.1-	0.2-	0.3-	0.2	0.3	0.1-	0.1-	3.1-	0.4-	0.3-	0.0	
Carding	0.5	0.3	0.1-	0.1-	0.2-	0.0	0.0	0.1	0.0	0.0	0.9-	66.9-	10.3-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA		COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2007/2008:																
Queensland	15658	101529		10826	72.5	5	0.1	61.4	2.7	20.5	21.5	85.6	34.0	57.3	71.2	9.6
NSW	152586	656116		95445	68.6	296	0.6	62.9	2.3	20.9	21.7	85.8	34.5	52.7	71.5	9.7
Victoria	124720	762563		79545	64.6	808	1.3	64.1	1.4	22.2	23.0	87.8	30.4	50.0	71.7	9.3
Tasmania	11275	57568		8216	69.6	10	0.2	68.4	0.9	20.4	22.8	82.3	32.4	47.5	68.0	8.5
SA	34408	270784		25471	77.4	72	0.3	60.9	1.8	22.2	22.3	92.1	32.0	52.3	76.0	9.0
WA	82572	546563		59044	78.1	252	0.3	60.6	2.1	20.1	22.9	82.2	28.5	47.7	66.7	9.5
Australia	421219	2395123		278547	70.7	1443	0.7	62.6	1.9	21.2	22.5	86.1	31.4	50.7	70.8	9.4
TYPE:																
Fleece	247292	1548455		210725	86.2	390	0.2	65.8	1.1	21.4	21.8	88.9	32.4	50.6	73.6	9.3
Skirting	107022	540471		60188	58.4	1045	2.6	54.9	3.9	20.6	23.2	77.4	27.3	54.3	61.3	9.4
Carding	66905	306197		7634	13.8	8	0.0	59.3	2.4	21.6	24.9	60.9	29.0	25.8	50.7	10.3
2008/2009:																
Queensland	14680	96056		10535	75.3	0	0.0	62.6	2.7	20.5	21.2	85.3	35.7	54.4	72.2	0.0
NSW	139366	608025		87087	68.0	269	0.5	63.2	2.9	20.8	21.7	84.2	35.1	50.0	70.5	9.7
Victoria	113862	700197		70084	62.0	772	1.5	63.7	1.6	22.1	23.0	86.9	31.0	48.3	71.4	9.4
Tasmania	9968	52209		7095	69.2	1	0.0	67.2	1.2	20.5	22.7	84.1	32.2	47.1	69.0	7.5
SA	29471	214391		22389	80.2	82	0.4	60.5	1.8	21.8	22.5	89.4	31.0	48.1	73.9	9.2
WA	72866	502987		51303	76.0	151	0.2	61.7	2.1	20.3	22.4	84.1	30.4	48.8	68.7	9.8
Australia	380213	2173865		248493	69.5	1275	0.7	62.8	2.1	21.2	22.3	85.6	32.2	49.1	70.7	9.4
TYPE:																
Fleece	223126	1404055		187545	84.5	212	0.1	66.0	1.3	21.4	21.6	88.4	33.4	48.6	73.6	9.7
Skirting	97009	493249		54343	58.3	1063	2.9	55.2	4.3	20.5	23.0	77.1	27.6	54.2	60.9	9.4
Carding	60078	276561		6605	13.3	0	0.0	59.8	2.7	21.5	24.8	60.7	29.0	25.8	49.8	0.0
DIFFERENCES:																
Queensland	6.2-	5.4-	5.3-	2.7-	2.8	100.0-	0.1-	1.2	0.0	0.0	0.3-	0.3-	1.7	2.9-	1.0	9.6-
NSW	8.7-	7.3-	7.6-	8.8-	0.6-	9.1-	0.1-	0.3	0.6	0.1-	0.0	1.6-	0.6	2.7-	1.0-	0.0
Victoria	8.7-	8.2-	8.5-	11.9-	2.6-	4.5-	0.2	0.4-	0.2	0.1-	0.0	0.9-	0.6	1.7-	0.3-	0.1
Tasmania	11.6-	9.3-	8.8-	13.6-	0.4-	90.0-	0.2-	1.2-	0.3	0.1	0.1-	1.8	0.2-	0.4-	1.0	1.0-
SA	14.3-	20.8-	20.7-	12.1-	2.8	13.9	0.1	0.4-	0.0	0.4-	0.2	2.7-	1.0-	4.2-	2.1-	0.2
WA	11.8-	8.0-	8.0-	13.1-	2.1-	40.1-	0.1-	1.1	0.0	0.2	0.5-	1.9	1.9	1.1	2.0	0.3
Australia	9.7-	9.2-	9.4-	10.8-	1.2-	11.6-	0.0	0.2	0.2	0.0	0.2-	0.5-	0.8	1.6-	0.1-	0.0
Fleece	9.8-	9.3-	9.5-	11.0-	1.7-	45.6-	0.1-	0.2	0.2	0.0	0.2-	0.5-	1.0	2.0-	0.0	0.4
Skirting	9.4-	8.7-	9.0-	9.7-	0.1-	1.7	0.3	0.3	0.4	0.1-	0.2-	0.3-	0.3	0.1-	0.4-	0.0
Carding	10.2-	9.7-	9.8-	13.5-	0.5-	100.0-	0.0	0.5	0.3	0.1-	0.1-	0.2-	0.0	0.0	0.9-	10.3-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -7.4%.

It has moved from 35.0% of the clip at the end of JUNE last year to 35.8% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2007/2008:											
Queensland	151.3	535.4	1317.2	3068.3	5072.2		0.8	2.9	7.1	16.6	27.5
NSW	4173.3	9668.9	15350.7	20227.2	49420.1		3.6	8.4	13.3	17.6	43.0
Victoria	2276.7	6677.4	14086.5	19411.2	42451.8		1.7	4.9	10.4	14.3	31.4
Tasmania	940.4	1808.7	2270.9	1505.4	6525.4		9.3	18.0	22.6	15.0	64.8
SA	52.6	232.8	1191.3	2900.1	4376.9		0.1	0.5	2.5	6.0	9.0
WA	663.3	3558.6	12190.6	24305.5	40718.0		0.7	3.7	12.6	25.1	42.0
Australia	8257.7	22481.7	46407.2	71417.8	148564.3		1.9	5.3	10.9	16.8	35.0
TYPE:											
Fleece	5546.0	13920.4	27357.3	40850.2	87673.8		2.0	5.0	9.8	14.7	31.5
Skirting	1965.9	6060.2	12910.9	21191.3	42128.4		2.1	6.5	13.8	22.6	44.9
Carding	745.7	2501.2	6139.0	9376.2	18762.1		1.4	4.7	11.7	17.8	35.6
2008/2009:											
Queensland	147.4	523.9	1123.1	2754.8	4549.3		0.8	3.0	6.4	15.8	26.1
NSW	3969.4	9848.1	16153.3	18809.0	48779.8		3.7	9.3	15.2	17.7	45.9
Victoria	2417.3	7561.4	14564.1	18095.5	42638.3		2.0	6.1	11.8	14.6	34.4
Tasmania	834.2	1441.4	2000.4	1474.9	5750.9		9.1	15.7	21.8	16.1	62.6
SA	40.8	309.9	1220.3	3387.4	4958.4		0.1	0.8	3.2	8.8	12.9
WA	380.9	2214.4	8933.8	19393.5	30922.6		0.4	2.5	10.0	21.8	34.7
Australia	7789.9	21899.2	43995.1	63915.1	137599.3		2.0	5.7	11.4	16.6	35.8
TYPE:											
Fleece	4858.7	12835.1	25493.8	36833.6	80021.2		1.9	5.1	10.1	14.6	31.8
Skirting	1970.8	6150.0	12148.4	18827.7	39096.9		2.3	7.2	14.2	22.1	45.8
Carding	960.4	2914.0	6352.9	8253.8	18481.2		2.0	6.1	13.4	17.4	38.9
DIFFERENCES:											
Queensland	2.6-	2.1-	14.7-	10.2-	10.3-	5.3-	0.0	0.1	0.7-	0.8-	1.4-
NSW	4.9-	1.9	5.2	7.0-	1.3-	7.6-	0.1	0.9	1.9	0.1	2.9
Victoria	6.2	13.2	3.4	6.8-	0.4	8.5-	0.3	1.2	1.4	0.3	3.0
Tasmania	11.3-	20.3-	11.9-	2.0-	11.9-	8.8-	0.2-	2.3-	0.8-	1.1	2.2-
SA	22.4-	33.1	2.4	16.8	13.3	20.7-	0.0	0.3	0.7	2.8	3.9
WA	42.6-	37.8-	26.7-	20.2-	24.1-	8.0-	0.3-	1.2-	2.6-	3.3-	7.3-
Australia	5.7-	2.6-	5.2-	10.5-	7.4-	9.4-	0.1	0.4	0.5	0.2-	0.8
Fleece	12.4-	7.8-	6.8-	9.8-	8.7-	377.3	0.1-	0.1	0.3	4.8-	0.3
Skirting	0.2	1.5	5.9-	11.2-	7.2-	62.0	0.2	0.7	0.4	8.3-	0.9
Carding	28.8	16.5	3.5	12.0-	1.5-	9.8-	0.6	1.4	1.7	5.7-	3.3

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2007/2008:											
Queensland	0.0	0.0	0.4	8.4	142.6		0.0	0.0	0.0	0.0	0.8
NSW	0.7	3.2	41.3	587.9	3540.1		0.0	0.0	0.0	0.5	3.1
Victoria	1.7	8.2	29.9	327.5	1909.4		0.0	0.0	0.0	0.2	1.4
Tasmania	0.0	0.0	12.9	149.4	778.2		0.0	0.0	0.1	1.5	7.7
SA	0.0	0.0	0.0	0.3	52.3		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	1.0	59.2	603.1		0.0	0.0	0.0	0.1	0.6
Australia	2.4	11.3	85.4	1132.6	7025.9		0.0	0.0	0.0	0.3	1.7
TYPE:											
Fleece	2.3	10.6	71.6	831.2	4630.4		0.0	0.0	0.0	0.3	1.7
Skirting	0.2	0.8	10.2	219.4	1735.4		0.0	0.0	0.0	0.2	1.8
Carding	0.0	0.0	3.7	82.0	660.1		0.0	0.0	0.0	0.2	1.3
2008/2009:											
Queensland	0.2	0.1	0.4	14.6	132.1		0.0	0.0	0.0	0.1	0.8
NSW	0.7	5.4	100.3	701.1	3162.0		0.0	0.0	0.1	0.7	3.0
Victoria	1.1	8.2	22.4	299.2	2086.4		0.0	0.0	0.0	0.2	1.7
Tasmania	0.0	0.6	10.8	150.7	671.4		0.0	0.0	0.1	1.6	7.3
SA	0.0	0.0	0.0	2.3	38.5		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	0.3	19.6	361.0		0.0	0.0	0.0	0.0	0.4
Australia	2.0	14.2	134.1	1187.5	6451.3		0.0	0.0	0.0	0.3	1.7
TYPE:											
Fleece	2.0	12.6	105.2	814.9	3924.0		0.0	0.0	0.0	0.3	1.6
Skirting	0.0	1.0	22.6	281.6	1664.9		0.0	0.0	0.0	0.3	2.0
Carding	0.0	0.7	6.4	90.9	862.4		0.0	0.0	0.0	0.2	1.8
DIFFERENCES:											
Queensland	0.0	0.0	0.0	73.8	7.4-	5.3-	0.0	0.0	0.0	0.1	0.0
NSW	0.0	68.8	142.9	19.3	10.7-	7.6-	0.0	0.0	0.1	0.2	0.1-
Victoria	35.3-	0.0	25.1-	8.6-	9.3	8.5-	0.0	0.0	0.0	0.0	0.3
Tasmania	0.0	0.0	16.3-	0.9	13.7-	8.8-	0.0	0.0	0.0	0.1	0.4-
SA	0.0	0.0	0.0	666.7	26.4-	20.7-	0.0	0.0	0.0	0.0	0.0
WA	0.0	0.0	70.0-	66.9-	40.1-	8.0-	0.0	0.0	0.0	0.1-	0.2-
Australia	16.7-	25.7	57.0	4.8	8.2-	9.4-	0.0	0.0	0.0	0.0	0.0
Fleece	13.0-	18.9	46.9	2.0-	15.3-	377.3	0.0	0.0	0.0	0.3	0.1-
Skirting	100.0-	25.0	121.6	28.4	4.1-	62.0	0.0	0.0	0.0	0.3	0.2
Carding	0.0	0.0	73.0	10.9	30.6	9.8-	0.0	0.0	0.0	0.2	0.5